

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122324\
 Data File : BM049181.D
 Acq On : 24 Dec 2024 12:57
 Operator : RC/JU
 Sample : P5333-08
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E2911

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/25/2024
 Supervised By :mohammad ahmed 12/26/2024

Quant Time: Dec 24 21:40:16 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM121824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 18 15:33:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.548	152	9106	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.309	136	29157	0.400	ng/ul	#-0.02
9) Acenaphthene-d10	14.187	164	16380	0.400	ng/ul	-0.01
13) Phenanthrene-d10	16.934	188	37125	0.400	ng/ul	-0.02
17) Chrysene-d12	21.137	240	32069	0.400	ng/ul	0.00
23) Perylene-d12	23.291	264	31484m	0.400	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.143	96	35340	3.365	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.910	152	7062	0.180	ng/ul	-0.02
18) Fluoranthene-d10	18.969	212	12841	0.141	ng/ul	-0.01
Target Compounds						
					Qvalue	
5) Naphthalene	10.359	128	15408	0.211	ng/ul	97
7) 2-Methylnaphthalene	11.981	142	5852	0.127	ng/ul	93
8) 1-Methylnaphthalene	12.207	142	4261	0.090	ng/ul	91
10) Acenaphthylene	13.901	152	7989	0.118	ng/ul#	79
11) Acenaphthene	14.248	153	5227	0.105	ng/ul	98
12) Fluorene	15.242	166	8372	0.150	ng/ul#	99
15) Phenanthrene	16.976	178	137968	1.423	ng/ul	98
16) Anthracene	17.065	178	28896	0.325	ng/ul	98
19) Fluoranthene	19.002	202	243280	2.098	ng/ul	99
20) Pyrene	19.364	202	207797	1.680	ng/ul	99
21) Benzo(a)anthracene	21.122	228	106144	0.952	ng/ul	97
22) Chrysene	21.172	228	112504	0.940	ng/ul	97
24) Benzo(b)fluoranthene	22.653	252	145675m	1.448	ng/ul	
25) Benzo(k)fluoranthene	22.691	252	46602m	0.422	ng/ul	
26) Benzo(a)pyrene	23.197	252	93463m	0.969	ng/ul	
27) Indeno(1,2,3-cd)pyrene	25.427	276	71526	0.524	ng/ul#	92
28) Dibenzo(a,h)anthracene	25.430	278	17642	0.166	ng/ul#	78
29) Benzo(g,h,i)perylene	26.074	276	80630	0.734	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122324\
Data File : BM049181.D
Acq On : 24 Dec 2024 12:57
Operator : RC/JU
Sample : P5333-08
Misc :
ALS Vial : 45 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
E2911

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024


Quant Time: Dec 24 21:40:16 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM121824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 18 15:33:13 2024
Response via : Initial Calibration





#5
Naphthalene
Concen: 0.211 ng/ul
RT: 10.359 min Scan# 1732
Delta R.T. -0.021 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911



Tgt Ion:128 Resp: 15408
Ion Ratio Lower Upper
128 100
129 13.9 9.7 14.5
127 14.1 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024



#7
2-Methylnaphthalene
Concen: 0.127 ng/ul
RT: 11.981 min Scan# 2027
Delta R.T. -0.021 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57

Tgt Ion:142 Resp: 5852
Ion Ratio Lower Upper
142 100
141 83.0 71.7 107.5





#8

1-Methylnaphthalene

Concen: 0.090 ng/ul

RT: 12.207 min Scan# 2068

Delta R.T. -0.015 min

Lab File: BM049181.D

Acq: 24 Dec 2024 12:57

Instrument :

BNA_M

ClientSampleId :

E2911

Tgt Ion:142 Resp: 426

Ion Ratio Lower Upper

142 100





141 99.2 72.7 109.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/25/2024

Supervised By :mohammad ahmed 12/26/2024



#10

Acenaphthylene

Concen: 0.118 ng/ul

RT: 13.901 min Scan# 2393

Delta R.T. -0.017 min

Lab File: BM049181.D

Acq: 24 Dec 2024 12:57




Tgt Ion:152 Resp: 7989


Ion Ratio Lower Upper

152 100

151 26.7 16.0 24.0#


153 26.4 11.0 16.6#





#11
Acenaphthene
Concen: 0.105 ng/ul
RT: 14.248 min Scan# 2469
Delta R.T. -0.017 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911



Tgt Ion:153 Resp: 522
Ion Ratio Lower Upper
153 100
152 52.4 40.7 61.1
154 87.2 70.8 106.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024



#12
Fluorene
Concen: 0.150 ng/ul
RT: 15.242 min Scan# 2683
Delta R.T. -0.013 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57


Tgt Ion:166 Resp: 8372
Ion Ratio Lower Upper
166 100
165 99.7 79.7 119.5
167 17.7 11.4 17.0#





#15
Phenanthrene
Concen: 1.423 ng/u1
RT: 16.976 min Scan# 3078
Delta R.T. -0.016 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911




Tgt Ion:178 Resp: 137968
Ion Ratio Lower Upper
178 100
179 15.7 13.0 19.4
176 19.3 16.2 24.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024




#16
Anthracene
Concen: 0.325 ng/u1
RT: 17.065 min Scan# 3099
Delta R.T. -0.020 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Tgt Ion:178 Resp: 28896
Ion Ratio Lower Upper
178 100
179 17.1 12.9 19.3
176 19.5 15.3 22.9





#19
Fluoranthene
Concen: 2.098 ng/u1
RT: 19.002 min Scan# 3547
Delta R.T. -0.013 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911




Tgt Ion:202 Resp: 243280
Ion Ratio Lower Upper
202 100
101 8.9 7.6 11.4
100 6.6 5.5 8.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024




#20
Pyrene
Concen: 1.680 ng/u1
RT: 19.364 min Scan# 3625
Delta R.T. -0.013 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Tgt Ion:202 Resp: 207797
Ion Ratio Lower Upper
202 100
101 10.6 8.9 13.3
100 8.4 6.9 10.3





#21
Benzo(a)anthracene
Concen: 0.952 ng/ul
RT: 21.122 min Scan# 4082
Delta R.T. -0.009 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911



Tgt Ion:228 Resp: 106144
Ion Ratio Lower Upper
228 100
229 21.2 15.9 23.9
226 29.5 22.6 34.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024



#22
Chrysene
Concen: 0.940 ng/ul
RT: 21.172 min Scan# 4099
Delta R.T. -0.012 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57


Tgt Ion:228 Resp: 112504
Ion Ratio Lower Upper
228 100
226 30.8 24.1 36.1
229 22.6 15.8 23.8





#24
Benzo(b)fluoranthene
Concen: 1.448 ng/ul m
RT: 22.653 min Scan# 4606
Delta R.T. -0.009 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911



Tgt Ion:252 Resp: 145679
Ion Ratio Lower Upper
252 100
253 25.0 0.0 52.6
125 13.4 0.0 30.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024



#25
Benzo(k)fluoranthene
Concen: 0.422 ng/ul m
RT: 22.691 min Scan# 4619
Delta R.T. -0.015 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57

Tgt Ion:252 Resp: 46602
Ion Ratio Lower Upper
252 100
253 27.9 21.3 31.9
125 20.1 12.6 18.8#





#26

Benzo(a)pyrene

Concen: 0.969 ng/ul m

RT: 23.197 min Scan# 4793

Delta R.T. -0.012 min

Lab File: BM049181.D

Acq: 24 Dec 2024 12:57

Instrument :

BNM

ClientSampleId :

E2911

Tgt Ion:252 Resp: 9346





Ion	Ratio	Lower	Upper
252	100		
253	25.3	22.4	33.6
125	14.5	14.8	22.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/25/2024

Supervised By :mohammad ahmed 12/26/2024



#27

Indeno(1,2,3-cd)pyrene

Concen: 0.524 ng/ul

RT: 25.427 min Scan# 5536




Delta R.T. -0.021 min


Lab File: BM049181.D

Acq: 24 Dec 2024 12:57

Tgt Ion:276 Resp: 71526


Ion	Ratio	Lower	Upper
276	100		
138	18.1	17.4	26.2
227	0.0	0.2	0.2





#28
Dibenzo(a,h)anthracene
Concen: 0.166 ng/ul
RT: 25.430 min Scan# 5537
Delta R.T. -0.037 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57




Instrument :
BNA_M
ClientSampleId :
E2911



Tgt Ion:278 Resp: 1764
Ion Ratio Lower Upper
278 100
139 31.4 13.5 20.3
279 34.9 21.5 32.3

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024



#29
Benzo(g,h,i)perylene
Concen: 0.734 ng/ul
RT: 26.074 min Scan# 5729
Delta R.T. -0.021 min
Lab File: BM049181.D
Acq: 24 Dec 2024 12:57

Tgt Ion:276 Resp: 80630
Ion Ratio Lower Upper
276 100
138 21.0 16.7 25.1
277 24.8 19.9 29.9

