

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
 Data File : BM028269.D
 Acq On : 24 Dec 2020 20:18
 Operator : JU/CG
 Sample : L5195-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AC0

Quant Time: Dec 25 00:36:45 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 25 00:28:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.19	152	106166	20.00	ng/ul	0.00
18) Naphthalene-d8	11.01	136	435892	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.82	164	250567	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	519892	20.00	ng/ul	0.00
78) Chrysene-d12	21.64	240	502185	20.00	ng/ul	0.00
86) Perylene-d12	24.01	264	517633	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.40	96	11322	4.24	ng/uL	0.00
5) Phenol-d5	7.32	99	54127	6.05	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.50	67	146018	25.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.70	132	169662	22.50	ng/ul	0.00
13) 4-Methylphenol-d8	8.89	113	102637	14.07	ng/ul	0.00
19) Nitrobenzene-d5	9.36	128	99323	29.05	ng/ul	0.00
22) 2-Nitrophenol-d4	10.09	143	108995	31.32	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.62	165	185687	26.36	ng/ul	0.00
29) 4-Chloroaniline-d4	11.15	131	16935	2.03	ng/ul	0.00
44) Dimethylphthalate-d6	14.21	166	618262	32.03	ng/ul	0.00
47) Acenaphthylene-d8	14.51	160	765836	31.62	ng/ul	0.00
52) 4-Nitrophenol-d4	14.99	143	23147	6.59	ng/ul	0.00
58) Fluorene-d10	15.80	176	529132	30.63	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.90	200	98328	31.76	ng/ul	0.00
71) Anthracene-d10	17.63	188	886706	34.37	ng/ul	0.00
79) Pyrene-d10	19.89	212	976512	34.87	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.86	264	1037497	36.39	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	14.26	163	48454	2.456	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
Data File : BM028269.D
Acq On : 24 Dec 2020 20:18
Operator : JU/CG
Sample : L5195-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AC0

Quant Time: Dec 25 00:36:45 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 25 00:28:42 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.456 ng/ul

RT: 14.26 min Scan# 1882

Delta R.T. -0.01 min

Lab File: BM028269.D

Acq: 24 Dec 2020 20:18

Instrument :

BNA_M

ClientSampleId :

C0AC0

Tot Ion:163 Resp: 48454

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.2

164 10.9 8.4 12.6

