

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
 Data File : BM028261.D
 Acq On : 24 Dec 2020 15:27
 Operator : JU/CG
 Sample : L5114-22MS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A54R5MS

Quant Time: Dec 24 16:21:39 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 24 15:09:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.19	152	85943	20.00	ng/ul	0.00
18) Naphthalene-d8	11.02	136	346311	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.82	164	200657	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	411491	20.00	ng/ul	0.00
78) Chrysene-d12	21.65	240	408479	20.00	ng/ul	0.00
86) Perylene-d12	24.01	264	406548	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.40	96	13802	6.38	ng/uL	0.00
5) Phenol-d5	7.33	99	267302	36.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.50	67	162742	35.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.71	132	225339	36.92	ng/ul	0.00
13) 4-Methylphenol-d8	8.89	113	216660	36.69	ng/ul	0.00
19) Nitrobenzene-d5	9.36	128	110006	40.50	ng/ul	0.00
22) 2-Nitrophenol-d4	10.09	143	121795	44.05	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.63	165	213440	38.13	ng/ul	0.00
29) 4-Chloroaniline-d4	11.15	131	305486	46.04	ng/ul	0.00
44) Dimethylphthalate-d6	14.22	166	639527	41.37	ng/ul	0.00
47) Acenaphthylene-d8	14.51	160	820008	42.28	ng/ul	0.00
52) 4-Nitrophenol-d4	14.99	143	113694	40.45	ng/ul	0.00
58) Fluorene-d10	15.80	176	535794	38.73	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.91	200	91633	37.39	ng/ul	0.00
71) Anthracene-d10	17.63	188	821578	40.23	ng/ul	0.00
79) Pyrene-d10	19.90	212	886654	38.92	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.86	264	926429	41.37	ng/ul	0.00

Target Compounds

					Ovalue
6) Phenol	7.36	94	261170	36.089	ng/ul 99
10) 2-Chlorophenol	7.74	128	202106	32.434	ng/ul 99
15) N-Nitroso-di-n-propylamine	9.00	70	153865	34.518	ng/ul 98
33) 4-Chloro-3-methylphenol	12.27	107	198616	34.707	ng/ul 95
45) Dimethylphthalate	14.26	163	31322	1.983	ng/ul 99
50) Acenaphthene	14.88	153	468977	33.237	ng/ul 100
53) 4-Nitrophenol	15.00	109	77991	35.655	ng/ul 97
55) 2,4-Dinitrotoluene	15.17	165	156914	36.288	ng/ul 99
69) Pentachlorophenol	17.19	266	107784	35.460	ng/ul 97
80) Pyrene	19.92	202	975067	31.675	ng/ul 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
Data File : BM028261.D
Acq On : 24 Dec 2020 15:27
Operator : JU/CG
Sample : L5114-22MS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A54R5MS

Quant Time: Dec 24 16:21:39 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 24 15:09:34 2020
Response via : Initial Calibration

