

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
 Data File : BM028264.D
 Acq On : 24 Dec 2020 17:16
 Operator : JU/CG
 Sample : L5110-13MSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A54M2MSD

Quant Time: Dec 24 17:47:46 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 24 15:09:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.19	152	101996	20.00	ng/ul	0.00
18) Naphthalene-d8	11.02	136	416524	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.82	164	241681	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	489222	20.00	ng/ul	0.00
78) Chrysene-d12	21.65	240	462349	20.00	ng/ul	0.00
86) Perylene-d12	24.01	264	466475	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.40	96	7094	2.76	ng/uL	0.00
5) Phenol-d5	7.33	99	134337	15.64	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.50	67	91923	16.88	ng/ul	0.00
9) 2-Chlorophenol-d4	7.71	132	119282	16.47	ng/ul	0.00
13) 4-Methylphenol-d8	8.89	113	110810	15.81	ng/ul	0.00
19) Nitrobenzene-d5	9.36	128	58966	18.05	ng/ul	0.00
22) 2-Nitrophenol-d4	10.09	143	56491	16.99	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.63	165	110062	16.35	ng/ul	0.00
29) 4-Chloroaniline-d4	11.14	131	75410	9.45	ng/ul	0.00
44) Dimethylphthalate-d6	14.21	166	340816	18.30	ng/ul	0.00
47) Acenaphthylene-d8	14.51	160	445216	19.06	ng/ul	0.00
52) 4-Nitrophenol-d4	14.99	143	22974	6.79	ng/ul	0.00
58) Fluorene-d10	15.80	176	301508	18.10	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.90	200	33102	11.36	ng/ul	0.00
71) Anthracene-d10	17.63	188	433797	17.87	ng/ul	0.00
79) Pyrene-d10	19.89	212	477242	18.51	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.86	264	473555	18.43	ng/ul	0.00

Target Compounds

					Ovalue
6) Phenol	7.35	94	188182	21.911	ng/ul 100
10) 2-Chlorophenol	7.74	128	153073	20.699	ng/ul 98
15) N-Nitroso-di-n-propylamine	9.00	70	110867	20.957	ng/ul 98
33) 4-Chloro-3-methylphenol	12.27	107	149636	21.740	ng/ul 96
45) Dimethylphthalate	14.26	163	117125	6.156	ng/ul 99
50) Acenaphthene	14.88	153	349914	20.589	ng/ul 99
53) 4-Nitrophenol	15.00	109	51372	19.499	ng/ul 98
55) 2,4-Dinitrotoluene	15.16	165	113132	21.722	ng/ul 98
69) Pentachlorophenol	17.18	266	78106	21.613	ng/ul 98
80) Pyrene	19.92	202	709024	20.349	ng/ul 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
Data File : BM028264.D
Acq On : 24 Dec 2020 17:16
Operator : JU/CG
Sample : L5110-13MSD
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A54M2MSD

Quant Time: Dec 24 17:47:46 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 24 15:09:34 2020
Response via : Initial Calibration

