

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
 Data File : BM028272.D
 Acq On : 24 Dec 2020 22:07
 Operator : JU/CG
 Sample : L5195-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AC1

Quant Time: Dec 25 01:02:51 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 25 00:28:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.19	152	102238	20.00	ng/ul	0.00
18) Naphthalene-d8	11.01	136	417479	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.82	164	242557	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	488770	20.00	ng/ul	0.00
78) Chrysene-d12	21.64	240	468297	20.00	ng/ul	0.00
86) Perylene-d12	24.00	264	466101	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.40	96	11178	4.35	ng/uL	0.00
5) Phenol-d5	7.32	99	60921	7.07	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.50	67	157159	28.80	ng/ul	0.00
9) 2-Chlorophenol-d4	7.70	132	184368	25.39	ng/ul	0.00
13) 4-Methylphenol-d8	8.89	113	113241	16.12	ng/ul	0.00
19) Nitrobenzene-d5	9.36	128	107611	32.87	ng/ul	0.00
22) 2-Nitrophenol-d4	10.09	143	118706	35.62	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.63	165	210240	31.16	ng/ul	0.00
29) 4-Chloroaniline-d4	11.15	131	17450	2.18	ng/ul	0.00
44) Dimethylphthalate-d6	14.22	166	678974	36.34	ng/ul	0.00
47) Acenaphthylene-d8	14.51	160	845217	36.05	ng/ul	0.00
52) 4-Nitrophenol-d4	14.98	143	23941	7.05	ng/ul	0.00
58) Fluorene-d10	15.80	176	573763	34.31	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.91	200	102585	35.25	ng/ul	0.00
71) Anthracene-d10	17.63	188	903156	37.23	ng/ul	0.00
79) Pyrene-d10	19.89	212	979507	37.51	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.86	264	994686	38.75	ng/ul	0.00


Target Compounds					Ovalue
45) Dimethylphthalate	14.26	163	45721	2.394	ng/ul 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122420\
Data File : BM028272.D
Acq On : 24 Dec 2020 22:07
Operator : JU/CG
Sample : L5195-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AC1

Quant Time: Dec 25 01:02:51 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 25 00:28:42 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.394 ng/ul

RT: 14.26 min Scan# 1882

Delta R.T. -0.01 min

Lab File: BM028272.D

Acq: 24 Dec 2020 22:07

Instrument :

BNA_M

ClientSampleId :

C0AC1


Tot Ion:163 Resp: 45721

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.2

164 9.3 8.4 12.6



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

