

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM122515\
 Data File : BM003793.D
 Acq On : 25 Dec 2015 00:13
 Operator : UM/SJ
 Sample : G4939-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 L-2-7(0-2)

Quant Time: Dec 25 01:05:12 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	55099	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	231308	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	125454	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	245237	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	233284	20.00	ng	-0.04
86) Perylene-d12	23.52	264	224328	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	498179	160.75	ng	-0.03
7) Phenol-d6	6.86	99	656490	152.55	ng	-0.03
23) Nitrobenzene-d5	8.84	82	401603	107.65	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	159862	127.59	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	828369	89.96	ng	-0.04
78) Terphenyl-d14	19.72	244	724171	73.21	ng	-0.04
Target Compounds						
49) Dimethylphthalate	13.79	163	159880	15.47	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM122515\
Data File : BM003793.D
Acq On : 25 Dec 2015 00:13
Operator : UM/SJ
Sample : G4939-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
L-2-7(0-2)

Quant Time: Dec 25 01:05:12 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.68 min Scan# 781
 Delta R.T. -0.04 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13

Instrument :
 BNA_M
 ClientSampleId :
 L-2-7(0-2)

Tgt Ion:152 Resp: 55099
 Ion Ratio Lower Upper
 152 100
 150 156.5 119.5 179.3
 115 61.9 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 160.75 ng
 RT: 5.27 min Scan# 371
 Delta R.T. -0.03 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13

Tgt Ion:112 Resp: 498179
 Ion Ratio Lower Upper
 112 100
 64 53.2 38.6 57.8
 63 27.2 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 152.55 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13

Instrument :

BNA_M

ClientSampleId :

L-2-7(0-2)


Tgt Ion: 99 Resp: 656490

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.4

71 33.6 23.4 35.2






Abundance Ion 99.00 (98.70 to 99.70): BM003793.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM003793.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM003793.D (-630) (-)

6.86



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13

Tgt Ion: 136 Resp: 231308


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 6.6 4.6 6.8

68 5.8 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): BM003793.D (-1246) (-)


Ion 137.00 (136.70 to 137.70): BM003793.D (-1246) (-)

Ion 54.00 (53.70 to 54.70): BM003793.D (-1246) (-)

Ion 68.00 (67.70 to 68.70): BM003793.D (-1246) (-)

10.47









#23
 Nitrobenzene-d5
 Concen: 107.65 ng
 RT: 8.84 min Scan# 978
 Delta R.T. -0.04 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13




Instrument :
 BNA_M
 ClientSampleId :
 L-2-7(0-2)


Tgt Ion: 82 Resp: 401603
 Ion Ratio Lower Upper
 82 100
 128 44.9 32.8 49.2
 54 41.2 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13

Tgt Ion: 164 Resp: 125454
 Ion Ratio Lower Upper
 164 100
 162 100.8 82.4 123.6
 160 45.7 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 127.59 ng
 RT: 15.83 min Scan# 2167
 Delta R.T. -0.04 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13




Instrument :
 BNA_M
 ClientSampleId :
 L-2-7(0-2)


Tgt Ion	Ratio	Resp	Lower	Upper
330	100	159862		
332	95.6	0.0	0.0	0.0#
141	43.3	0.0	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 89.96 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003793.D
 Acq: 25 Dec 2015 00:13

Tgt Ion	Ratio	Resp	Lower	Upper
172	100	828369		
171	35.0	28.5	42.7	
170	23.3	18.8	28.2	





#49

Dimethylphthalate

Concen: 15.47 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13

Instrument :

BNA_M

ClientSampleId :

L-2-7(0-2)


Tgt Ion:163 Resp: 159880

Ion Ratio Lower Upper




163 100

194 4.0 2.7 4.1

164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13


Tgt Ion:188 Resp: 245237

Ion Ratio Lower Upper



188 100


94 9.9 8.7 13.1

80 11.0 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13

Instrument :

BNA_M

ClientSampleId :

L-2-7(0-2)


Tgt Ion:240 Resp: 233284

Ion Ratio Lower Upper

240 100

120 12.2 8.2 12.2


236 25.7 20.0 30.0





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time--> 21.20 21.25 21.30 21.35



#78

Terphenyl-d14

Concen: 73.21 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13


Tgt Ion:244 Resp: 724171

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#


122 12.2 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time--> 19.70 19.80





#86

Perylene-d12

Concen: 20.00 ng

RT: 23.52 min Scan# 3473

Delta R.T. -0.06 min

Lab File: BM003793.D

Acq: 25 Dec 2015 00:13

Instrument :

BNA_M

ClientSampleId :

L-2-7(0-2)


Tgt Ion: 264 Resp: 224328

Ion Ratio Lower Upper

264 100

260 24.1 18.6 27.8

265 21.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

