

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM122515\
 Data File : BM003794.D
 Acq On : 25 Dec 2015 00:50
 Operator : UM/SJ
 Sample : G4939-15
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 L-2-8(0-2)

Quant Time: Dec 25 01:31:19 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	57070	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	238533	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	122487	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	229625	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	227512	20.00	ng	-0.04
86) Perylene-d12	23.51	264	233568	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	476451	148.43	ng	-0.04
7) Phenol-d6	6.86	99	616530	138.32	ng	-0.03
23) Nitrobenzene-d5	8.84	82	377087	98.02	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	130633	106.79	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	731396	81.35	ng	-0.04
78) Terphenyl-d14	19.72	244	571328	59.22	ng	-0.04
Target Compounds						
49) Dimethylphthalate	13.79	163	149856	14.85	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM122515\
Data File : BM003794.D
Acq On : 25 Dec 2015 00:50
Operator : UM/SJ
Sample : G4939-15
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
L-2-8(0-2)

Quant Time: Dec 25 01:31:19 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM003794.D
Acq: 25 Dec 2015 00:50

Instrument :
BNA_M
ClientSampleId :
L-2-8(0-2)

Tgt Ion:152 Resp: 57070
Ion Ratio Lower Upper
152 100
150 156.7 119.5 179.3
115 61.2 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 148.43 ng
RT: 5.27 min Scan# 371
Delta R.T. -0.04 min
Lab File: BM003794.D
Acq: 25 Dec 2015 00:50

Tgt Ion:112 Resp: 476451
Ion Ratio Lower Upper
112 100
64 53.2 38.6 57.8
63 27.4 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 138.32 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50

Instrument :

BNA_M

ClientSampled :

L-2-8(0-2)


Tgt Ion: 99 Resp: 616530

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.4




71 33.4 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM003794.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003794.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003794.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50

Tgt Ion: 136 Resp: 238533


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 6.3 4.6 6.8

68 5.9 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003794.D (-1246) (-)

Ion 137.00 (136.70 to 137.70): BM003794.D (-1246) (-)

Ion 54.00 (53.70 to 54.70): BM003794.D (-1246) (-)

Ion 68.00 (67.70 to 68.70): BM003794.D (-1246) (-)









#23
 Nitrobenzene-d5
 Concen: 98.02 ng
 RT: 8.84 min Scan# 978
 Delta R.T. -0.04 min
 Lab File: BM003794.D
 Acq: 25 Dec 2015 00:50




Instrument :
 BNA_M
 ClientSampleId :
 L-2-8(0-2)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	45.2	32.8	49.2
54	41.6	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003794.D
 Acq: 25 Dec 2015 00:50

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.3	82.4	123.6
160	46.2	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 106.79 ng
 RT: 15.83 min Scan# 2166
 Delta R.T. -0.04 min
 Lab File: BM003794.D
 Acq: 25 Dec 2015 00:50




Instrument :
 BNA_M
 ClientSampled :
 L-2-8(0-2)


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.6	0.0	0.0#
141	43.9	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 81.35 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003794.D
 Acq: 25 Dec 2015 00:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.5	42.7
170	23.3	18.8	28.2





#49

Dimethylphthalate

Concen: 14.85 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50

Instrument :

BNA_M

ClientSampleId :

L-2-8(0-2)


Tgt Ion:163 Resp: 149856

Ion Ratio Lower Upper


163 100

194 4.1 2.7 4.1



164 10.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



Time--> 13.70 13.75 13.80 13.85



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50


Tgt Ion:188 Resp: 229625

Ion Ratio Lower Upper


188 100

94 9.8 8.7 13.1


80 10.6 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0



Time--> 17.00 17.10





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50

Instrument :

BNA_M

ClientSampleId :

L-2-8(0-2)


Tgt Ion:240 Resp: 227512

Ion Ratio Lower Upper

240 100

120 11.9 8.2 12.2




236 26.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 59.22 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003794.D

Acq: 25 Dec 2015 00:50


Tgt Ion:244 Resp: 571328

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#



122 11.6 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 23.51 min Scan# 3473
Delta R.T. -0.06 min
Lab File: BM003794.D
Acq: 25 Dec 2015 00:50

Instrument :
BNA_M
ClientSampleId :
L-2-8(0-2)

Tgt Ion:	264	Resp:	233568
Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.6	27.8
265	21.9	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

