

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
 Data File : BM003809.D
 Acq On : 25 Dec 2015 10:31
 Operator : UM/SJ
 Sample : G4952-09
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 25 22:57:16 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	55285	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	238098	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	129126	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	243660	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	174803	20.00	ng	-0.04
86) Perylene-d12	23.52	264	177028	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	115023	36.99	ng	-0.03
7) Phenol-d6	6.86	99	102090	23.64	ng	-0.03
23) Nitrobenzene-d5	8.85	82	338122	88.05	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	91901	71.26	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	789413	83.29	ng	-0.04
78) Terphenyl-d14	19.72	244	622960	84.04	ng	-0.04
Target Compounds						
49) Dimethylphthalate	13.79	163	112863	10.61	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
Data File : BM003809.D
Acq On : 25 Dec 2015 10:31
Operator : UM/SJ
Sample : G4952-09
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 25 22:57:16 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM003809.D
Acq: 25 Dec 2015 10:31

Instrument :
BNA_M
ClientSampleId :

Tot Ion:152 Resp: 55285
Ion Ratio Lower Upper
152 100
150 158.2 119.5 179.3
115 60.4 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 36.99 ng
RT: 5.28 min Scan# 372
Delta R.T. -0.03 min
Lab File: BM003809.D
Acq: 25 Dec 2015 10:31

Tgt Ion:112 Resp: 115023
Ion Ratio Lower Upper
112 100
64 51.5 38.6 57.8
63 26.2 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 23.64 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003809.D

Acq: 25 Dec 2015 10:31

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 102090

Ion Ratio Lower Upper

99 100

42 14.0 11.0 16.4




71 32.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003809.D

Acq: 25 Dec 2015 10:31

Tgt Ion: 136 Resp: 238098


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 6.3 4.6 6.8

68 5.8 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)

Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)






#23
 Nitrobenzene-d5
 Concen: 88.05 ng
 RT: 8.85 min Scan# 979
 Delta R.T. -0.04 min
 Lab File: BM003809.D
 Acq: 25 Dec 2015 10:31

Instrument :
 BNA_M
 ClientSampleId :




Tot Ion	82	Resp	338122
Ion Ratio	Lower	Upper	
82	100		
128	46.6	32.8	49.2
54	40.6	40.6	60.8



Abundance Ion 82.00 (81.70 to 82.70): BM003809.D (-968) (-)


Ion 128.00 (127.70 to 128.70): BM003809.D (-968) (-)

Ion 54.00 (53.70 to 54.70): BM003809.D (-968) (-)



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003809.D
 Acq: 25 Dec 2015 10:31



Tgt Ion	164	Resp	129126
Ion Ratio	Lower	Upper	
164	100		
162	101.7	82.4	123.6
160	44.3	35.8	53.6



Abundance Ion 164.00 (163.70 to 164.70): BM003809.D (-1902) (-)

Ion 162.00 (161.70 to 162.70): BM003809.D (-1902) (-)

Ion 160.00 (159.70 to 160.70): BM003809.D (-1902) (-)









#41
 2,4,6-Tribromophenol
 Concen: 71.26 ng
 RT: 15.83 min Scan# 2166
 Delta R.T. -0.04 min
 Lab File: BM003809.D
 Acq: 25 Dec 2015 10:31

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	0.0	0.0#
141	42.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.29 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003809.D
 Acq: 25 Dec 2015 10:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.5	42.7
170	23.5	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 10.61 ng
RT: 13.79 min Scan# 1820
Delta R.T. -0.04 min
Lab File: BM003809.D
Acq: 25 Dec 2015 10:31




Instrument :
BNA_M
ClientSampleId :


Tot Ion:163 Resp: 112863
Ion Ratio Lower Upper
163 100
194 4.0 2.7 4.1
164 9.8 8.2 12.2



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.08 min Scan# 2379
Delta R.T. -0.04 min
Lab File: BM003809.D
Acq: 25 Dec 2015 10:31

Tgt Ion:188 Resp: 243660
Ion Ratio Lower Upper
188 100
94 9.9 8.7 13.1
80 10.8 9.3 13.9





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003809.D

Acq: 25 Dec 2015 10:31

Instrument :

BNA_M

ClientSampleId :


Tot Ion:240 Resp: 174803

Ion Ratio Lower Upper

240 100

120 11.9 8.2 12.2




236 26.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 84.04 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003809.D

Acq: 25 Dec 2015 10:31


Tgt Ion:244 Resp: 622960

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#



122 11.7 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.52 min Scan# 3474
Delta R.T. -0.05 min
Lab File: BM003809.D
Acq: 25 Dec 2015 10:31

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.6	27.8
265	21.8	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

