

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
 Data File : BM003815.D
 Acq On : 25 Dec 2015 14:09
 Operator : UM/SJ
 Sample : G4956-04
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 25 22:59:01 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	50702	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	216117	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	113894	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	218814	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	216834	20.00	ng	-0.04
86) Perylene-d12	23.52	264	216522	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	180645	63.34	ng	-0.03
7) Phenol-d6	6.86	99	146866	37.09	ng	-0.03
23) Nitrobenzene-d5	8.84	82	352217	101.05	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	151036	132.78	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	803038	96.06	ng	-0.04
78) Terphenyl-d14	19.72	244	739653	80.44	ng	-0.04
Target Compounds						
49) Dimethylphthalate	13.79	163	60474	6.44	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
Data File : BM003815.D
Acq On : 25 Dec 2015 14:09
Operator : UM/SJ
Sample : G4956-04
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 25 22:59:01 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.68 min Scan# 781
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:152 Resp: 50702
 Ion Ratio Lower Upper
 152 100
 150 153.6 119.5 179.3
 115 60.4 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 63.34 ng
 RT: 5.27 min Scan# 371
 Delta R.T. -0.03 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Tgt Ion:112 Resp: 180645
 Ion Ratio Lower Upper
 112 100
 64 53.4 38.6 57.8
 63 27.5 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 37.09 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003815.D

Acq: 25 Dec 2015 14:09

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 146866

Ion Ratio Lower Upper

99 100

42 14.0 11.0 16.4




71 32.5 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003815.D

Acq: 25 Dec 2015 14:09

Tgt Ion: 136 Resp: 216117


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 6.3 4.6 6.8

68 6.0 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)

Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)









#23
 Nitrobenzene-d5
 Concen: 101.05 ng
 RT: 8.84 min Scan# 978
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09




Instrument :
 BNA_M
 ClientSampleID :


Tot Ion	82	Resp	352217
Ion Ratio	100	Lower	Upper
128	45.6	32.8	49.2
54	41.7	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Tgt Ion	164	Resp	113894
Ion Ratio	100	Lower	Upper
162	100.7	82.4	123.6
160	45.3	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 132.78 ng
 RT: 15.83 min Scan# 2167
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Instrument :
 BNA_M
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	0.0	0.0#
141	42.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.06 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.5	42.7
170	23.5	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.44 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003815.D

Acq: 25 Dec 2015 14:09

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 60474

Ion Ratio Lower Upper

163 100

194 4.1 2.7 4.1#




164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003815.D

Acq: 25 Dec 2015 14:09


Tgt Ion:188 Resp: 218814

Ion Ratio Lower Upper

188 100

94 9.9 8.7 13.1



80 10.9 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 21.28 min Scan# 3093
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion:240 Resp: 216834
 Ion Ratio Lower Upper
 240 100
 120 12.1 8.2 12.2
 236 26.0 20.0 30.0



#78
 Terphenyl-d14
 Concen: 80.44 ng
 RT: 19.72 min Scan# 2828
 Delta R.T. -0.04 min
 Lab File: BM003815.D
 Acq: 25 Dec 2015 14:09

Tgt Ion:244 Resp: 739653
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.9 7.3#
 122 12.2 6.2 9.4#






#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.52 min Scan# 3474
Delta R.T. -0.05 min
Lab File: BM003815.D
Acq: 25 Dec 2015 14:09

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.6	27.8
265	21.8	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

