

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
 Data File : BM003787.D
 Acq On : 24 Dec 2015 20:35
 Operator : UM/SJ
 Sample : G4939-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 L-2-1(0-2)

Quant Time: Dec 25 01:03:01 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	56271	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	245508	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	135486	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	283045	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	234320	20.00	ng	-0.04
86) Perylene-d12	23.52	264	207672	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	496589	156.90	ng	-0.03
7) Phenol-d6	6.86	99	656030	149.27	ng	-0.03
23) Nitrobenzene-d5	8.85	82	404540	102.17	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	171336	126.63	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	806558	81.11	ng	-0.04
78) Terphenyl-d14	19.72	244	731428	73.61	ng	-0.04
Target Compounds						
49) Dimethylphthalate	13.79	163	127759	11.44	ng	99
79) Butylbenzylphthalate	20.42	149	1004952	158.80	ng	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
Data File : BM003787.D
Acq On : 24 Dec 2015 20:35
Operator : UM/SJ
Sample : G4939-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
L-2-1(0-2)

Quant Time: Dec 25 01:03:01 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM003787.D
Acq: 24 Dec 2015 20:35

Instrument :
BNA_M
ClientSampleId :
L-2-1(0-2)

Tot Ion:152 Resp: 56271
Ion Ratio Lower Upper
152 100
150 154.3 119.5 179.3
115 60.3 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 156.90 ng
RT: 5.27 min Scan# 372
Delta R.T. -0.03 min
Lab File: BM003787.D
Acq: 24 Dec 2015 20:35

Tgt Ion:112 Resp: 496589
Ion Ratio Lower Upper
112 100
64 51.6 38.6 57.8
63 26.6 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 149.27 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35

Instrument :

BNA_M

ClientSampled :

L-2-1(0-2)


Tot Ion: 99 Resp: 656030

Ion Ratio Lower Upper

99 100

42 14.4 11.0 16.4



71 34.0 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM003787.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM003787.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM003787.D (-630) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35

Tgt Ion: 136 Resp: 245508


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 6.3 4.6 6.8

68 6.0 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): BM003787.D (-1246) (-)

Ion 137.00 (136.70 to 137.70): BM003787.D (-1246) (-)

Ion 54.00 (53.70 to 54.70): BM003787.D (-1246) (-)

Ion 68.00 (67.70 to 68.70): BM003787.D (-1246) (-)









#23
 Nitrobenzene-d5
 Concen: 102.17 ng
 RT: 8.85 min Scan# 979
 Delta R.T. -0.04 min
 Lab File: BM003787.D
 Acq: 24 Dec 2015 20:35




Instrument :
 BNA_M
 ClientSampleId :
 L-2-1(0-2)

Tot Ion	82	Resp	404540
Ion Ratio	Lower	Upper	
82	100		
128	46.1	32.8	49.2
54	41.1	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003787.D
 Acq: 24 Dec 2015 20:35

Tgt Ion	164	Resp	135486
Ion Ratio	Lower	Upper	
164	100		
162	100.7	82.4	123.6
160	44.9	35.8	53.6





#41

2,4,6-Tribromophenol

Concen: 126.63 ng

RT: 15.83 min Scan# 2167

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35

Instrument :

BNA_M

ClientSampleId :

L-2-1(0-2)


Tot Ion:330 Resp: 171336

Ion Ratio Lower Upper

330 100

332 96.4 0.0 0.0#




141 43.8 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 81.11 ng

RT: 12.95 min Scan# 1677

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35


Tgt Ion:172 Resp: 806558

Ion Ratio Lower Upper

172 100

171 34.8 28.5 42.7



170 23.5 18.8 28.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 11.44 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35

Instrument :

BNA_M

ClientSampleId :

L-2-1(0-2)


Tot Ion:163 Resp: 127759

Ion Ratio Lower Upper

163 100

194 4.0 2.7 4.1




164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35


Tgt Ion:188 Resp: 283045

Ion Ratio Lower Upper

188 100

94 10.0 8.7 13.1



80 11.2 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35

Instrument :

BNA_M

ClientSampleId :

L-2-1(0-2)


Tot Ion:240 Resp: 234320

Ion Ratio Lower Upper

240 100

120 12.3 8.2 12.2#




236 26.3 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.61 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003787.D

Acq: 24 Dec 2015 20:35


Tgt Ion:244 Resp: 731428

Ion Ratio Lower Upper

244 100

212 7.9 4.9 7.3#



122 11.9 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
Butylbenzylphthalate
Concen: 158.80 ng
RT: 20.42 min Scan# 2947
Delta R.T. -0.04 min
Lab File: BM003787.D
Acq: 24 Dec 2015 20:35

Instrument :
BNA_M
ClientSampleId :
L-2-1(0-2)

Tot Ion:149 Resp: 1004952
Ion Ratio Lower Upper
149 100
91 70.2 50.1 75.1
206 19.7 16.2 24.2



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.52 min Scan# 3474
Delta R.T. -0.05 min
Lab File: BM003787.D
Acq: 24 Dec 2015 20:35

Tgt Ion:264 Resp: 207672
Ion Ratio Lower Upper
264 100
260 24.6 18.6 27.8
265 21.6 17.3 25.9

