

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
 Data File : BM003795.D
 Acq On : 25 Dec 2015 01:26
 Operator : UM/SJ
 Sample : G4939-17
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 L-2-9(0-2)

Quant Time: Dec 25 06:51:45 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	55731	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	240365	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	131255	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	266942	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	240320	20.00	ng	-0.04
86) Perylene-d12	23.52	264	226910	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	423686	135.16	ng	-0.03
7) Phenol-d6	6.86	99	561205	128.93	ng	-0.03
23) Nitrobenzene-d5	8.84	82	341034	87.97	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	141223	107.74	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	708160	73.51	ng	-0.04
78) Terphenyl-d14	19.72	244	633811	62.20	ng	-0.04
Target Compounds						Qvalue
49) Dimethylphthalate	13.79	163	271182	25.07	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
Data File : BM003795.D
Acq On : 25 Dec 2015 01:26
Operator : UM/SJ
Sample : G4939-17
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
L-2-9(0-2)

Quant Time: Dec 25 06:51:45 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM003795.D
Acq: 25 Dec 2015 01:26

Instrument :
BNA_M
ClientSampleId :
L-2-9(0-2)

Tot Ion:152 Resp: 55731
Ion Ratio Lower Upper
152 100
150 155.9 119.5 179.3
115 62.5 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 135.16 ng
RT: 5.27 min Scan# 371
Delta R.T. -0.03 min
Lab File: BM003795.D
Acq: 25 Dec 2015 01:26

Tgt Ion:112 Resp: 423686
Ion Ratio Lower Upper
112 100
64 53.1 38.6 57.8
63 27.6 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 128.93 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26

Instrument :

BNA_M

ClientSampleId :

L-2-9(0-2)


Tot Ion: 99 Resp: 561205

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.4


71 33.9 23.4 35.2





Abundance Ion 99.00 (98.70 to 99.70): BM003795.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM003795.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM003795.D (-630) (-)



Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26

Tgt Ion: 136 Resp: 240365


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 6.3 4.6 6.8

68 5.9 3.7 5.5#




Abundance Ion 136.00 (135.70 to 136.70): BM003795.D (-1246) (-)


Ion 137.00 (136.70 to 137.70): BM003795.D (-1246) (-)

Ion 54.00 (53.70 to 54.70): BM003795.D (-1246) (-)

Ion 68.00 (67.70 to 68.70): BM003795.D (-1246) (-)



Time-->









#23
 Nitrobenzene-d5
 Concen: 87.97 ng
 RT: 8.84 min Scan# 978
 Delta R.T. -0.04 min
 Lab File: BM003795.D
 Acq: 25 Dec 2015 01:26




Instrument :
 BNA_M
 ClientSampled :
 L-2-9(0-2)

Tot Ion	82	Resp	341034
Ion Ratio	100	Lower	Upper
128	44.7	32.8	49.2
54	41.1	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.04 min
 Lab File: BM003795.D
 Acq: 25 Dec 2015 01:26

Tgt Ion	164	Resp	131255
Ion Ratio	100	Lower	Upper
162	101.3	82.4	123.6
160	45.4	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 107.74 ng
 RT: 15.83 min Scan# 2166
 Delta R.T. -0.04 min
 Lab File: BM003795.D
 Acq: 25 Dec 2015 01:26




Instrument :
 BNA_M
 ClientSampleId :
 L-2-9(0-2)


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	0.0	0.0#
141	44.2	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 73.51 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003795.D
 Acq: 25 Dec 2015 01:26

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.5	42.7
170	23.3	18.8	28.2





#49

Dimethylphthalate

Concen: 25.07 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26

Instrument :

BNA_M

ClientSampleId :

L-2-9(0-2)


Tot Ion:163 Resp: 271182

Ion Ratio Lower Upper

163 100

194 4.0 2.7 4.1




164 10.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26


Tgt Ion:188 Resp: 266942

Ion Ratio Lower Upper

188 100

94 9.8 8.7 13.1



80 10.7 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26

Instrument :

BNA_M

ClientSampleId :

L-2-9(0-2)


Tot Ion:240 Resp: 240320

Ion Ratio Lower Upper

240 100

120 11.7 8.2 12.2




236 26.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.20 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003795.D

Acq: 25 Dec 2015 01:26


Tgt Ion:244 Resp: 633811

Ion Ratio Lower Upper

244 100

212 7.7 4.9 7.3#



122 11.7 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.52 min Scan# 3473
Delta R.T. -0.06 min
Lab File: BM003795.D
Acq: 25 Dec 2015 01:26

Instrument :
BNA_M
ClientSampleId :
L-2-9(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.6	27.8
265	21.5	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

