

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
 Data File : BM003796.D
 Acq On : 25 Dec 2015 02:03
 Operator : UM/SJ
 Sample : G4939-19
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 L-2-10(0-2)

Quant Time: Dec 25 06:52:02 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	53169	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	227449	20.00	ng	-0.05
38) Acenaphthene-d10	14.33	164	118844	20.00	ng	-0.04
63) Phenanthrene-d10	17.08	188	231665	20.00	ng	-0.04
75) Chrysene-d12	21.28	240	217137	20.00	ng	-0.04
86) Perylene-d12	23.51	264	215808	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	422756	141.36	ng	-0.04
7) Phenol-d6	6.86	99	555458	133.76	ng	-0.03
23) Nitrobenzene-d5	8.84	82	333148	90.82	ng	-0.04
41) 2,4,6-Tribromophenol	15.83	330	123150	103.76	ng	-0.04
44) 2-Fluorobiphenyl	12.95	172	674136	77.28	ng	-0.04
78) Terphenyl-d14	19.72	244	555092	60.29	ng	-0.04
Target Compounds						Qvalue
49) Dimethylphthalate	13.79	163	111749	11.41	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122515\
Data File : BM003796.D
Acq On : 25 Dec 2015 02:03
Operator : UM/SJ
Sample : G4939-19
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
L-2-10(0-2)

Quant Time: Dec 25 06:52:02 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM003796.D
Acq: 25 Dec 2015 02:03

Instrument :
BNA_M
ClientSampleId :
L-2-10(0-2)

Tot Ion:152 Resp: 53169
Ion Ratio Lower Upper
152 100
150 157.0 119.5 179.3
115 59.7 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 141.36 ng
RT: 5.27 min Scan# 371
Delta R.T. -0.04 min
Lab File: BM003796.D
Acq: 25 Dec 2015 02:03

Tgt Ion:112 Resp: 422756
Ion Ratio Lower Upper
112 100
64 53.1 38.6 57.8
63 27.4 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 133.76 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.03 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03

Instrument :

BNA_M

ClientSampleId :

L-2-10(0-2)





Tot Ion: 99 Resp: 555458

Ion Ratio Lower Upper

99 100

42 14.1 11.0 16.4

71 33.2 23.4 35.2



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.05 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03

Tgt Ion: 136 Resp: 227449




Ion Ratio Lower Upper


136 100

137 10.7 8.7 13.1

54 6.4 4.6 6.8

68 5.9 3.7 5.5#









#23
Nitrobenzene-d5
Concen: 90.82 ng
RT: 8.84 min Scan# 978
Delta R.T. -0.04 min
Lab File: BM003796.D
Acq: 25 Dec 2015 02:03




Instrument :
BNA_M
ClientSampled :
L-2-10(0-2)


Tot Ion	82	Resp	333148
Ion Ratio	100	Lower	Upper
128	45.0	32.8	49.2
54	41.5	40.6	60.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.33 min Scan# 1912
Delta R.T. -0.04 min
Lab File: BM003796.D
Acq: 25 Dec 2015 02:03

Tgt Ion	164	Resp	118844
Ion Ratio	100	Lower	Upper
162	101.5	82.4	123.6
160	45.1	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 103.76 ng
 RT: 15.83 min Scan# 2166
 Delta R.T. -0.04 min
 Lab File: BM003796.D
 Acq: 25 Dec 2015 02:03




Instrument :
 BNA_M
 ClientSampled :
 L-2-10(0-2)


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	0.0	0.0#
141	44.3	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 77.28 ng
 RT: 12.95 min Scan# 1677
 Delta R.T. -0.04 min
 Lab File: BM003796.D
 Acq: 25 Dec 2015 02:03

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.5	42.7
170	23.3	18.8	28.2





#49

Dimethylphthalate

Concen: 11.41 ng

RT: 13.79 min Scan# 1820

Delta R.T. -0.04 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03

Instrument :

BNA_M

ClientSampled :

L-2-10(0-2)


Tot Ion:163 Resp: 111749

Ion Ratio Lower Upper

163 100

194 3.7 2.7 4.1




164 9.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2379

Delta R.T. -0.04 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03


Tgt Ion:188 Resp: 231665

Ion Ratio Lower Upper

188 100

94 9.9 8.7 13.1



80 11.1 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03

Instrument :

BNA_M

ClientSampleId :

L-2-10(0-2)


Tot Ion:240 Resp: 217137

Ion Ratio Lower Upper

240 100

120 12.4 8.2 12.2#




236 26.2 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 60.29 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM003796.D

Acq: 25 Dec 2015 02:03


Tgt Ion:244 Resp: 555092

Ion Ratio Lower Upper

244 100

212 7.7 4.9 7.3#



122 11.9 6.2 9.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 23.51 min Scan# 3473
 Delta R.T. -0.06 min
 Lab File: BM003796.D
 Acq: 25 Dec 2015 02:03

Instrument :
 BNA_M
 ClientSampleId :
 L-2-10(0-2)

Tot Ion:	264	Resp:	215808
Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.6	27.8
265	21.3	17.3	25.9

