

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122617\
 Data File : BM013543.D
 Acq On : 26 Dec 2017 20:13
 Operator : SJ/JU
 Sample : I7046-12
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0FM2

Quant Time: Dec 27 03:33:39 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 27 03:26:43 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	212767	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	923702	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	539901	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1083686	20.00	ng/ul	0.00
75) Chrysene-d12	21.25	240	879931	20.00	ng/ul	0.00
83) Perylene-d12	23.47	264	833413	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.22	96	14326	3.33	ng/uL	0.00
5) Phenol-d5	6.85	99	404201	21.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.01	67	235923	22.47	ng/ul	0.00
9) 2-Chlorophenol-d4	7.20	132	309561	21.52	ng/ul	0.00
13) 4-Methylphenol-d8	8.37	113	344894	21.93	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	171879	23.46	ng/ul	0.00
22) 2-Nitrophenol-d4	9.54	143	183381	23.39	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.07	165	335713	20.78	ng/ul	0.00
29) 4-Chloroaniline-d4	10.59	131	439280	29.58	ng/ul	0.00
43) Dimethylphthalate-d6	13.73	166	1205576	25.09	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	1437659	24.25	ng/ul	0.00
51) 4-Nitrophenol-d4	14.53	143	132828	15.91	ng/ul	0.00
57) Fluorene-d10	15.31	176	982224	23.77	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.44	200	120837	17.73	ng/ul	0.00
70) Anthracene-d10	17.16	188	1424106	26.24	ng/ul	0.00
76) Pyrene-d10	19.46	212	1380167	31.48	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.33	264	1134845	26.73	ng/ul	0.00
Target Compounds						
6) Phenol	6.88	94	66179	3.637	ng/ul	89
44) Dimethylphthalate	13.77	163	224568	4.887	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM122617\
Data File : BM013543.D
Acq On : 26 Dec 2017 20:13
Operator : SJ/JU
Sample : I7046-12
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0FM2

Quant Time: Dec 27 03:33:39 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 27 03:26:43 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.637 ng/ul

RT: 6.88 min Scan# 644

Delta R.T. 0.00 min

Lab File: BM013543.D

Acq: 26 Dec 2017 20:13

Instrument :

BNA_M

ClientSampleId :

C0FM2





Tot Ion: 94 Resp: 66179

Ion Ratio Lower Upper

94 100

65 30.7 28.2 42.4

66 48.9 47.2 70.8



#44

Dimethylphthalate

Concen: 4.887 ng/ul

RT: 13.77 min Scan# 1817

Delta R.T. 0.00 min

Lab File: BM013543.D

Acq: 26 Dec 2017 20:13

Tgt Ion: 163 Resp: 224568

Ion Ratio Lower Upper

163 100

194 4.0 3.5 5.3

164 9.3 8.2 12.4

