

Data Path : Z:\HPCHEM1\BNA M\DATA\BM123115\
 Data File : BM003865.D
 Acq On : 30 Dec 2015 00:44
 Operator : SJ/UM
 Sample : G4848-13DL 5X
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9N59DL

Manual Integrations
 APPROVED

Sohil
 12/30/2015 3:51:01 PM

Quant Time: Dec 30 10:39:40 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 30 03:30:26 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	4638	0.40	ng/ul	0.00
4) Naphthalene-d8	10.46	136	19928	0.40	ng/ul	0.00
8) Acenaphthene-d10	14.33	164	11764	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.07	188	26851	0.40	ng/ul	0.00
18) Chrysene-d12	21.28	240	20091	0.40	ng/ul	0.00
22) Perylene-d12	23.51	264	16778	0.40	ng/ul	-0.01
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.14	96	5109	2.58	ng/uL	0.00
6) 2-Methylnaphthalene-d10	12.06	152	1914	0.08	ng/ul	-0.01
16) Fluoranthene-d10	19.12	212	4893	0.09	ng/ul	0.00
Target Compounds				Ovalue		
5) Naphthalene	10.51	128	114241	2.54	ng/ul	98
7) 2-Methylnaphthalene	12.13	142	12431	0.41	ng/ul	99
10) Acenaphthene	14.38	153	15200	0.42	ng/ul	83
11) Fluorene	15.38	166	11113m	0.28	ng/ul	
14) Phenanthrene	17.11	178	54797m	0.79	ng/ul	
15) Anthracene	17.21	178	3160	0.05	ng/ul#	93
17) Fluoranthene	19.14	202	19277	0.26	ng/ul	97
19) Pyrene	19.51	202	14280	0.26	ng/ul	97
20) Benzo(a)anthracene	21.26	228	1870	0.04	ng/ul#	91
21) Chrysene	21.31	228	1784m	0.03	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM123115\
Data File : BM003865.D
Acq On : 30 Dec 2015 00:44
Operator : SJ/UM
Sample : G4848-13DL 5X
Misc :
ALS Vial : 25 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
D9N59DL

Manual Integrations
APPROVED

Sohil
12/30/2015 3:51:01 PM

Quant Time: Dec 30 10:39:40 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM121515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 30 03:30:26 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 2.54 ng/ul

RT: 10.51 min Scan# 516

Delta R.T. 0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Instrument :

BNA_M





ClientSampleId :

D9N59DL

Tot Ion:	128	Resp:	114241
Ion Ratio	Lower	Upper	
128	100		
129	10.8	9.0	13.6
127	13.0	9.6	14.4

Manual Integrations
APPROVED

Sohil
12/30/2015 3:51:01 PM



#7

2-Methylnaphthalene

Concen: 0.41 ng/ul




RT: 12.13 min Scan# 665


Delta R.T. 0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Tgt Ion:	142	Resp:	12431
Ion Ratio	Lower	Upper	
142	100		
141	88.8	70.3	105.5





#10

Acenaphthene

Concen: 0.42 ng/ul

RT: 14.38 min Scan# 867

Delta R.T. 0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Instrument :

BNA_M





ClientSampleId :

D9N59DL

Manual Integrations
APPROVED

Sohil
12/30/2015 3:51:01 PM

Tot Ion:	153	Resp:	15200
Ion	Ratio	Lower	Upper
153	100		
152	50.7	33.9	50.9
154	81.6	80.6	121.0



#11

Fluorene

Concen: 0.28 ng/ul m




RT: 15.38 min Scan# 925


Delta R.T. -0.02 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Tgt Ion:	166	Resp:	11113
Ion	Ratio	Lower	Upper
166	100		
165	110.8	69.6	104.4#
167	14.1	11.9	17.9





#14

Phenanthrene

Concen: 0.79 ng/ul m

RT: 17.11 min Scan# 1026

Delta R.T. -0.02 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Instrument :

BNA_M

ClientSampleId :

D9N59DL

Tot Ion:178 Resp: 54797

Ion Ratio Lower Upper





178 100

176 21.4 13.0 19.4#

179 13.9 14.2 21.2#

Manual Integrations
APPROVED

Sohil
12/30/2015 3:51:01 PM



#15

Anthracene

Concen: 0.05 ng/ul

RT: 17.21 min Scan# 1032

Delta R.T. -0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44




Tgt Ion:178 Resp: 3160


Ion Ratio Lower Upper

178 100

176 19.4 14.0 21.0

179 20.7 12.9 19.3#









#17
Fluoranthene
 Concen: 0.26 ng/ul
 RT: 19.14 min Scan# 1148
 Delta R.T. -0.01 min
 Lab File: BM003865.D
 Acq: 30 Dec 2015 00:44

Instrument :
 BNA_M
 ClientSampleId :
 D9N59DL

Tot Ion	Ratio	Resp	Lower	Upper
202	100	19277		
101	8.9		0.0	29.6
203	17.7		0.0	36.3




Manual Integrations
 APPROVED


Sohil
 12/30/2015 3:51:01 PM



#19
Pyrene
 Concen: 0.26 ng/ul
 RT: 19.51 min Scan# 1178
 Delta R.T. -0.01 min
 Lab File: BM003865.D
 Acq: 30 Dec 2015 00:44

Tgt Ion	Ratio	Resp	Lower	Upper
202	100	14280		
200	21.5		17.8	26.8
203	18.1		12.8	19.2





#20

Benzo(a)anthracene

Concen: 0.04 ng/ul

RT: 21.26 min Scan# 1333

Delta R.T. -0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Instrument :

BNA_M





ClientSampleId :

D9N59DL

Tot Ion:	228	Resp:	1870
Ion Ratio	Lower	Upper	
228	100		
226	29.4	18.8	28.2#
229	24.2	17.1	25.7

Manual Integrations
APPROVED

Sohil
12/30/2015 3:51:01 PM



#21

Chrysene

Concen: 0.03 ng/ul m

RT: 21.31 min Scan# 1338

Delta R.T. -0.00 min

Lab File: BM003865.D

Acq: 30 Dec 2015 00:44

Tgt Ion:	228	Resp:	1784
Ion Ratio	Lower	Upper	
228	100		
226	32.9	21.2	31.8#
229	24.7	17.0	25.6

