

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010824\
 Data File : BP019304.D
 Acq On : 08 Jan 2024 20:08
 Operator : MA/JU
 Sample : SST04079
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SST040647

Quant Time: Jan 09 01:57:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jan 09 01:51:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.787	152	131259	20.000	ng/ul	0.00
20) Naphthalene-d8	10.581	136	536902	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.428	164	377343	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.186	188	868124	20.000	ng/ul	0.00
79) Chrysene-d12	21.292	240	790130	20.000	ng/ul	0.00
88) Perylene-d12	23.639	264	722648	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.216	96	58739	15.284	ng/uL	0.00
4) Pyridine-d5	3.640	84	420234	43.564	ng/ul	0.00
7) Phenol-d5	6.975	99	521193	44.278	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.128	67	313103	45.979	ng/ul	0.00
11) 2-Chlorophenol-d4	7.322	132	372212	39.223	ng/ul	0.00
15) 4-Methylphenol-d8	8.516	113	418022	45.615	ng/ul	0.00
21) Nitrobenzene-d5	8.951	128	193949	41.788	ng/ul	0.00
24) 2-Nitrophenol-d4	9.675	143	229780	45.810	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.216	165	455522	44.973	ng/ul	0.00
31) 4-Chloroaniline-d4	10.734	131	553199	44.403	ng/ul	0.00
46) Dimethylphthalate-d6	13.851	166	1394245	41.832	ng/ul	0.00
49) Acenaphthylene-d8	14.122	160	1494017	41.311	ng/ul	0.00
54) 4-Nitrophenol-d4	14.675	143	211484	37.576	ng/ul	0.00
60) Fluorene-d10	15.428	176	1109817	38.543	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.569	200	262918	46.198	ng/ul	0.00
73) Anthracene-d10	17.286	188	1813383	39.999	ng/ul	0.00
81) Pyrene-d10	19.527	212	2181078	45.294	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.492	264	1684599	40.556	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.252	88	60787	14.385	ng/uL	96
5) Pyridine	3.658	79	420059	42.900	ng/ul	96
6) Benzaldehyde	6.934	77	239856	43.887	ng/ul	96
8) Phenol	7.005	94	527384	45.361	ng/ul	96
10) Bis(2-Chloroethyl)ether	7.222	93	423939	45.066	ng/ul	100
12) 2-Chlorophenol	7.352	128	382168	39.348	ng/ul	99
13) 2-Methylphenol	8.246	108	397830	46.255	ng/ul	98
14) 2,2'-oxybis(1-Chloropr...	8.310	45	501518	45.193	ng/ul	100
16) Acetophenone	8.616	105	667136	48.606	ng/ul	99
17) N-Nitroso-di-n-propyla...	8.604	70	353799	51.694	ng/ul	99
18) 4-Methylphenol	8.581	108	425358	45.946	ng/ul	100
19) Hexachloroethane	8.851	117	168882	41.455	ng/ul	99
22) Nitrobenzene	8.999	77	535558	47.232	ng/ul	96
23) Isophorone	9.528	82	1037576	50.745	ng/ul	99
25) 2-Nitrophenol	9.704	139	237728	44.389	ng/ul	99
26) 2,4-Dimethylphenol	9.775	107	498142	52.834	ng/ul	98
27) Bis(2-Chloroethoxy)met...	10.004	93	588905	43.576	ng/ul	99
29) 2,4-Dichlorophenol	10.240	162	431318	43.577	ng/ul	99
30) Naphthalene	10.634	128	1256395	38.813	ng/ul	99
32) 4-Chloroaniline	10.757	127	539109	45.096	ng/ul	99
33) Hexachlorobutadiene	10.904	225	358980	47.126	ng/ul	99
34) Caprolactam	11.563	113	81524	31.182	ng/ul	94
35) 4-Chloro-3-methylphenol	11.898	107	490659	50.499	ng/ul	98
36) 2-Methylnaphthalene	12.245	142	917042	42.018	ng/ul	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010824\
 Data File : BP019304.D
 Acq On : 08 Jan 2024 20:08
 Operator : MA/JU
 Sample : SSTD04079
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTD040647

Quant Time: Jan 09 01:57:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jan 09 01:51:15 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.463	142	898686	40.833	ng/ul	99
39) 1,2,4,5-Tetrachloroben...	12.616	216	675322	43.454	ng/ul	98
40) Hexachlorocyclopentadiene	12.587	237	415968	48.221	ng/ul	99
41) 2,4,6-Trichlorophenol	12.869	196	429461	46.305	ng/ul	98
42) 2,4,5-Trichlorophenol	12.945	196	463894	47.119	ng/ul	99
43) 1,1'-Biphenyl	13.263	154	1287643	39.118	ng/ul	99
44) 2-Chloronaphthalene	13.304	162	1043700	39.515	ng/ul	99
45) 2-Nitroaniline	13.528	65	322669	50.888	ng/ul	93
47) Dimethylphthalate	13.898	163	1388806	42.212	ng/ul	100
48) 2,6-Dinitrotoluene	14.028	165	292817	48.434	ng/ul	95
50) Acenaphthylene	14.151	152	1621185	39.843	ng/ul	99
51) 3-Nitroaniline	14.357	138	239026	40.442	ng/ul	98
52) Acenaphthene	14.492	153	1075038	38.983	ng/ul	98
53) 2,4-Dinitrophenol	14.569	184	179715	46.141	ng/ul	93
55) 4-Nitrophenol	14.686	109	227067	50.482	ng/ul	96
56) Dibenzofuran	14.834	168	1491582	37.875	ng/ul	97
57) 2,4-Dinitrotoluene	14.816	165	397800	44.741	ng/ul	100
58) 2,3,4,6-Tetrachlorophenol	15.063	232	406805	47.294	ng/ul	98
59) Diethylphthalate	15.263	149	1284414	40.264	ng/ul	100
61) Fluorene	15.481	166	1228413	38.971	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.475	204	728739	42.334	ng/ul	99
63) 4-Nitroaniline	15.528	138	189377	31.847	ng/ul	97
66) 4,6-Dinitro-2-methylph...	15.581	198	277081	45.983	ng/ul	97
67) N-Nitrosodiphenylamine	15.698	169	1046039	39.480	ng/ul	99
68) 4-Bromophenyl-phenylether	16.375	248	490140	45.425	ng/ul	99
69) Hexachlorobenzene	16.486	284	564608	42.818	ng/ul	97
70) Atrazine	16.663	200	459692	61.479	ng/ul	98
71) Pentachlorophenol	16.839	266	341778	44.146	ng/ul	99
72) Phenanthrene	17.227	178	2032589	38.635	ng/ul	100
74) Anthracene	17.322	178	2051668	39.173	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.228	216	661780	43.843	ng/ul	98
76) Pentachlorobenzene	14.745	250	628918	41.930	ng/ul	99
77) Carbazole	17.604	167	1722457	39.537	ng/ul	99
78) Di-n-butylphthalate	18.151	149	2153607	39.859	ng/ul	99
80) Fluoranthene	19.204	202	2591725	46.903	ng/ul	100
82) Pyrene	19.557	202	2586992	44.686	ng/ul	100
83) Butylbenzylphthalate	20.439	149	935826	45.253	ng/ul	94
84) 3,3'-Dichlorobenzidine	21.210	252	735593	37.216	ng/ul	99
85) Benzo(a)anthracene	21.274	228	2542944	40.734	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.198	149	1327748	43.603	ng/ul	99
87) Chrysene	21.327	228	2338472	40.171	ng/ul	99
89) Di-n-octyl phthalate	22.104	149	2131554	51.581	ng/ul	100
90) Benzo(b)fluoranthene	22.927	252	2222233	43.780	ng/ul	99
91) Benzo(k)fluoranthene	22.974	252	2101763	42.138	ng/ul	99
93) Benzo(a)pyrene	23.539	252	1961053	41.047	ng/ul	100
94) Indeno(1,2,3-cd)pyrene	26.086	276	2219411	36.239	ng/ul	99
95) Dibenzo(a,h)anthracene	26.104	278	1833194	35.981	ng/ul	100
96) Benzo(g,h,i)perylene	26.839	276	1765553	35.973	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010824\
 Data File : BP019304.D
 Acq On : 08 Jan 2024 20:08
 Operator : MA/JU
 Sample : SSTD04079
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTD040647

Quant Time: Jan 09 01:57:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jan 09 01:51:15 2024
 Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 14.385 ng/uL
RT: 3.252 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion: 88 Resp: 60787
Ion Ratio Lower Upper
88 100
43 24.9 22.0 33.0
58 65.9 54.6 82.0



#5
Pyridine
Concen: 42.900 ng/uL
RT: 3.658 min Scan# 97
Delta R.T. -0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion: 79 Resp: 420059
Ion Ratio Lower Upper
79 100
52 67.4 50.7 76.1
51 32.7 26.8 40.2









#6
Benzaldehyde
Concen: 43.887 ng/ul
RT: 6.934 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion: 77 Resp: 239856
Ion Ratio Lower Upper
77 100
105 90.6 75.3 112.9
106 85.5 71.5 107.3



#8
Phenol
Concen: 45.361 ng/ul
RT: 7.005 min Scan# 666
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion: 94 Resp: 527384
Ion Ratio Lower Upper
94 100
65 29.4 25.3 37.9
66 43.4 36.8 55.2









#10
Bis(2-Chloroethyl)ether
Concen: 45.066 ng/ul
RT: 7.222 min Scan# 703
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion: 93 Resp: 423939
Ion Ratio Lower Upper
93 100
63 75.7 60.7 91.1
95 32.8 26.2 39.2



#12
2-Chlorophenol
Concen: 39.348 ng/ul
RT: 7.352 min Scan# 725
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion: 128 Resp: 382168
Ion Ratio Lower Upper
128 100
64 51.1 41.3 61.9
130 32.4 25.9 38.9





#13

2-Methylphenol

Concen: 46.255 ng/ul

RT: 8.246 min Scan# 877

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :





SSTD040647

Tgt Ion:108 Resp: 397830

Ion Ratio Lower Upper

108 100

107 88.2 71.9 107.9



#14

2,2'-oxybis(1-Chloropropane)

Concen: 45.193 ng/ul

RT: 8.310 min Scan# 888

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion: 45 Resp: 501518


Ion Ratio Lower Upper

45 100

77 17.7 14.2 21.4

79 13.1 10.5 15.7









#16
Acetophenone
Concen: 48.606 ng/ul
RT: 8.616 min Scan# 940
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:105 Resp: 667136
Ion Ratio Lower Upper
105 100
77 83.1 66.1 99.1
51 26.7 20.9 31.3



#17
N-Nitroso-di-n-propylamine
Concen: 51.694 ng/ul
RT: 8.604 min Scan# 938
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion: 70 Resp: 353799
Ion Ratio Lower Upper
70 100
42 49.1 38.5 57.7
101 9.6 7.9 11.9
130 17.4 14.3 21.5









#18
4-Methylphenol
Concen: 45.946 ng/ul
RT: 8.581 min Scan# 91
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:108 Resp: 425358
Ion Ratio Lower Upper
108 100
107 115.6 92.6 139.0



#19
Hexachloroethane
Concen: 41.455 ng/ul
RT: 8.851 min Scan# 980
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:117 Resp: 168882
Ion Ratio Lower Upper
117 100
201 127.5 101.8 152.6
199 79.7 62.6 93.8









#22
Nitrobenzene
Concen: 47.232 ng/ul
RT: 8.999 min Scan# 1004
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion: 77 Resp: 535558
Ion Ratio Lower Upper
77 100
123 40.5 30.0 45.0
65 13.7 10.5 15.7



#23
Isophorone
Concen: 50.745 ng/ul
RT: 9.528 min Scan# 1095
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion: 82 Resp: 1037576
Ion Ratio Lower Upper
82 100
95 8.2 6.6 10.0
138 15.8 13.0 19.4









#25
2-Nitrophenol
Concen: 44.389 ng/ul
RT: 9.704 min Scan# 1125
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:139 Resp: 237728
Ion Ratio Lower Upper
139 100
65 57.2 45.6 68.4
109 40.2 32.6 49.0



#26
2,4-Dimethylphenol
Concen: 52.834 ng/ul
RT: 9.775 min Scan# 1137
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:107 Resp: 498142
Ion Ratio Lower Upper
107 100
121 45.2 35.3 52.9
122 77.7 60.6 91.0









#27
Bis(2-Chloroethoxy)methane
Concen: 43.576 ng/ul
RT: 10.004 min Scan# 1176
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion: 93 Resp: 588905
Ion Ratio Lower Upper
93 100
95 31.8 25.9 38.9
123 9.5 7.9 11.9



#29
2,4-Dichlorophenol
Concen: 43.577 ng/ul
RT: 10.240 min Scan# 1216
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:162 Resp: 431318
Ion Ratio Lower Upper
162 100
164 66.1 52.3 78.5
98 36.6 28.3 42.5









#30
Naphthalene
Concen: 38.813 ng/ul
RT: 10.634 min Scan# 1282
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:128 Resp: 1256395
Ion Ratio Lower Upper
128 100
129 11.0 8.6 12.8
127 13.4 10.6 15.8



#32
4-Chloroaniline
Concen: 45.096 ng/ul
RT: 10.757 min Scan# 1304
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:127 Resp: 539109
Ion Ratio Lower Upper
127 100
129 31.6 25.8 38.8





#33

Hexachlorobutadiene

Concen: 47.126 ng/ul

RT: 10.904 min Scan# 1

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:225 Resp: 358980

Ion Ratio Lower Upper

225 100

223 62.5 49.9 74.9

227 64.6 51.0 76.6



#34

Caprolactam

Concen: 31.182 ng/ul

RT: 11.563 min Scan# 1441

Delta R.T. 0.018 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:113 Resp: 81524


Ion Ratio Lower Upper

113 100

55 157.7 133.3 199.9

56 129.6 108.0 162.0









#35
4-Chloro-3-methylphenol
Concen: 50.499 ng/ul
RT: 11.898 min Scan# 1497
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:107 Resp: 490659
Ion Ratio Lower Upper
107 100
144 23.2 17.8 26.8
142 71.7 56.3 84.5



#36
2-Methylnaphthalene
Concen: 42.018 ng/ul
RT: 12.245 min Scan# 1557
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:142 Resp: 917042
Ion Ratio Lower Upper
142 100
141 89.3 71.1 106.7





#37

1-Methylnaphthalene

Concen: 40.833 ng/ul

RT: 12.463 min Scan# 1594

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:142 Resp: 898686

Ion Ratio Lower Upper

142 100

141 92.4 74.4 111.6

116 4.4 3.9 5.9



#39

1,2,4,5-Tetrachlorobenzene

Concen: 43.454 ng/ul

RT: 12.616 min Scan# 1620

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Tgt Ion:216 Resp: 675322




Ion Ratio Lower Upper


216 100

214 77.8 63.6 95.4

179 18.9 15.1 22.7

108 13.2 11.3 16.9









#40
Hexachlorocyclopentadiene
Concen: 48.221 ng/ul
RT: 12.587 min Scan# 1615
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:237 Resp: 415968
Ion Ratio Lower Upper
237 100
235 62.0 50.0 75.0
272 12.4 11.4 17.2



#41
2,4,6-Trichlorophenol
Concen: 46.305 ng/ul
RT: 12.869 min Scan# 1663
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:196 Resp: 429461
Ion Ratio Lower Upper
196 100
198 95.8 78.2 117.2
200 31.2 24.6 36.8





#42

2,4,5-Trichlorophenol

Concen: 47.119 ng/ul

RT: 12.945 min Scan# 1

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:196 Resp: 463894

Ion Ratio Lower Upper

196 100

198 98.2 78.9 118.3

200 32.2 25.0 37.6



#43

1,1'-Biphenyl

Concen: 39.118 ng/ul

RT: 13.263 min Scan# 1730

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:154 Resp: 1287643


Ion Ratio Lower Upper

154 100

153 40.1 32.6 48.8

76 11.8 9.3 13.9





#44

2-Chloronaphthalene

Concen: 39.515 ng/ul

RT: 13.304 min Scan# 1737

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:162 Resp: 1043700

Ion Ratio Lower Upper

162 100

164 33.4 26.6 40.0

127 37.9 29.4 44.2



#45

2-Nitroaniline

Concen: 50.888 ng/ul

RT: 13.528 min Scan# 1775

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion: 65 Resp: 322669


Ion Ratio Lower Upper

65 100

92 70.9 52.1 78.1

138 99.5 74.8 112.2









#47
Dimethylphthalate
Concen: 42.212 ng/ul
RT: 13.898 min Scan# 1838
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:163 Resp: 1388806
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.2
164 10.3 8.1 12.1



#48
2,6-Dinitrotoluene
Concen: 48.434 ng/ul
RT: 14.028 min Scan# 1860
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:165 Resp: 292817
Ion Ratio Lower Upper
165 100
89 58.3 49.9 74.9
121 19.6 16.5 24.7









#50
Acenaphthylene
Concen: 39.843 ng/ul
RT: 14.151 min Scan# 1881
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:152 Resp: 1621185
Ion Ratio Lower Upper
152 100
151 20.2 15.8 23.6
153 13.2 10.3 15.5



#51
3-Nitroaniline
Concen: 40.442 ng/ul
RT: 14.357 min Scan# 1916
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:138 Resp: 239026
Ion Ratio Lower Upper
138 100
108 11.9 10.6 15.8
92 130.2 105.8 158.6









#52
Acenaphthene
Concen: 38.983 ng/ul
RT: 14.492 min Scan# 1939
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:153 Resp: 1075038
Ion Ratio Lower Upper
153 100
152 47.3 38.2 57.2
154 88.0 68.9 103.3



#53
2,4-Dinitrophenol
Concen: 46.141 ng/ul
RT: 14.569 min Scan# 1952
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:184 Resp: 179715
Ion Ratio Lower Upper
184 100
63 61.3 43.6 65.4
154 69.1 52.1 78.1









#55
4-Nitrophenol
Concen: 50.482 ng/ul
RT: 14.686 min Scan# 1972
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:109 Resp: 227067
Ion Ratio Lower Upper
109 100
139 96.3 73.2 109.8
65 109.8 90.9 136.3



#56
Dibenzofuran
Concen: 37.875 ng/ul
RT: 14.834 min Scan# 1997
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:168 Resp: 1491582
Ion Ratio Lower Upper
168 100
139 36.3 30.3 45.5









#57
2,4-Dinitrotoluene
Concen: 44.741 ng/ul
RT: 14.816 min Scan# 1994
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:165 Resp: 397800
Ion Ratio Lower Upper
165 100
63 51.3 41.3 61.9
182 2.8 2.4 3.6



#58
2,3,4,6-Tetrachlorophenol
Concen: 47.294 ng/ul
RT: 15.063 min Scan# 2036
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:232 Resp: 406805
Ion Ratio Lower Upper
232 100
131 35.6 27.9 41.9
130 2.1 1.8 2.8
166 27.3 20.9 31.3









#59
Diethylphthalate
Concen: 40.264 ng/ul
RT: 15.263 min Scan# 2069
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:149 Resp: 1284414
Ion Ratio Lower Upper
149 100
177 23.4 18.8 28.2
150 12.7 10.2 15.4



#61
Fluorene
Concen: 38.971 ng/ul
RT: 15.481 min Scan# 2107
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:166 Resp: 1228413
Ion Ratio Lower Upper
166 100
165 97.4 78.6 118.0
167 13.7 10.6 15.8









#62
4-Chlorophenyl-phenylether
Concen: 42.334 ng/ul
RT: 15.475 min Scan# 2106
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:204 Resp: 728739
Ion Ratio Lower Upper
204 100
206 32.4 27.0 40.4
141 51.5 41.5 62.3



#63
4-Nitroaniline
Concen: 31.847 ng/ul
RT: 15.528 min Scan# 2115
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:138 Resp: 189377
Ion Ratio Lower Upper
138 100
92 59.4 48.9 73.3
108 116.0 90.4 135.6









#66
4,6-Dinitro-2-methylphenol
Concen: 45.983 ng/ul
RT: 15.581 min Scan# 2123
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:198 Resp: 277081
Ion Ratio Lower Upper
198 100
182 3.3 3.2 4.8
77 24.3 20.6 30.8



#67
N-Nitrosodiphenylamine
Concen: 39.480 ng/ul
RT: 15.698 min Scan# 2144
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:169 Resp: 1046039
Ion Ratio Lower Upper
169 100
168 67.4 54.8 82.2
167 36.3 29.3 43.9









#68
4-Bromophenyl-phenylether
Concen: 45.425 ng/ul
RT: 16.375 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08




Instrument :
BNA_P
ClientSampleId :
SSTD040647


Tgt Ion:248 Resp: 490140
Ion Ratio Lower Upper
248 100
250 96.5 75.6 113.4
141 61.1 48.7 73.1



#69
Hexachlorobenzene
Concen: 42.818 ng/ul
RT: 16.486 min Scan# 2278
Delta R.T. 0.006 min
Lab File: BP019304.D
Acq: 08 Jan 2024 20:08

Tgt Ion:284 Resp: 564608
Ion Ratio Lower Upper
284 100
142 26.1 23.6 35.4
249 32.3 26.1 39.1









#70
 Atrazine
 Concen: 61.479 ng/ul
 RT: 16.663 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BP019304.D
 Acq: 08 Jan 2024 20:08




Instrument :
 BNA_P
 ClientSampleId :
 SSTD040647


Tgt Ion:200 Resp: 459692
 Ion Ratio Lower Upper
 200 100
 173 22.7 19.4 29.0
 215 48.9 39.7 59.5



#71
 Pentachlorophenol
 Concen: 44.146 ng/ul
 RT: 16.839 min Scan# 2338
 Delta R.T. -0.000 min
 Lab File: BP019304.D
 Acq: 08 Jan 2024 20:08

Tgt Ion:266 Resp: 341778
 Ion Ratio Lower Upper
 266 100
 264 62.2 49.4 74.2
 268 62.7 51.6 77.4





#72

Phenanthrene

Concen: 38.635 ng/ul

RT: 17.227 min Scan# 2404

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:178 Resp: 2032589

Ion Ratio Lower Upper

178 100

179 15.5 12.1 18.1

176 19.3 15.4 23.2



#74

Anthracene

Concen: 39.173 ng/ul

RT: 17.322 min Scan# 2420

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:178 Resp: 2051668


Ion Ratio Lower Upper

178 100

179 15.4 12.3 18.5

176 18.7 14.6 22.0





#75

1,2,3,4-Tetrachlorobenzene

Concen: 43.843 ng/uL

RT: 13.228 min Scan# 1723

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:216 Resp: 661780

Ion Ratio Lower Upper

216 100

214 79.0 61.8 92.8

218 47.9 39.0 58.6



#76

Pentachlorobenzene

Concen: 41.930 ng/uL

RT: 14.745 min Scan# 1982

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:250 Resp: 628918


Ion Ratio Lower Upper

250 100

248 63.0 50.8 76.2

252 64.0 50.2 75.4





#77

Carbazole

Concen: 39.537 ng/ul

RT: 17.604 min Scan# 2467

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:167 Resp: 1722457

Ion Ratio Lower Upper

167 100

166 21.7 17.3 25.9

139 12.2 10.1 15.1



#78

Di-n-butylphthalate

Concen: 39.859 ng/ul

RT: 18.151 min Scan# 2561

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:149 Resp: 2153607


Ion Ratio Lower Upper

149 100

150 9.2 7.0 10.6

104 5.8 4.6 6.8





#80

Fluoranthene

Concen: 46.903 ng/ul

RT: 19.204 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:202 Resp: 2591725

Ion Ratio Lower Upper

202 100

101 7.5 5.9 8.9

100 5.8 4.6 7.0



#82

Pyrene

Concen: 44.686 ng/ul

RT: 19.557 min Scan# 2800

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:202 Resp: 2586992


Ion Ratio Lower Upper

202 100

101 8.9 7.2 10.8

100 7.4 5.8 8.6





#83

Butylbenzylphthalate

Concen: 45.253 ng/ul

RT: 20.439 min Scan# 2949

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:149 Resp: 935826

Ion Ratio Lower Upper

149 100

91 71.5 61.7 92.5

206 26.0 18.6 27.8



#84

3,3'-Dichlorobenzidine

Concen: 37.216 ng/ul

RT: 21.210 min Scan# 3081

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:252 Resp: 735593


Ion Ratio Lower Upper

252 100

254 63.7 50.6 76.0

126 8.0 6.0 9.0





#85

Benzo(a)anthracene

Concen: 40.734 ng/ul

RT: 21.274 min Scan# 3091

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:228 Resp: 2542944

Ion Ratio Lower Upper

228 100

229 19.6 15.8 23.6

226 28.0 21.6 32.4



#86

Bis(2-ethylhexyl)phthalate

Concen: 43.603 ng/ul

RT: 21.198 min Scan# 3079

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:149 Resp: 1327748


Ion Ratio Lower Upper

149 100

167 29.4 22.9 34.3

279 5.9 4.6 7.0





#87

Chrysene

Concen: 40.171 ng/ul

RT: 21.327 min Scan# 3100

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:228 Resp: 2338472

Ion Ratio Lower Upper

228 100

226 30.0 23.9 35.9

229 20.0 15.5 23.3



#89

Di-n-octyl phthalate

Concen: 51.581 ng/ul




RT: 22.104 min Scan# 3233


Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Tgt Ion:149 Resp: 2131554





#90

Benzo(b)fluoranthene

Concen: 43.780 ng/ul

RT: 22.927 min Scan# 3372

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:252 Resp: 2222233

Ion Ratio Lower Upper

252 100

253 21.6 17.8 26.8

125 5.7 4.9 7.3



#91

Benzo(k)fluoranthene

Concen: 42.138 ng/ul

RT: 22.974 min Scan# 3381

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:252 Resp: 2101763


Ion Ratio Lower Upper

252 100

253 22.0 17.3 25.9

125 5.7 4.8 7.2





#93

Benzo(a)pyrene

Concen: 41.047 ng/ul

RT: 23.539 min Scan# 3477

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:252 Resp: 1961053

Ion Ratio Lower Upper

252 100

253 21.8 17.3 25.9

125 6.6 5.2 7.8



#94

Indeno(1,2,3-cd)pyrene

Concen: 36.239 ng/ul

RT: 26.086 min Scan# 3910

Delta R.T. -0.000 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08




Tgt Ion:276 Resp: 2219411


Ion Ratio Lower Upper

276 100

138 14.7 12.2 18.4

277 24.9 19.9 29.9





#95

Dibenzo(a,h)anthracene

Concen: 35.981 ng/ul

RT: 26.104 min Scan# 3912

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Instrument :

BNA_P

ClientSampleId :

SSTD040647





Tgt Ion:278 Resp: 1833194

Ion Ratio Lower Upper

278 100

139 9.6 7.4 11.2

279 23.4 18.7 28.1



#96

Benzo(g,h,i)perylene

Concen: 35.973 ng/ul

RT: 26.839 min Scan# 4038

Delta R.T. 0.006 min

Lab File: BP019304.D

Acq: 08 Jan 2024 20:08

Tgt Ion:276 Resp: 1765553

Ion Ratio Lower Upper

276 100

138 13.3 10.7 16.1

277 23.6 19.2 28.8

