

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011322\
 Data File : BP008790.D
 Acq On : 13 Jan 2022 15:10
 Operator : CG/JU
 Sample : N1119-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL

Quant Time: Jan 13 23:25:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP010622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 12 00:18:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	305125	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	1132684	20.000	ng	0.00
39) Acenaphthene-d10	14.498	164	707125	20.000	ng	0.00
64) Phenanthrene-d10	17.257	188	1435597	20.000	ng	0.00
76) Chrysene-d12	21.345	240	1342448	20.000	ng	0.00
86) Perylene-d12	23.768	264	1387105	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	1924878	98.789	ng	0.00
7) Phenol-d6	7.040	99	2286468	87.413	ng	0.00
23) Nitrobenzene-d5	9.022	82	1435973	71.797	ng	0.00
42) 2,4,6-Tribromophenol	15.998	330	1025188	85.934	ng	0.00
45) 2-Fluorobiphenyl	13.128	172	3625058	72.073	ng	0.00
79) Terphenyl-d14	19.816	244	4761828	72.285	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011322\
Data File : BP008790.D
Acq On : 13 Jan 2022 15:10
Operator : CG/JU
Sample : N1119-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL

Quant Time: Jan 13 23:25:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP010622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 12 00:18:56 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10




Instrument : BNA_P
ClientSampleId : NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL


Tgt Ion:152 Resp: 305125
Ion Ratio Lower Upper
152 100
150 155.5 127.0 190.6
115 54.8 43.7 65.5



#5
2-Fluorophenol
Concen: 98.789 ng
RT: 5.446 min Scan# 418
Delta R.T. -0.000 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10

Tgt Ion:112 Resp: 1924878
Ion Ratio Lower Upper
112 100
64 50.9 39.7 59.5
63 27.0 20.0 30.0









#7
Phenol-d6
Concen: 87.413 ng
RT: 7.040 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10




Instrument : BNA_P
ClientSampleId : NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL


Tgt Ion: 99 Resp: 2286468
Ion Ratio Lower Upper
99 100
42 15.0 10.8 16.2
71 32.0 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1305
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10

Tgt Ion:136 Resp: 1132684
Ion Ratio Lower Upper
136 100
137 11.0 9.0 13.4
54 6.3 4.9 7.3
68 5.3 4.3 6.5









#23
Nitrobenzene-d5
Concen: 71.797 ng
RT: 9.022 min Scan# 1026
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10




Instrument : BNA_P
ClientSampleId : NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL


Tgt Ion: 82 Resp: 1435973
Ion Ratio Lower Upper
82 100
128 47.3 39.4 59.2
54 43.3 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.498 min Scan# 1957
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10

Tgt Ion:164 Resp: 707125
Ion Ratio Lower Upper
164 100
162 101.3 79.9 119.9
160 44.8 35.5 53.3





#42
2,4,6-Tribromophenol
Concen: 85.934 ng
RT: 15.998 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10





Instrument :

BNA_P

ClientSampleId :




NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL


Tgt Ion:330 Resp: 1025188
Ion Ratio Lower Upper
330 100
332 96.8 77.0 115.4
141 30.2 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 72.073 ng
RT: 13.128 min Scan# 1724
Delta R.T. -0.006 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10

Tgt Ion:172 Resp: 3625058
Ion Ratio Lower Upper
172 100
171 35.2 29.3 43.9
170 23.6 19.5 29.3





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.257 min Scan# 2426
Delta R.T. -0.000 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10





Instrument :

BNA_P

ClientSampleId :




NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL


Tgt Ion:188 Resp: 1435597
Ion Ratio Lower Upper
188 100
94 7.5 6.8 10.2
80 7.8 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.345 min Scan# 3121
Delta R.T. -0.000 min
Lab File: BP008790.D
Acq: 13 Jan 2022 15:10

Tgt Ion:240 Resp: 1342448
Ion Ratio Lower Upper
240 100
120 8.6 7.7 11.5
236 25.9 21.2 31.8









#79
 Terphenyl-d14
 Concen: 72.285 ng
 RT: 19.816 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BP008790.D
 Acq: 13 Jan 2022 15:10

Instrument : BNA_P
 ClientSampleId : NORTH-EAST-CORNER-EXCAVATION-SOUTH-SIDEWALL

Tgt Ion:244 Resp: 4761828
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.5 9.7
 122 8.7 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.768 min Scan# 3533
 Delta R.T. -0.000 min
 Lab File: BP008790.D
 Acq: 13 Jan 2022 15:10

Tgt Ion:264 Resp: 1387105
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.1 28.7
 265 22.1 17.1 25.7

