

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP011420\
 Data File : BP001602.D
 Acq On : 14 Jan 2020 23:28
 Operator : JU
 Sample : L1106-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Jan 15 00:51:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP010820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 14 21:52:04 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	24313	20.00	ng	0.00
21) Naphthalene-d8	10.41	136	82747	20.00	ng	0.00
39) Acenaphthene-d10	14.28	164	57724	20.00	ng	0.00
64) Phenanthrene-d10	17.05	188	139402	20.00	ng	0.00
76) Chrysene-d12	21.14	240	136998	20.00	ng	-0.01
87) Perylene-d12	23.37	264	145592	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	175722	141.58	ng	0.00
7) Phenol-d6	6.83	99	203031	102.35	ng	0.00
23) Nitrobenzene-d5	8.78	82	201700	106.51	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	117641	133.88	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	410568	104.57	ng	0.00
79) Terphenyl-d14	19.63	244	868148	115.90	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.95	79	3842	2.057	ng	# 61
32) Benzoic acid	9.76	122	6	4.709	ng	# 14


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP011420\
Data File : BP001602.D
Acq On : 14 Jan 2020 23:28
Operator : JU
Sample : L1106-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: Jan 15 00:51:23 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP010820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 14 21:52:04 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.63 min Scan# 824
Delta R.T. -0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28

Instrument :
BNA_P
ClientSampleId :

Tot Ion:152 Resp: 24313
Ion Ratio Lower Upper
152 100
150 161.0 122.0 183.0
115 61.1 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 141.579 ng
RT: 5.27 min Scan# 422
Delta R.T. 0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28

Tgt Ion:112 Resp: 175722
Ion Ratio Lower Upper
112 100
64 69.5 52.8 79.2
63 45.3 33.1 49.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BP0
Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 102.355 ng

RT: 6.83 min Scan# 688

Delta R.T. -0.00 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28

Instrument :

BNA_P

ClientSampleId :


Tot Ion: 99 Resp: 203031

Ion Ratio Lower Upper

99 100

42 33.2 24.5 36.7




71 50.6 42.4 63.6



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#15

Benzyl Alcohol

Concen: 2.057 ng

RT: 7.95 min Scan# 878

Delta R.T. 0.07 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28


Tgt Ion: 79 Resp: 3842

Ion Ratio Lower Upper

79 100

108 52.2 53.2 79.8#



77 113.5 52.1 78.1#




Abundance Ion 79.00 (78.70 to 79.70): BP0

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BP0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.41 min Scan# 1296
Delta R.T. -0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28




Instrument :
BNA_P
ClientSampleId :


Tot Ion:136	Resp:	82747
Ion Ratio	Lower	Upper
136	100	
137	11.9	8.6 12.8
54	13.4	9.2 13.8
68	6.3	4.1 6.1#



#23
Nitrobenzene-d5
Concen: 106.515 ng
RT: 8.78 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28

Tgt Ion: 82	Resp:	201700
Ion Ratio	Lower	Upper
82	100	
128	32.4	28.4 42.6
54	69.6	53.4 80.2









#32
Benzoic acid
Concen: 4.709 ng
RT: 9.76 min Scan# 1185
Delta R.T. 0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28

Instrument :
BNA_P
ClientSampleId :

Tot Ion:122 Resp: 6
Ion Ratio Lower Upper
122 100
105 130.0 119.5 159.5
77 320.0 102.8 142.8#




Abundance Ion 122.00 (121.70 to 122.70): E
Ion 105.00 (104.70 to 105.70): E
Ion 77.00 (76.70 to 77.70): BPO






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.28 min Scan# 1954
Delta R.T. -0.01 min
Lab File: BP001602.D
Acq: 14 Jan 2020 23:28

Tgt Ion:164 Resp: 57724
Ion Ratio Lower Upper
164 100
162 99.5 79.8 119.6
160 43.9 35.0 52.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 133.885 ng
 RT: 15.79 min Scan# 2210
 Delta R.T. -0.01 min
 Lab File: BP001602.D
 Acq: 14 Jan 2020 23:28




Instrument :
 BNA_P
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.7	77.8	116.6
141	39.3	28.7	43.1



#45
 2-Fluorobiphenyl
 Concen: 104.575 ng
 RT: 12.90 min Scan# 1720
 Delta R.T. -0.00 min
 Lab File: BP001602.D
 Acq: 14 Jan 2020 23:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.3	27.6	41.4
170	24.1	18.3	27.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.05 min Scan# 2424

Delta R.T. -0.01 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28

Instrument :

BNA_P

ClientSampleId :


Tot Ion:188 Resp: 139402

Ion Ratio Lower Upper

188 100

94 6.6 5.9 8.9




80 8.2 6.8 10.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.14 min Scan# 3121

Delta R.T. -0.01 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28


Tgt Ion:240 Resp: 136998

Ion Ratio Lower Upper

240 100

120 8.6 5.7 8.5#



236 26.2 20.4 30.6




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 115.905 ng

RT: 19.63 min Scan# 2864

Delta R.T. -0.01 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28

Instrument :

BNA_P

ClientSampleId :


Tot Ion:244 Resp: 868148

Ion Ratio Lower Upper

244 100

212 8.6 6.3 9.5


122 7.4 5.8 8.6





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.37 min Scan# 3500

Delta R.T. -0.02 min

Lab File: BP001602.D

Acq: 14 Jan 2020 23:28


Tgt Ion:264 Resp: 145592

Ion Ratio Lower Upper

264 100

260 22.7 19.0 28.6


265 22.2 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->

