

Data File : BP001835.D
Acq On : 21 Feb 2020 21:52
Operator : CG/JU
Sample : L1506-09
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBCY7

Quant Time: Feb 22 03:47:19 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP021820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 22 03:43:48 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	380488	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1629830	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	1077293	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	2476578	20.00	ng/ul	0.00
78) Chrysene-d12	21.13	240	2572405	20.00	ng/ul	0.00
86) Perylene-d12	23.34	264	2919569	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.18	96	61646	6.73	ng/uL	0.00
5) Phenol-d5	6.83	99	1250466	43.49	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	718072	42.99	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	1086711	46.77	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	1077850	47.26	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	561399	50.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	634884	63.63	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	1145089	48.26	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	1631203	58.12	ng/ul	0.00
44) Dimethylphthalate-d6	13.70	166	3715280	49.14	ng/ul	0.00
47) Acenaphthylene-d8	13.98	160	4358475	46.82	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	678566	51.55	ng/ul	0.00
58) Fluorene-d10	15.29	176	3218537	47.34	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.40	200	543025	55.61	ng/ul	0.00
71) Anthracene-d10	17.14	188	4923977	45.13	ng/ul	0.00
79) Pyrene-d10	19.39	212	5660020	42.88	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.21	264	6709235	47.58	ng/ul	0.00


Target Compounds				Qvalue		
6) Phenol	6.86	94	32212	1.057	ng/ul	92
45) Dimethylphthalate	13.75	163	552631	6.945	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BP001835.D
Acq On : 21 Feb 2020 21:52
Operator : CG/JU
Sample : L1506-09
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBCY7

Quant Time: Feb 22 03:47:19 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP021820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 22 03:43:48 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.057 ng/ul

RT: 6.86 min Scan# 675

Delta R.T. -0.00 min

Lab File: BP001835.D

Acq: 21 Feb 2020 21:52

Instrument :

BNA_P

ClientSampleId :

DBCY7


Tgt Ion: 94 Resp: 32212

Ion Ratio Lower Upper

94 100

65 27.4 19.8 29.6




66 39.1 26.6 39.8



Abundance Ion 94.00 (93.70 to 94.70): BP0

Ion 65.00 (64.70 to 65.70): BP0

Ion 66.00 (65.70 to 66.70): BP0



#45

Dimethylphthalate

Concen: 6.945 ng/ul

RT: 13.75 min Scan# 1847

Delta R.T. -0.01 min

Lab File: BP001835.D

Acq: 21 Feb 2020 21:52


Tgt Ion: 163 Resp: 552631

Ion Ratio Lower Upper

163 100

194 4.4 3.5 5.3

164 10.1 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

