

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP030220\
 Data File : BP002008.D
 Acq On : 03 Mar 2020 03:11
 Operator : CG/JU
 Sample : L1616-17
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBDR1

Quant Time: Mar 03 05:33:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 03 05:31:15 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	282732	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	1156402	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	733351	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	1591664	20.00	ng/ul	0.00
78) Chrysene-d12	21.12	240	1602319	20.00	ng/ul	0.00
86) Perylene-d12	23.33	264	1811869	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.16	96	31158	4.74	ng/uL	0.00
5) Phenol-d5	6.82	99	552938	25.64	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	325937	28.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	498261	26.71	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	391082	22.07	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	233189	26.25	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	258805	25.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.04	165	490159	25.46	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	628738	29.79	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	1583819	28.54	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	1845317	27.80	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	204563	19.28	ng/ul	0.00
58) Fluorene-d10	15.27	176	1387884	28.90	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	166627	18.99	ng/ul	0.00
71) Anthracene-d10	17.13	188	2160289	30.20	ng/ul	0.00
79) Pyrene-d10	19.37	212	2566120	30.59	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	2822914	30.45	ng/ul	0.00
Target Compounds						
6) Phenol	6.85	94	27149	1.213	ng/ul	95
45) Dimethylphthalate	13.73	163	150095	2.620	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP030220\
Data File : BP002008.D
Acq On : 03 Mar 2020 03:11
Operator : CG/JU
Sample : L1616-17
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBDR1

Quant Time: Mar 03 05:33:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 03 05:31:15 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.213 ng/ul

RT: 6.85 min Scan# 673

Delta R.T. -0.00 min

Lab File: BP002008.D

Acq: 03 Mar 2020 03:11

Instrument :

BNA_P

ClientSampleId :

DBDR1


Tot Ion: 94 Resp: 27149

Ion Ratio Lower Upper

94 100

65 28.7 20.6 30.8




66 37.5 28.2 42.2



Abundance Ion 94.00 (93.70 to 94.70): BP0

Ion 65.00 (64.70 to 65.70): BP0

Ion 66.00 (65.70 to 66.70): BP0



#45

Dimethylphthalate

Concen: 2.620 ng/ul

RT: 13.73 min Scan# 1844

Delta R.T. -0.01 min

Lab File: BP002008.D

Acq: 03 Mar 2020 03:11


Tgt Ion: 163 Resp: 150095

Ion Ratio Lower Upper

163 100

194 4.4 3.6 5.4

164 9.9 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

