

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP030520\
 Data File : BP002084.D
 Acq On : 05 Mar 2020 23:19
 Operator : CG/JU
 Sample : L1780-13
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0DH7

Quant Time: Mar 06 07:54:46 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 05 06:21:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	278092	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	1154652	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	733870	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.02	188	1582475	20.00	ng/ul	-0.01
78) Chrysene-d12	21.12	240	1563437	20.00	ng/ul	-0.01
86) Perylene-d12	23.32	264	1770513	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	34282	5.30	ng/uL	0.00
5) Phenol-d5	6.82	99	144864	6.83	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	350043	31.16	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	458637	24.99	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	278549	15.98	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	260383	29.36	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	281456	28.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	526536	27.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	40071	1.90	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	1824200	32.85	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	2186908	32.92	ng/ul	0.00
52) 4-Nitrophenol-d4	14.48	143	34698	3.27	ng/ul	0.00
58) Fluorene-d10	15.27	176	1635689	34.04	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	188791	21.64	ng/ul	0.00
71) Anthracene-d10	17.12	188	2594444	36.48	ng/ul	0.00
79) Pyrene-d10	19.37	212	3009158	36.77	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	3354519	37.03	ng/ul	-0.01


Target Compounds					Ovalue	
45) Dimethylphthalate	13.73	163	92771	1.618	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP030520\
Data File : BP002084.D
Acq On : 05 Mar 2020 23:19
Operator : CG/JU
Sample : L1780-13
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0DH7

Quant Time: Mar 06 07:54:46 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 05 06:21:29 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.618 ng/ul

RT: 13.73 min Scan# 1844

Delta R.T. -0.01 min

Lab File: BP002084.D

Acq: 05 Mar 2020 23:19

Instrument :

BNA_P

ClientSampleId :

C0DH7

Tot Ion:163 Resp: 92771

Ion Ratio Lower Upper

163 100

194 4.1 3.6 5.4

164 10.2 8.2 12.4

