

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP030620\
 Data File : BP002108.D
 Acq On : 06 Mar 2020 21:36
 Operator : CG/JU
 Sample : L1780-15
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0DJ2

Manual Integrations
 APPROVED

mohammad
 3/9/2020 2:59:37 PM

Quant Time: Mar 07 02:17:15 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 07 00:40:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	269557	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	1126821	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	724426	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	1584675	20.00	ng/ul	0.00
78) Chrysene-d12	21.12	240	1618750	20.00	ng/ul	0.00
86) Perylene-d12	23.33	264	1814404	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.16	96	30912	4.93	ng/uL	0.00
5) Phenol-d5	6.82	99	118725	5.77	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.97	67	310583	28.53	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	397011	22.32	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	233085	13.79	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	229318	26.49	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	247565	25.42	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	463521	24.71	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	32104	1.56	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	1684001	30.72	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	1966101	29.99	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	32081m	3.06	ng/ul	0.00
58) Fluorene-d10	15.27	176	1511192	31.86	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	179656	20.56	ng/ul	0.00
71) Anthracene-d10	17.12	188	2424466	34.04	ng/ul	0.00
79) Pyrene-d10	19.37	212	2873014	33.90	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	3183143	34.29	ng/ul	-0.01

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.73	163	56677	1.002	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP030620\
Data File : BP002108.D
Acq On : 06 Mar 2020 21:36
Operator : CG/JU
Sample : L1780-15
Misc :
ALS Vial : 21 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
C0DJ2

Quant Time: Mar 07 02:17:15 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 07 00:40:34 2020
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
3/9/2020 2:59:37 PM





#45
 Dimethylphthalate
 Concen: 1.002 ng/ul
 RT: 13.73 min Scan# 1844
 Delta R.T. -0.01 min
 Lab File: BP002108.D
 Acq: 06 Mar 2020 21:36

Instrument :
 BNA_P
 ClientSampleId :
 C0DJ2

Tot Ion:	163	Resp:	56677
Ion Ratio		Lower	Upper
163	100		
194	4.6	3.6	5.4
164	10.0	8.2	12.4

Manual Integrations
 APPROVED

mohammad
 3/9/2020 2:59:37 PM

