


Data Path : Z:\svoasrv\HPCHEM1\BNA P\Data\BP031020\
Data File : BP002156.D
Acq On : 10 Mar 2020 18:30
Operator : CG/JU
Sample : L1843-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 11 00:31:43 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Mar 09 15:02:40 2020
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
CB5S9

Manual Integrations
APPROVED

mohammad
3/11/2020 4:56:12 PM



Data Path : Z:\svoasrv\HPCHEM1\BNA P\Data\BP031020\

Data File : BP002156.D

Acq On : 10 Mar 2020 18:30

Operator : CG/JU

Sample : L1843-04

Misc :

ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 11 00:30:15 2020

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M

Quant Title : SVOA CALIBRATION

QLast Update : Mon Mar 09 15:02:40 2020

Response via : Initial Calibration

Instrument :

BNA_P

ClientSampleId :




CB5S9

Manual Integrations

APPROVED

mohammad

3/11/2020 4:56:12 PM



(52) 4-Nitrophenol-d4 (S)

14.463min (-0.012) 0.05ng/ul

response 575

Ion	Exp%	Act%
143.00	100	100
113.00	65.90	146.04#
41.00	29.10	1036.40#
42.00	20.10	284.26#

Data Path : Z:\svoasrv\HPCHEM1\BNA P\Data\BP031020\

Data File : BP002156.D

Acq On : 10 Mar 2020 18:30

Operator : CG/JU

Sample : L1843-04

Misc :

ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 11 00:30:15 2020

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M

Quant Title : SVOA CALIBRATION

QLast Update : Mon Mar 09 15:02:40 2020




Response via : Initial Calibration

Instrument :

BNA_P

ClientSampleId :

CB5S9

Manual Integrations
APPROVEDmohammad
3/11/2020 4:56:12 PM

TIC: BP002156.D

(52) 4-Nitrophenol-d4 (S)

14.504min (+0.029) 2.99ng/ul m> 50 03/13/20

response 35806

Ion	Exp%	Act%
143.00	100	100
113.00	65.90	67.48
41.00	29.10	72.58#
42.00	20.10	29.95#

Data Path : Z:\svoasrv\HPCHEM1\BNA P\Data\BP031020\
 Data File : BP002156.D
 Acq On : 10 Mar 2020 18:30
 Operator : CG/JU
 Sample : L1843-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 11 00:31:43 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP022720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 09 15:02:40 2020
 Response via : Initial Calibration

Instrument :
 BNA_P
 ClientSampleId :
 CB5S9

Manual Integrations
 APPROVED

mohammad
 3/11/2020 4:56:12 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	342795	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	1371599	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	827240	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.02	188	1739345	20.00	ng/ul	0.00
78) Chrysene-d12	21.12	240	1655910	20.00	ng/ul	0.00
86) Perylene-d12	23.33	264	2032976	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	35572	4.46	ng/uL	0.00
5) Phenol-d5	6.82	99	140197	5.36	ng/ul	0.00
7) Bis-(2-Chloroethyl) ether-d	6.98	67	279531	20.19	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	417375	18.45	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	277886	12.93	ng/ul	0.01
19) Nitrobenzene-d5	8.78	128	209496	19.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	233611	19.71	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.04	165	511574	22.40	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	563136	22.50	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	1563448	24.97	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	1800566	24.05	ng/ul	0.00
52) 4-Nitrophenol-d4	14.50	143	35806m	2.99	ng/ul	0.03
58) Fluorene-d10	15.27	176	1302793	24.05	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	44150	4.60	ng/ul	0.00
71) Anthracene-d10	17.12	188	2002980	25.62	ng/ul	0.00
79) Pyrene-d10	19.37	212	2239984	25.84	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	2526465	24.29	ng/ul	0.00

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
2) 1,4-Dioxane	3.20	88	987575	116.152	ng/uL	96
45) Dimethylphthalate	13.73	163	386912	5.987	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

SV 03/13/20