

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032322\
 Data File : BP009511.D
 Acq On : 23 Mar 2022 18:04
 Operator : CG/JU
 Sample : PB143541BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB143541BL

Quant Time: Mar 24 01:21:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 24 01:19:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.787	152	416954	20.000	ng	0.00
21) Naphthalene-d8	10.581	136	1723761	20.000	ng	0.00
39) Acenaphthene-d10	14.433	164	1165360	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	2584590	20.000	ng	0.00
76) Chrysene-d12	21.309	240	2607393	20.000	ng	0.00
86) Perylene-d12	23.715	264	2601548	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.393	112	3381391	141.591	ng	0.00
7) Phenol-d6	6.981	99	4266103	132.093	ng	0.00
23) Nitrobenzene-d5	8.945	82	2680343	82.630	ng	0.00
42) 2,4,6-Tribromophenol	15.933	330	2189446	113.853	ng	0.00
45) 2-Fluorobiphenyl	13.051	172	6723682	79.984	ng	0.00
79) Terphenyl-d14	19.780	244	11653793	80.223	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032322\
Data File : BP009511.D
Acq On : 23 Mar 2022 18:04
Operator : CG/JU
Sample : PB143541BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB143541BL

Quant Time: Mar 24 01:21:06 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP031722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 24 01:19:11 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.787 min Scan# 81
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04




Instrument :
BNA_P
ClientSampleId :
PB143541BL


Tgt Ion:152 Resp: 416954
Ion Ratio Lower Upper
152 100
150 156.0 124.5 186.7
115 58.6 48.2 72.4



#5
2-Fluorophenol
Concen: 141.591 ng
RT: 5.393 min Scan# 409
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04

Tgt Ion:112 Resp: 3381391
Ion Ratio Lower Upper
112 100
64 54.0 45.0 67.4
63 27.8 23.0 34.6









#7
Phenol-d6
Concen: 132.093 ng
RT: 6.981 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04




Instrument :
BNA_P
ClientSampleId :
PB143541BL


Tgt Ion: 99 Resp: 4266103
Ion Ratio Lower Upper
99 100
42 15.3 12.8 19.2
71 31.8 26.3 39.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.581 min Scan# 1291
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04

Tgt Ion:136 Resp: 1723761
Ion Ratio Lower Upper
136 100
137 10.9 8.6 12.8
54 6.9 5.8 8.8
68 6.2 5.2 7.8









#23
Nitrobenzene-d5
Concen: 82.630 ng
RT: 8.945 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04




Instrument :
BNA_P
ClientSampleId :
PB143541BL


Tgt Ion: 82 Resp: 2680343
Ion Ratio Lower Upper
82 100
128 44.8 34.2 51.4
54 43.1 34.7 52.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.433 min Scan# 1946
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04

Tgt Ion:164 Resp: 1165360
Ion Ratio Lower Upper
164 100
162 100.2 79.1 118.7
160 44.5 34.9 52.3









#42
2,4,6-Tribromophenol
Concen: 113.853 ng
RT: 15.933 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04




Instrument :
BNA_P
ClientSampleId :
PB143541BL


Tgt Ion:330 Resp: 2189446
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.6
141 28.8 27.6 41.4



#45
2-Fluorobiphenyl
Concen: 79.984 ng
RT: 13.051 min Scan# 1711
Delta R.T. -0.006 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04

Tgt Ion:172 Resp: 6723682
Ion Ratio Lower Upper
172 100
171 35.3 28.0 42.0
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2416
Delta R.T. -0.000 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04




Instrument :
BNA_P
ClientSampleId :
PB143541BL


Tgt Ion:188 Resp: 2584590
Ion Ratio Lower Upper
188 100
94 8.4 7.9 11.9
80 9.5 8.8 13.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.309 min Scan# 3115
Delta R.T. -0.006 min
Lab File: BP009511.D
Acq: 23 Mar 2022 18:04

Tgt Ion:240 Resp: 2607393
Ion Ratio Lower Upper
240 100
120 10.2 9.0 13.4
236 26.4 20.6 30.8









#79
 Terphenyl-d14
 Concen: 80.223 ng
 RT: 19.780 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BP009511.D
 Acq: 23 Mar 2022 18:04

Instrument :
 BNA_P
 ClientSampleId :
 PB143541BL

Tgt Ion:244 Resp:11653793
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.8 8.6
 122 9.4 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.715 min Scan# 3524
 Delta R.T. -0.000 min
 Lab File: BP009511.D
 Acq: 23 Mar 2022 18:04

Tgt Ion:264 Resp: 2601548
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.4 29.0
 265 22.2 17.2 25.8

