

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP032921\
 Data File : BP005111.D
 Acq On : 30 Mar 2021 19:16
 Operator : CG/JU
 Sample : M1800-02DL2 50X
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 D8HE4DL2

Manual Integrations
 APPROVED

mohammad
 3/31/2021 12:47:16 PM

Quant Time: Mar 31 08:00:37 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP032921MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 29 15:02:46 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	27542	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	106599	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	72580	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.12	188	158491	20.00	ng/ul	0.00
78) Chrysene-d12	21.22	240	169099	20.00	ng/ul	-0.01
86) Perylene-d12	23.50	264	173841	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
5) Phenol-d5	6.89	99	329m	0.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	817	0.66	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	691m	0.41	ng/ul	0.00
13) 4-Methylphenol-d8	8.44	113	406m	0.22	ng/ul	0.02
19) Nitrobenzene-d5	8.88	128	488	0.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	432	0.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.16	165	751m	0.44	ng/ul	0.03
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	13.78	166	3669	0.70	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	4054	0.62	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul	
58) Fluorene-d10	15.36	176	3328	0.73	ng/ul	-0.01
63) 4,6-Dinitro-2-methylphenol	15.50	200	317	0.30	ng/ul	0.00
71) Anthracene-d10	17.22	188	6511	0.91	ng/ul	0.00
79) Pyrene-d10	19.47	212	6552	0.81	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.35	264	6348	0.71	ng/ul	-0.01

Target Compounds

					Ovalue	
28) Naphthalene	10.55	128	226271	40.322	ng/ul	100
34) 2-Methylnaphthalene	12.17	142	9001	2.242	ng/ul	96
50) Acenaphthene	14.43	153	24792	5.557	ng/ul	98
54) Dibenzofuran	14.77	168	23270	3.572	ng/ul	97
59) Fluorene	15.42	166	7723	1.437	ng/ul	94
70) Phenanthrene	17.16	178	33997	3.993	ng/ul	98
75) Carbazole	17.53	167	9410	1.264	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP032921\
Data File : BP005111.D
Acq On : 30 Mar 2021 19:16
Operator : CG/JU
Sample : M1800-02DL2 50X
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
D8HE4DL2

Quant Time: Mar 31 08:00:37 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP032921MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Mar 29 15:02:46 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
3/31/2021 12:47:16 PM

