

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040822\
 Data File : BP009740.D
 Acq On : 09 Apr 2022 04:21
 Operator : CG/JU
 Sample : N2266-06
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 YAZ22

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 04/11/2022
 Supervised By :Yogesh Patel 04/12/2022

Quant Time: Apr 09 05:53:28 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP040722.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 07 19:16:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.975	152	97588	20.000	ng/u1	0.00
20) Naphthalene-d8	10.781	136	408311	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.604	164	288623	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.357	188	640741	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.433	240	712492	20.000	ng/u1	#-0.01
88) Perylene-d12	23.904	264	693434	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.393	96	15477m	7.078	ng/uL	0.00
4) Pyridine-d5	3.811	84	84215	13.969	ng/u1	0.00
7) Phenol-d5	7.122	99	100519	11.732	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.299	67	294102	57.660	ng/u1	0.00
11) 2-Chlorophenol-d4	7.499	132	280906	43.466	ng/u1	0.00
15) 4-Methylphenol-d8	8.675	113	209119	29.239	ng/u1	0.00
21) Nitrobenzene-d5	9.134	128	193859	65.839	ng/u1	0.00
24) 2-Nitrophenol-d4	9.857	143	206892	64.090	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.393	165	347671	51.468	ng/u1	-0.01
31) 4-Chloroaniline-d4	10.910	131	439286	45.658	ng/u1	0.00
46) Dimethylphthalate-d6	14.016	166	1451628	64.028	ng/u1	0.00
49) Acenaphthylene-d8	14.298	160	1590317	59.208	ng/u1	0.00
54) 4-Nitrophenol-d4	14.775	143	52319m	12.725	ng/u1	-0.01
60) Fluorene-d10	15.598	176	1218647	63.896	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.704	200	247132	65.107	ng/u1	0.00
73) Anthracene-d10	17.457	188	2072617	67.560	ng/u1	0.00
81) Pyrene-d10	19.680	212	2596068	66.715	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.757	264	2516269	69.680	ng/u1	0.00
Target Compounds						
50) Acenaphthylene	14.328	152	456529	17.223	ng/u1	96
52) Acenaphthene	14.669	153	187240	10.789	ng/u1	97
56) Dibenzofuran	14.998	168	349292	13.675	ng/u1	98
61) Fluorene	15.651	166	207460	9.861	ng/u1#	91
74) Anthracene	17.486	178	90794	2.618	ng/u1	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040822\
Data File : BP009740.D
Acq On : 09 Apr 2022 04:21
Operator : CG/JU
Sample : N2266-06
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
YAZ22

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 04/11/2022
Supervised By :Yogesh Patel 04/12/2022

Quant Time: Apr 09 05:53:28 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP040722.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 07 19:16:52 2022
Response via : Initial Calibration

