

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041922\
 Data File : BP009964.D
 Acq On : 20 Apr 2022 01:55
 Operator : CG/JU
 Sample : N2421-08
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COHX0

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 04/20/2022
 Supervised By :Yogesh Patel 04/25/2022

Quant Time: Apr 20 02:38:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP040722.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Apr 20 01:32:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.946	152	128975	20.000	ng/u1	0.00
20) Naphthalene-d8	10.752	136	590299	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.575	164	431860	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.328	188	965857	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.404	240	1000583	20.000	ng/u1	# 0.00
88) Perylene-d12	23.863	264	980168	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.370	96	14508	5.020	ng/uL	0.00
4) Pyridine-d5	3.787	84	86825	10.897	ng/u1	0.00
7) Phenol-d5	7.099	99	76243	6.733	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.269	67	248168	36.814	ng/u1	0.00
11) 2-Chlorophenol-d4	7.475	132	225242	26.371	ng/u1	0.00
15) 4-Methylphenol-d8	8.646	113	161406	17.076	ng/u1	0.00
21) Nitrobenzene-d5	9.105	128	161293	37.890	ng/u1	0.00
24) 2-Nitrophenol-d4	9.828	143	173875	37.257	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.369	165	284714	29.154	ng/u1	0.00
31) 4-Chloroaniline-d4	10.881	131	409093	29.411	ng/u1	0.00
46) Dimethylphthalate-d6	13.981	166	1325084	39.061	ng/u1	0.00
49) Acenaphthylene-d8	14.269	160	1416539m	35.247	ng/u1	0.00
54) 4-Nitrophenol-d4	14.757	143	37899m	6.160	ng/u1	0.00
60) Fluorene-d10	15.569	176	1155395	40.487	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.681	200	204635	35.764	ng/u1	0.00
73) Anthracene-d10	17.428	188	2001937	43.290	ng/u1	0.00
81) Pyrene-d10	19.657	212	2414486	44.183	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.704	264	2273631	44.543	ng/u1	0.00
Target Compounds						
8) Phenol	7.128	94	13441	1.186	ng/u1	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP041922\
Data File : BP009964.D
Acq On : 20 Apr 2022 01:55
Operator : CG/JU
Sample : N2421-08
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
C0HX0

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 04/20/2022
Supervised By :Yogesh Patel 04/25/2022


Quant Time: Apr 20 02:38:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP040722.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Apr 20 01:32:14 2022
Response via : Initial Calibration





#8
Phenol
Concen: 1.186 ng/ul
RT: 7.128 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP009964.D
Acq: 20 Apr 2022 01:55

Instrument :
BNA_P
ClientSampleId :
COHX0



Tgt Ion: 94 Resp: 1344

Ion	Ratio	Lower	Upper
94	100		
65	27.1	19.0	28.6
66	41.9	34.6	51.8

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 04/20/2022
Supervised By :Yogesh Patel 04/25/2022

