

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
 Data File : BP014750.D
 Acq On : 20 Apr 2023 11:48
 Operator : CG/JU
 Sample : 02296-03
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DCBK0

Quant Time: Apr 20 22:38:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 20 02:32:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.163	152	209996	20.000	ng/u1	0.01
20) Naphthalene-d8	10.986	136	853481	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.792	164	532309	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.539	188	1186932	20.000	ng/u1	0.00
79) Chrysene-d12	21.615	240	1086515	20.000	ng/u1	0.01
88) Perylene-d12	24.198	264	1198588	20.000	ng/u1	0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.487	96	22214	4.204	ng/uL	0.00
4) Pyridine-d5	3.922	84	90897	6.319	ng/u1	0.00
7) Phenol-d5	7.293	99	93704	5.161	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.475	67	313344	27.974	ng/u1	0.00
11) 2-Chlorophenol-d4	7.681	132	289402	21.462	ng/u1	0.00
15) 4-Methylphenol-d8	8.857	113	182930	12.924	ng/u1	0.00
21) Nitrobenzene-d5	9.334	128	181393	33.917	ng/u1	0.01
24) 2-Nitrophenol-d4	10.057	143	163432	33.835	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.598	165	337454	25.729	ng/u1	0.00
31) 4-Chloroaniline-d4	11.116	131	259319	12.954	ng/u1	0.00
46) Dimethylphthalate-d6	14.192	166	1328612	31.522	ng/u1	0.01
49) Acenaphthylene-d8	14.486	160	1484569	30.393	ng/u1	0.00
54) 4-Nitrophenol-d4	14.957	143	24733	3.689	ng/u1	0.00
60) Fluorene-d10	15.780	176	1147749	31.735	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.886	200	107915	22.467	ng/u1	0.00
73) Anthracene-d10	17.639	188	1863429	32.498	ng/u1	0.00
81) Pyrene-d10	19.857	212	2164717	34.780	ng/u1	0.01
92) Benzo(a)pyrene-d12	24.027	264	2100130	33.807	ng/u1	0.01
Target Compounds						
					Qvalue	
52) Acenaphthene	14.857	153	685838	19.001	ng/u1	99
56) Dibenzofuran	15.186	168	2931241	57.700	ng/u1	98
61) Fluorene	15.839	166	992107	23.924	ng/u1	98
77) Carbazole	17.933	167	830711	13.953	ng/u1	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
Data File : BP014750.D
Acq On : 20 Apr 2023 11:48
Operator : CG/JU
Sample : 02296-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DCBK0

Quant Time: Apr 20 22:38:10 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 20 02:32:50 2023
Response via : Initial Calibration

