

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
 Data File : BP014754.D
 Acq On : 20 Apr 2023 14:02
 Operator : CG/JU
 Sample : 02296-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DCBK4

Quant Time: Apr 20 22:38:59 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 20 02:32:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.152	152	209647	20.000	ng/u1	0.00
20) Naphthalene-d8	10.987	136	869200	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.786	164	554989	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.533	188	1199481	20.000	ng/u1	0.00
79) Chrysene-d12	21.604	240	1141194	20.000	ng/u1	0.00
88) Perylene-d12	24.180	264	1249977	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.487	96	19776	3.749	ng/uL	0.00
4) Pyridine-d5	3.922	84	63977	4.455	ng/u1	0.00
7) Phenol-d5	7.287	99	83192	4.590	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.463	67	281486	25.172	ng/u1	0.00
11) 2-Chlorophenol-d4	7.675	132	251699	18.697	ng/u1	0.00
15) 4-Methylphenol-d8	8.851	113	174585	12.355	ng/u1	0.00
21) Nitrobenzene-d5	9.322	128	157415	28.902	ng/u1	0.00
24) 2-Nitrophenol-d4	10.051	143	138409	28.136	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.593	165	337804	25.290	ng/u1	0.00
31) 4-Chloroaniline-d4	11.104	131	287979	14.126	ng/u1	0.00
46) Dimethylphthalate-d6	14.187	166	1308703	29.781	ng/u1	0.00
49) Acenaphthylene-d8	14.481	160	1426002	28.001	ng/u1	0.00
54) 4-Nitrophenol-d4	14.951	143	28044	4.012	ng/u1	0.00
60) Fluorene-d10	15.775	176	1128498	29.928	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.881	200	114306	23.548	ng/u1	0.00
73) Anthracene-d10	17.633	188	1825846	31.509	ng/u1	0.00
81) Pyrene-d10	19.845	212	2153081	32.935	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.010	264	2118443	32.699	ng/u1	0.00
Target Compounds						
					Qvalue	
30) Naphthalene	11.046	128	18726060	384.411	ng/u1	97
36) 2-Methylnaphthalene	12.634	142	8519435	261.970	ng/u1	99
37) 1-Methylnaphthalene	12.851	142	6980543	216.516	ng/u1	99
43) 1,1'-Biphenyl	13.622	154	3505108	77.886	ng/u1	99
50) Acenaphthylene	14.504	152	1124410	20.372	ng/u1#	96
52) Acenaphthene	14.857	153	7537755	200.296	ng/u1	98
56) Dibenzofuran	15.186	168	8740859	165.028	ng/u1	99
61) Fluorene	15.833	166	6588185	152.380	ng/u1	99
72) Phenanthrene	17.580	178	7482613	110.687	ng/u1	98
74) Anthracene	17.669	178	311711	4.548	ng/u1	100
77) Carbazole	17.922	167	538390	8.949	ng/u1	100
80) Fluoranthene	19.522	202	854060	11.229	ng/u1	99
82) Pyrene	19.874	202	409892	5.093	ng/u1	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
Data File : BP014754.D
Acq On : 20 Apr 2023 14:02
Operator : CG/JU
Sample : 02296-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DCBK4

Quant Time: Apr 20 22:38:59 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 20 02:32:50 2023
Response via : Initial Calibration









#30
Naphthalene
Concen: 384.411 ng/ul
RT: 11.046 min Scan# 1333
Delta R.T. 0.012 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02




Instrument :
BNA_P
ClientSampleId :
DCBK4


Tgt Ion:128 Resp:18726060
Ion Ratio Lower Upper
128 100
129 11.9 8.9 13.3
127 14.4 10.4 15.6



#36
2-Methylnaphthalene
Concen: 261.970 ng/ul
RT: 12.634 min Scan# 1606
Delta R.T. 0.006 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02

Tgt Ion:142 Resp: 8519435
Ion Ratio Lower Upper
142 100
141 87.3 70.9 106.3









#37
1-Methylnaphthalene
Concen: 216.516 ng/ul
RT: 12.851 min Scan# 1643
Delta R.T. 0.012 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02




Instrument :
BNA_P
ClientSampleId :
DCBK4


Tgt Ion:142 Resp: 6980543
Ion Ratio Lower Upper
142 100
141 91.3 73.8 110.6
116 3.8 3.3 4.9



#43
1,1'-Biphenyl
Concen: 77.886 ng/ul
RT: 13.622 min Scan# 1774
Delta R.T. -0.000 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02

Tgt Ion:154 Resp: 3505108
Ion Ratio Lower Upper
154 100
153 40.5 31.9 47.9
76 12.6 10.8 16.2









#50
Acenaphthylene
Concen: 20.372 ng/ul
RT: 14.504 min Scan# 1924
Delta R.T. -0.006 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02




Instrument :
BNA_P
ClientSampleId :
DCBK4


Tgt Ion:152 Resp: 1124410
Ion Ratio Lower Upper
152 100
151 20.5 15.7 23.5
153 15.5 10.0 15.0#



#52
Acenaphthene
Concen: 200.296 ng/ul
RT: 14.857 min Scan# 1984
Delta R.T. 0.012 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02

Tgt Ion:153 Resp: 7537755
Ion Ratio Lower Upper
153 100
152 48.7 38.4 57.6
154 89.1 69.8 104.8









#56
Dibenzofuran
Concen: 165.028 ng/ul
RT: 15.186 min Scan# 2039
Delta R.T. 0.006 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02




Instrument :
BNA_P
ClientSampleId :
DCBK4


Tgt Ion:168 Resp: 8740859
Ion Ratio Lower Upper
168 100
139 36.4 29.8 44.8



#61
Fluorene
Concen: 152.380 ng/ul
RT: 15.833 min Scan# 2150
Delta R.T. 0.006 min
Lab File: BP014754.D
Acq: 20 Apr 2023 14:02

Tgt Ion:166 Resp: 6588185
Ion Ratio Lower Upper
166 100
165 97.7 78.6 117.8
167 13.9 10.5 15.7





#72

Phenanthrene

Concen: 110.687 ng/ul

RT: 17.580 min Scan# 2446

Delta R.T. 0.006 min

Lab File: BP014754.D

Acq: 20 Apr 2023 14:02

Instrument :

BNA_P

ClientSampleId :

DCBK4





Tgt Ion:178 Resp: 7482613

Ion Ratio Lower Upper

178 100

179 16.1 12.1 18.1

176 20.0 15.3 22.9



#74

Anthracene

Concen: 4.548 ng/ul

RT: 17.669 min Scan# 2462

Delta R.T. -0.000 min

Lab File: BP014754.D

Acq: 20 Apr 2023 14:02




Tgt Ion:178 Resp: 311711


Ion Ratio Lower Upper

178 100

179 15.7 12.4 18.6

176 18.8 15.1 22.7









#77
 Carbazole
 Concen: 8.949 ng/ul
 RT: 17.922 min Scan# 2506
 Delta R.T. -0.006 min
 Lab File: BP014754.D
 Acq: 20 Apr 2023 14:02




Instrument :
 BNA_P
 ClientSampleId :
 DCBK4


Tgt Ion:167 Resp: 538390
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.0 25.4
 139 12.9 10.2 15.2



#80
 Fluoranthene
 Concen: 11.229 ng/ul
 RT: 19.522 min Scan# 2777
 Delta R.T. -0.000 min
 Lab File: BP014754.D
 Acq: 20 Apr 2023 14:02

Tgt Ion:202 Resp: 854060
 Ion Ratio Lower Upper
 202 100
 101 10.1 8.4 12.6
 100 7.9 6.4 9.6





#82
 Pyrene
 Concen: 5.093 ng/ul
 RT: 19.874 min Scan# 2837
 Delta R.T. -0.000 min
 Lab File: BP014754.D
 Acq: 20 Apr 2023 14:02

Instrument :
 BNA_P
 ClientSampleId :
 DCBK4

Tgt Ion:202 Resp: 409892
 Ion Ratio Lower Upper
 202 100
 101 11.6 9.4 14.0
 100 10.4 8.0 12.0

