

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
 Data File : BP014766.D
 Acq On : 20 Apr 2023 20:45
 Operator : CG/JU
 Sample : 02296-05DL 10X
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DCBK4DL

Quant Time: Apr 20 23:37:31 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 20 02:32:50 2023
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Christian Giraldo 04/21/2023
 Supervised By : Jagrut Upadhyay 04/21/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.151	152	238741	20.000	ng/u1	0.00
20) Naphthalene-d8	10.981	136	987724	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.780	164	620661	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.527	188	1379242	20.000	ng/u1	0.00
79) Chrysene-d12	21.598	240	1351500	20.000	ng/u1	0.00
88) Perylene-d12	24.174	264	1524181	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.487	96	2907	0.484	ng/uL	0.00
4) Pyridine-d5	3.952	84	8878m	0.543	ng/u1	0.03
7) Phenol-d5	7.281	99	8144	0.395	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.463	67	30525	2.397	ng/u1	0.00
11) 2-Chlorophenol-d4	7.669	132	23810	1.553	ng/u1	0.00
15) 4-Methylphenol-d8	8.845	113	16095	1.000	ng/u1	0.00
21) Nitrobenzene-d5	9.322	128	14146	2.286	ng/u1	0.00
24) 2-Nitrophenol-d4	10.045	143	10714	1.917	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.587	165	28654	1.888	ng/u1	0.00
31) 4-Chloroaniline-d4	11.104	131	29280	1.264	ng/u1	0.00
46) Dimethylphthalate-d6	14.181	166	137984	2.808	ng/u1	0.00
49) Acenaphthylene-d8	14.475	160	135527	2.380	ng/u1	0.00
54) 4-Nitrophenol-d4	0.000	143	0d	0.000	ng/u1	
60) Fluorene-d10	15.769	176	117899	2.796	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.869	200	7150	1.281	ng/u1	-0.01
73) Anthracene-d10	17.627	188	186249	2.795	ng/u1	0.00
81) Pyrene-d10	19.839	212	222757	2.877	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.004	264	207696	2.629	ng/u1	-0.01
Target Compounds						
					Qvalue	
30) Naphthalene	11.034	128	2968033	53.617	ng/u1	100
36) 2-Methylnaphthalene	12.622	142	1138606	30.810	ng/u1	99
37) 1-Methylnaphthalene	12.839	142	904146	24.679	ng/u1	98
43) 1,1'-Biphenyl	13.616	154	390647	7.762	ng/u1	99
50) Acenaphthylene	14.504	152	109598	1.776	ng/u1#	95
52) Acenaphthene	14.845	153	1025168	24.359	ng/u1	99
56) Dibenzofuran	15.175	168	1109342	18.728	ng/u1	99
61) Fluorene	15.828	166	820616	16.972	ng/u1	99
72) Phenanthrene	17.574	178	890946	11.462	ng/u1	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
Data File : BP014766.D
Acq On : 20 Apr 2023 20:45
Operator : CG/JU
Sample : 02296-05DL 10X
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
DCBK4DL

Quant Time: Apr 20 23:37:31 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 20 02:32:50 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023





#30
Naphthalene
Concen: 53.617 ng/ul
RT: 11.034 min Scan# 1333
Delta R.T. -0.000 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Instrument :
BNA_P
ClientSampleId :
DCBK4DL




Tgt Ion:128 Resp: 2968033
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 12.9 10.4 15.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023




#36
2-Methylnaphthalene
Concen: 30.810 ng/ul
RT: 12.622 min Scan# 1604
Delta R.T. -0.006 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Tgt Ion:142 Resp: 1138606
Ion Ratio Lower Upper
142 100
141 89.3 70.9 106.3





#37
1-Methylnaphthalene
Concen: 24.679 ng/ul
RT: 12.839 min Scan# 1641
Delta R.T. -0.000 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Instrument :
BNA_P
ClientSampleId :
DCBK4DL




Tgt Ion:142 Resp: 904146
Ion Ratio Lower Upper
142 100
141 90.4 73.8 110.6
116 3.9 3.3 4.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023




#43
1,1'-Biphenyl
Concen: 7.762 ng/ul
RT: 13.616 min Scan# 1773
Delta R.T. -0.006 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Tgt Ion:154 Resp: 390647
Ion Ratio Lower Upper
154 100
153 40.4 31.9 47.9
76 12.5 10.8 16.2





#50
Acenaphthylene
Concen: 1.776 ng/ul
RT: 14.504 min Scan# 1924
Delta R.T. -0.006 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Instrument :
BNA_P
ClientSampleId :
DCBK4DL




Tgt Ion:152 Resp: 109598
Ion Ratio Lower Upper
152 100
151 18.9 15.7 23.5
153 16.1 10.0 15.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023




#52
Acenaphthene
Concen: 24.359 ng/ul
RT: 14.845 min Scan# 1982
Delta R.T. -0.000 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Tgt Ion:153 Resp: 1025168
Ion Ratio Lower Upper
153 100
152 48.1 38.4 57.6
154 88.8 69.8 104.8





#56
Dibenzenofuran
Concen: 18.728 ng/ul
RT: 15.175 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45




Instrument :
BNA_P
ClientSampleId :
DCBK4DL



Tgt Ion:168 Resp: 1109342
Ion Ratio Lower Upper
168 100
139 36.6 29.8 44.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023



#61
Fluorene
Concen: 16.972 ng/ul
RT: 15.828 min Scan# 2149
Delta R.T. -0.000 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45


Tgt Ion:166 Resp: 820616
Ion Ratio Lower Upper
166 100
165 97.5 78.6 117.8
167 13.1 10.5 15.7





#72
Phenanthrene
Concen: 11.462 ng/ul
RT: 17.574 min Scan# 2446
Delta R.T. -0.000 min
Lab File: BP014766.D
Acq: 20 Apr 2023 20:45

Instrument :
BNA_P
ClientSampleId :
DCBK4DL



Tgt Ion:178 Resp: 890946
Ion Ratio Lower Upper
178 100
179 15.2 12.1 18.1
176 19.3 15.3 22.9

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 04/21/2023
Supervised By :Jagrut Upadhyay 04/21/2023

