

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
 Data File : BP014784.D
 Acq On : 21 Apr 2023 11:16
 Operator : CG/JU
 Sample : 02378-13
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COMK6

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 04/24/2023
 Supervised By : Jagrut Upadhyay 04/24/2023

Quant Time: Apr 21 22:33:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 20 02:32:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.163	152	256373	20.000	ng/u1	0.01
20) Naphthalene-d8	10.981	136	1034519	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.781	164	631079	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.528	188	1286391	20.000	ng/u1	0.00
79) Chrysene-d12	21.598	240	956568	20.000	ng/u1	0.00
88) Perylene-d12	24.168	264	1048611	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.487	96	30207	4.683	ng/uL	0.00
4) Pyridine-d5	3.917	84	198924	11.327	ng/u1	0.00
7) Phenol-d5	7.287	99	159605	7.200	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.469	67	454720	33.252	ng/u1	0.00
11) 2-Chlorophenol-d4	7.675	132	451107	27.403	ng/u1	0.00
15) 4-Methylphenol-d8	8.852	113	291655	16.878	ng/u1	0.00
21) Nitrobenzene-d5	9.334	128	266711	41.143	ng/u1	0.01
24) 2-Nitrophenol-d4	10.051	143	267666	45.716	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.587	165	487890	30.690	ng/u1	0.00
31) 4-Chloroaniline-d4	11.110	131	595840	24.556	ng/u1	0.00
46) Dimethylphthalate-d6	14.181	166	1738922	34.800	ng/u1	0.00
49) Acenaphthylene-d8	14.475	160	1982985	34.243	ng/u1	0.00
54) 4-Nitrophenol-d4	14.945	143	45450	5.718	ng/u1	0.00
60) Fluorene-d10	15.769	176	1477713	34.464	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.875	200	175714	33.753	ng/u1	0.00
73) Anthracene-d10	17.628	188	2246285	36.146	ng/u1	0.00
81) Pyrene-d10	19.839	212	2375663	43.354	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.004	264	2097779	38.598	ng/u1	-0.01
Target Compounds					Qvalue	
2) 1,4-Dioxane	3.522	88	10645	1.528	ng/uL	96
22) Nitrobenzene	9.399	77	12448151	706.710	ng/u1#	88
25) 2-Nitrophenol	10.081	139	12648	1.819	ng/u1	94
39) 1,2,4,5-Tetrachloroben...	12.981	216	101370m	4.773	ng/u1	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042023\
Data File : BP014784.D
Acq On : 21 Apr 2023 11:16
Operator : CG/JU
Sample : 02378-13
Misc :
ALS Vial : 39 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
COMK6

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 04/24/2023
Supervised By : Jagrut Upadhyay 04/24/2023


Quant Time: Apr 21 22:33:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP041823.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 20 02:32:50 2023
Response via : Initial Calibration





#2
 1,4-Dioxane
 Concen: 1.528 ng/uL
 RT: 3.522 min Scan# 51
 Delta R.T. -0.000 min
 Lab File: BP014784.D
 Acq: 21 Apr 2023 11:16




Instrument :
 BNA_P
 ClientSampleId :
 COMK6




Tgt Ion: 88 Resp: 10649
 Ion Ratio Lower Upper
 88 100
 43 31.3 25.0 37.6
 58 63.7 54.9 82.3

Manual Integrations
 APPROVED



Reviewed By :Christian Giraldo 04/24/2023
 Supervised By :Jagrut Upadhyay 04/24/2023




#22
 Nitrobenzene
 Concen: 706.710 ng/uL
 RT: 9.399 min Scan# 1056
 Delta R.T. 0.035 min
 Lab File: BP014784.D
 Acq: 21 Apr 2023 11:16




Tgt Ion: 77 Resp:12448151
 Ion Ratio Lower Upper
 77 100
 123 54.2 35.4 53.2#
 65 13.1 10.8 16.2





#25
2-Nitrophenol
Concen: 1.819 ng/ul
RT: 10.081 min Scan# 1172
Delta R.T. -0.000 min
Lab File: BP014784.D
Acq: 21 Apr 2023 11:16




Instrument :
BNA_P
ClientSampleId :
COMK6



Tgt Ion:139 Resp: 12648
Ion Ratio Lower Upper
139 100
65 54.7 39.4 59.2
109 32.3 24.6 37.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 04/24/2023
Supervised By :Jagrut Upadhyay 04/24/2023



#39
1,2,4,5-Tetrachlorobenzene
Concen: 4.773 ng/ul m
RT: 12.981 min Scan# 1665
Delta R.T. -0.006 min
Lab File: BP014784.D
Acq: 21 Apr 2023 11:16

Tgt Ion:216 Resp: 101370
Ion Ratio Lower Upper
216 100
214 77.0 61.7 92.5
179 21.5 15.5 23.3
108 17.6 13.9 20.9

