

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042122\
 Data File : BP010024.D
 Acq On : 21 Apr 2022 20:41
 Operator : CG/JU
 Sample : N2373-12
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 BFFF3

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 04/22/2022
 Supervised By :mohammad ahmed 04/26/2022

Quant Time: Apr 22 04:19:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP042122.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 21 14:49:38 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.940	152	94124	20.000	ng/u1	0.00
20) Naphthalene-d8	10.746	136	425190	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.569	164	313201	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.322	188	713549	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.404	240	745208	20.000	ng/u1	# 0.00
88) Perylene-d12	23.857	264	713916	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.370	96	5999m	2.779	ng/uL	0.00
4) Pyridine-d5	3.799	84	29643m	4.882	ng/u1	0.01
7) Phenol-d5	7.099	99	109626	12.805	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.263	67	81285m	15.823	ng/u1	0.00
11) 2-Chlorophenol-d4	7.469	132	94171	14.852	ng/u1	0.00
15) 4-Methylphenol-d8	8.646	113	94064	13.261	ng/u1	0.00
21) Nitrobenzene-d5	9.099	128	50234	14.855	ng/u1	0.00
24) 2-Nitrophenol-d4	9.822	143	52736	14.279	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.363	165	97164	13.514	ng/u1	0.00
31) 4-Chloroaniline-d4	10.881	131	120957	11.733	ng/u1	0.00
46) Dimethylphthalate-d6	13.975	166	388795	15.958	ng/u1	0.00
49) Acenaphthylene-d8	14.263	160	422067	14.314	ng/u1	0.00
54) 4-Nitrophenol-d4	14.757	143	43130m	9.616	ng/u1	0.00
60) Fluorene-d10	15.563	176	341607	16.300	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.675	200	42527m	9.426	ng/u1	0.00
73) Anthracene-d10	17.422	188	553305	16.028	ng/u1	0.00
81) Pyrene-d10	19.651	212	757308	17.869	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.698	264	653890	17.471	ng/u1	0.00
Target Compounds						
16) Acetophenone	8.763	105	15439	1.395	ng/u1#	Qvalue 83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP042122\
Data File : BP010024.D
Acq On : 21 Apr 2022 20:41
Operator : CG/JU
Sample : N2373-12
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
BFFF3


Quant Time: Apr 22 04:19:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP042122.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 21 14:49:38 2022
Response via : Initial Calibration


Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 04/22/2022
Supervised By :mohammad ahmed 04/26/2022

04/22/2022
Supervised By :mohammad
ahmed


04/26/2022





#16
Acetophenone
Concen: 1.395 ng/ul
RT: 8.763 min Scan# 90
Delta R.T. 0.000 min
Lab File: BP010024.D
Acq: 21 Apr 2022 20:41



Instrument :
BNA_P
ClientSampleId :
BFFF3



Tgt Ion:	105	Resp:	15439
Ion Ratio	Lower	Upper	
105	100		
77	77.3	53.4	80.2
51	30.9	13.8	20.8

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 04/22/2022
Supervised By :mohammad ahmed 04/26/2022



04/22/2022
Supervised By :mohammad
ahmed
04/26/2022