

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052522\
 Data File : BP010533.D
 Acq On : 25 May 2022 12:27
 Operator : CG/JU
 Sample : PB145008BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS008

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/26/2022
 Supervised By :mohammad ahmed 05/27/2022

Quant Time: May 25 23:26:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 05:50:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	82921	20.000	ng/ul	0.00
20) Naphthalene-d8	10.681	136	379899	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.516	164	268540	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.269	188	615022	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.351	240	690561	20.000	ng/ul	# 0.00
88) Perylene-d12	23.768	264	641075	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.340	96	14374m	7.389	ng/uL	0.00
4) Pyridine-d5	3.752	84	200955	36.381	ng/ul	0.00
7) Phenol-d5	7.051	99	273354	39.276	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.210	67	185638	39.700	ng/ul	0.00
11) 2-Chlorophenol-d4	7.416	132	214473	40.272	ng/ul	0.00
15) 4-Methylphenol-d8	8.593	113	232485	39.306	ng/ul	0.00
21) Nitrobenzene-d5	9.045	128	116514	39.628	ng/ul	0.00
24) 2-Nitrophenol-d4	9.763	143	126825	40.703	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.304	165	228299	38.749	ng/ul	0.00
31) 4-Chloroaniline-d4	10.822	131	292061	33.340	ng/ul	0.00
46) Dimethylphthalate-d6	13.928	166	804101	40.642	ng/ul	0.00
49) Acenaphthylene-d8	14.210	160	900210	39.445	ng/ul	0.00
54) 4-Nitrophenol-d4	14.716	143	144074	40.911	ng/ul	0.00
60) Fluorene-d10	15.510	176	689276	40.045	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.633	200	149449	41.550	ng/ul	0.00
73) Anthracene-d10	17.369	188	1140029	40.936	ng/ul	0.00
81) Pyrene-d10	19.598	212	1456635	39.719	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.615	264	1377632	42.796	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.369	88	27799	13.794	ng/uL#	11
5) Pyridine	3.769	79	200134	34.863	ng/ul#	24
6) Benzaldehyde	7.022	77	193187	52.508	ng/ul	91
8) Phenol	7.075	94	274025	36.496	ng/ul#	89
10) Bis(2-Chloroethyl)ether	7.304	93	215661	36.531	ng/ul#	74
12) 2-Chlorophenol	7.446	128	207291	37.285	ng/ul	95
13) 2-Methylphenol	8.328	108	205880	36.731	ng/ul	98
14) 2,2'-oxybis(1-Chloropr...	8.416	45	373671	38.838	ng/ul#	81
16) Acetophenone	8.704	105	348373	37.488	ng/ul#	75
17) N-Nitroso-di-n-propyla...	8.693	70	192464	38.698	ng/ul#	67
18) 4-Methylphenol	8.657	108	227032	36.649	ng/ul	90
19) Hexachloroethane	8.963	117	90635	37.484	ng/ul#	79
22) Nitrobenzene	9.087	77	280920	36.358	ng/ul#	82
23) Isophorone	9.616	82	525990	36.831	ng/ul#	97
25) 2-Nitrophenol	9.798	139	124286	36.327	ng/ul#	86
26) 2,4-Dimethylphenol	9.857	107	264961	35.692	ng/ul#	83
27) Bis(2-Chloroethoxy)met...	10.092	93	304394	35.797	ng/ul#	97
29) 2,4-Dichlorophenol	10.334	162	217580	36.121	ng/ul#	82
30) Naphthalene	10.734	128	698638	35.209	ng/ul	97
32) 4-Chloroaniline	10.845	127	275687	31.711	ng/ul	97
33) Hexachlorobutadiene	11.022	225	152493	35.726	ng/ul	95
34) Caprolactam	11.622	113	82016	39.014	ng/ul#	1
35) 4-Chloro-3-methylphenol	11.969	107	266593	37.833	ng/ul#	73
36) 2-Methylnaphthalene	12.345	142	494830	35.226	ng/ul	90

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052522\
 Data File : BP010533.D
 Acq On : 25 May 2022 12:27
 Operator : CG/JU
 Sample : PB145008BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS008


Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/26/2022
 Supervised By :mohammad ahmed 05/27/2022

Quant Time: May 25 23:26:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP051322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 05:50:40 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.563	142	510415	35.987	ng/ul#	95
39) 1,2,4,5-Tetrachloroben...	12.716	216	282565	34.481	ng/ul#	94
40) Hexachlorocyclopentadiene	12.692	237	118336	26.561	ng/ul	94
41) 2,4,6-Trichlorophenol	12.951	196	188380	36.878	ng/ul#	82
42) 2,4,5-Trichlorophenol	13.028	196	207453	36.372	ng/ul#	88
43) 1,1'-Biphenyl	13.351	154	698984	35.462	ng/ul#	93
44) 2-Chloronaphthalene	13.392	162	541963	35.599	ng/ul	94
45) 2-Nitroaniline	13.598	65	199019	39.721	ng/ul#	76
47) Dimethylphthalate	13.975	163	735570	37.480	ng/ul#	91
48) 2,6-Dinitrotoluene	14.092	165	157266	39.310	ng/ul	97
50) Acenaphthylene	14.233	152	894090	36.215	ng/ul	95
51) 3-Nitroaniline	14.422	138	147239	39.213	ng/ul#	83
52) Acenaphthene	14.580	153	579500	35.981	ng/ul	96
53) 2,4-Dinitrophenol	14.633	184	80541	36.059	ng/ul#	78
55) 4-Nitrophenol	14.733	109	127500	40.717	ng/ul#	50
56) Dibenzofuran	14.916	168	858485	36.372	ng/ul	98
57) 2,4-Dinitrotoluene	14.880	165	235578	40.904	ng/ul#	72
58) 2,3,4,6-Tetrachlorophenol	15.145	232	187642	38.258	ng/ul#	86
59) Diethylphthalate	15.333	149	782416m	39.071	ng/ul	
61) Fluorene	15.563	166	717704	37.183	ng/ul	92
62) 4-Chlorophenyl-phenyle...	15.557	204	368248	36.676	ng/ul	95
63) 4-Nitroaniline	15.586	138	174296m	47.012	ng/ul	
66) 4,6-Dinitro-2-methylph...	15.645	198	135637	37.813	ng/ul#	82
67) N-Nitrosodiphenylamine	15.774	169	641310	37.182	ng/ul	94
68) 4-Bromophenyl-phenylether	16.457	248	231635	36.571	ng/ul	94
69) Hexachlorobenzene	16.574	284	263365	36.149	ng/ul#	87
70) Atrazine	16.727	200	263407	38.122	ng/ul	91
71) Pentachlorophenol	16.921	266	168514m	36.862	ng/ul	
72) Phenanthrene	17.310	178	1224535	37.308	ng/ul	99
74) Anthracene	17.404	178	1251445	38.006	ng/ul	98
75) 1,2,3,4-Tetrachloroben...	13.316	216	304238	32.550	ng/uL#	86
76) Pentachlorobenzene	14.839	250	295524	34.848	ng/uL	92
77) Carbazole	17.674	167	1137931	39.323	ng/ul#	95
78) Di-n-butylphthalate	18.221	149	1464310	41.547	ng/ul#	93
80) Fluoranthene	19.274	202	1579914	37.071	ng/ul	98
82) Pyrene	19.627	202	1644923	36.985	ng/ul	95
83) Butylbenzylphthalate	20.498	149	713044	40.094	ng/ul#	80
84) 3,3'-Dichlorobenzidine	21.268	252	541168	38.991	ng/ul#	96
85) Benzo(a)anthracene	21.339	228	1670113	38.675	ng/ul	95
86) Bis(2-ethylhexyl)phtha...	21.257	149	1044929	40.040	ng/ul#	81
87) Chrysene	21.386	228	1642757	38.675	ng/ul	99
89) Di-n-octyl phthalate	22.186	149	1861058	38.698	ng/ul	100
90) Benzo(b)fluoranthene	23.033	252	1682870	39.384	ng/ul	100
91) Benzo(k)fluoranthene	23.080	252	1581277	38.937	ng/ul#	97
93) Benzo(a)pyrene	23.662	252	1558611	39.260	ng/ul#	97
94) Indeno(1,2,3-cd)pyrene	26.292	276	1544596	41.357	ng/ul#	92
95) Dibenzo(a,h)anthracene	26.303	278	1298068	40.055	ng/ul#	95
96) Benzo(g,h,i)perylene	27.062	276	1286615	41.257	ng/ul#	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#2
1,4-Dioxane
Concen: 13.794 ng/uL
RT: 3.369 min Scan# 48
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion: 88 Resp: 27799
Ion Ratio Lower Upper
88 100
43 44.4 6.8 10.2
58 85.8 28.4 42.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#5
Pyridine
Concen: 34.863 ng/uL
RT: 3.769 min Scan# 116
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion: 79 Resp: 200134
Ion Ratio Lower Upper
79 100
52 105.8 35.5 53.3#
51 47.7 20.2 30.4#





#6
Benzaldehyde
Concen: 52.508 ng/ul
RT: 7.022 min Scan# 609
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion: 77 Resp: 19318
Ion Ratio Lower Upper
77 100
105 89.1 77.0 115.4
106 86.1 77.0 115.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#8
Phenol
Concen: 36.496 ng/ul
RT: 7.075 min Scan# 678
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion: 94 Resp: 274025
Ion Ratio Lower Upper
94 100
65 33.1 19.0 28.6
66 47.3 34.6 51.8





#10
Bis(2-Chloroethyl)ether
Concen: 36.531 ng/ul
RT: 7.304 min Scan# 717
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion: 93 Resp: 21566
Ion Ratio Lower Upper
93 100
63 83.9 45.0 67.4
95 30.0 26.3 39.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#12
2-Chlorophenol
Concen: 37.285 ng/ul
RT: 7.446 min Scan# 741
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27



Tgt Ion:128 Resp: 207291
Ion Ratio Lower Upper
128 100
64 59.0 45.3 67.9
130 32.3 29.0 43.6









#13
2-Methylphenol
Concen: 36.731 ng/ul
RT: 8.328 min Scan# 891
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:108 Resp: 205880
Ion Ratio Lower Upper
108 100
107 89.9 70.8 106.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#14
2,2'-oxybis(1-Chloropropane)
Concen: 38.838 ng/ul
RT: 8.416 min Scan# 906
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion: 45 Resp: 373671
Ion Ratio Lower Upper
45 100
77 12.4 17.1 25.7#
79 8.7 13.2 19.8#





#16
Acetophenone
Concen: 37.488 ng/ul
RT: 8.704 min Scan# 91
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:105 Resp: 34837
Ion Ratio Lower Upper
105 100
77 83.3 53.4 80.2
51 34.6 13.8 20.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#17
N-Nitroso-di-n-propylamine
Concen: 38.698 ng/ul
RT: 8.693 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion: 70 Resp: 192464
Ion Ratio Lower Upper
70 100
42 71.5 31.8 47.8#
101 10.2 15.6 23.4#
130 19.3 13.7 20.5





#18
4-Methylphenol
Concen: 36.649 ng/ul
RT: 8.657 min Scan# 947
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:108 Resp: 227032
Ion Ratio Lower Upper
108 100
107 114.3 83.6 125.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#19
Hexachloroethane
Concen: 37.484 ng/ul
RT: 8.963 min Scan# 999
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:117 Resp: 90635
Ion Ratio Lower Upper
117 100
201 102.7 106.5 159.7#
199 64.0 59.0 88.6





#22
Nitrobenzene
Concen: 36.358 ng/ul
RT: 9.087 min Scan# 1020
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion: 77 Resp: 280920
Ion Ratio Lower Upper
77 100
123 40.1 42.3 63.5
65 14.7 5.8 8.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#23
Isophorone
Concen: 36.831 ng/ul
RT: 9.616 min Scan# 1110
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion: 82 Resp: 525990
Ion Ratio Lower Upper
82 100
95 7.5 7.8 11.8
138 16.5 12.9 19.3









#25
2-Nitrophenol
Concen: 36.327 ng/ul
RT: 9.798 min Scan# 1141
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:139 Resp: 124280
Ion Ratio Lower Upper
139 100
65 64.2 49.4 74.2
109 37.0 44.7 67.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#26
2,4-Dimethylphenol
Concen: 35.692 ng/ul
RT: 9.857 min Scan# 1151
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:107 Resp: 264961
Ion Ratio Lower Upper
107 100
121 46.5 34.1 51.1
122 76.1 46.3 69.5









#27
Bis(2-Chloroethoxy)methane
Concen: 35.797 ng/ul
RT: 10.092 min Scan# 1191
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion: 93 Resp: 304394
Ion Ratio Lower Upper
93 100
95 31.5 26.2 39.4
123 10.7 6.2 9.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#29
2,4-Dichlorophenol
Concen: 36.121 ng/ul
RT: 10.334 min Scan# 1232
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:162 Resp: 217580
Ion Ratio Lower Upper
162 100
164 67.3 37.0 55.6#
98 40.0 31.0 46.6









#30
Naphthalene
Concen: 35.209 ng/ul
RT: 10.734 min Scan# 1300
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:128 Resp: 698638
Ion Ratio Lower Upper
128 100
129 10.8 8.6 13.0
127 13.0 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#32
4-Chloroaniline
Concen: 31.711 ng/ul
RT: 10.845 min Scan# 1319
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:127 Resp: 275687
Ion Ratio Lower Upper
127 100
129 32.6 24.6 37.0





#33
Hexachlorobutadiene
Concen: 35.726 ng/ul
RT: 11.022 min Scan# 1349
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:225 Resp: 15249
Ion Ratio Lower Upper
225 100
223 62.0 53.4 80.0
227 64.0 53.8 80.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#34
Caprolactam
Concen: 39.014 ng/ul
RT: 11.622 min Scan# 1451
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:113 Resp: 82016
Ion Ratio Lower Upper
113 100
55 216.6 58.2 87.2#
56 172.3 68.6 103.0#





#35
4-Chloro-3-methylphenol
Concen: 37.833 ng/ul
RT: 11.969 min Scan# 1510
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:107 Resp: 266593
Ion Ratio Lower Upper
107 100
144 22.6 15.8 23.8
142 72.9 38.9 58.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#36
2-Methylnaphthalene
Concen: 35.226 ng/ul
RT: 12.345 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:142 Resp: 494830
Ion Ratio Lower Upper
142 100
141 88.9 64.3 96.5





#37
1-Methylnaphthalene
Concen: 35.987 ng/ul
RT: 12.563 min Scan# 1611
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:142 Resp: 510415
Ion Ratio Lower Upper
142 100
141 91.3 69.8 104.8
116 3.9 5.6 8.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#39
1,2,4,5-Tetrachlorobenzene
Concen: 34.481 ng/ul
RT: 12.716 min Scan# 1637
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:216 Resp: 282565
Ion Ratio Lower Upper
216 100
214 77.9 58.2 87.2
179 21.7 14.2 21.2#
108 17.6 15.3 22.9





#40
Hexachlorocyclopentadiene
Concen: 26.561 ng/ul
RT: 12.692 min Scan# 1633
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument : BNA_P
ClientSampleId : SLCS008




Tgt Ion:237 Resp: 118330
Ion Ratio Lower Upper
237 100
235 61.8 53.2 79.8
272 11.9 10.8 16.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#41
2,4,6-Trichlorophenol
Concen: 36.878 ng/ul
RT: 12.951 min Scan# 1677
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27



Tgt Ion:196 Resp: 188380
Ion Ratio Lower Upper
196 100
198 97.0 64.1 96.1#
200 31.4 19.9 29.9#









#42
2,4,5-Trichlorophenol
Concen: 36.372 ng/ul
RT: 13.028 min Scan# 1690
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:196 Resp: 20745
Ion Ratio Lower Upper
196 100
198 96.2 68.6 103.0
200 31.9 32.8 49.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#43
1,1'-Biphenyl
Concen: 35.462 ng/ul
RT: 13.351 min Scan# 1745
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:154 Resp: 698984
Ion Ratio Lower Upper
154 100
153 40.2 28.6 43.0
76 12.8 8.5 12.7









#44
2-Chloronaphthalene
Concen: 35.599 ng/ul
RT: 13.392 min Scan# 1752
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:162 Resp: 54196
Ion Ratio Lower Upper
162 100
164 33.3 27.5 41.3
127 40.5 37.1 55.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#45
2-Nitroaniline
Concen: 39.721 ng/ul
RT: 13.598 min Scan# 1787
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion: 65 Resp: 199019
Ion Ratio Lower Upper
65 100
92 62.0 77.9 116.9#
138 89.6 81.5 122.3





#47
Dimethylphthalate
Concen: 37.480 ng/ul
RT: 13.975 min Scan# 1851
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:163 Resp: 735570
Ion Ratio Lower Upper
163 100
194 4.3 4.1 6.1
164 9.6 11.3 16.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#48
2,6-Dinitrotoluene
Concen: 39.310 ng/ul
RT: 14.092 min Scan# 1871
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27



Tgt Ion:165 Resp: 157266
Ion Ratio Lower Upper
165 100
89 62.3 51.7 77.5
121 21.2 18.3 27.5









#50
Acenaphthylene
Concen: 36.215 ng/ul
RT: 14.233 min Scan# 1895
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:152 Resp: 894090
Ion Ratio Lower Upper
152 100
151 19.8 18.3 27.5
153 12.9 11.0 16.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#51
3-Nitroaniline
Concen: 39.213 ng/ul
RT: 14.422 min Scan# 1927
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:138 Resp: 147239
Ion Ratio Lower Upper
138 100
108 12.4 15.8 23.8#
92 125.7 117.1 175.7





#52
Acenaphthene
Concen: 35.981 ng/ul
RT: 14.580 min Scan# 1954
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:153 Resp: 579500
Ion Ratio Lower Upper
153 100
152 47.4 34.3 51.5
154 89.8 70.0 105.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#53
2,4-Dinitrophenol
Concen: 36.059 ng/ul
RT: 14.633 min Scan# 1963
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:184 Resp: 80541
Ion Ratio Lower Upper
184 100
63 77.8 34.6 52.0#
154 69.6 57.7 86.5





#55
4-Nitrophenol
Concen: 40.717 ng/ul
RT: 14.733 min Scan# 1979
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:109 Resp: 127500
Ion Ratio Lower Upper
109 100
139 113.9 61.4 92.2
65 131.4 65.3 97.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#56
Dibenzofuran
Concen: 36.372 ng/ul
RT: 14.916 min Scan# 2011
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:168 Resp: 858485
Ion Ratio Lower Upper
168 100
139 38.7 30.1 45.1









#57
2,4-Dinitrotoluene
Concen: 40.904 ng/ul
RT: 14.880 min Scan# 2005
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:165 Resp: 235578
Ion Ratio Lower Upper
165 100
63 54.7 29.5 44.3#
182 2.5 2.8 4.2#




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#58
2,3,4,6-Tetrachlorophenol
Concen: 38.258 ng/ul
RT: 15.145 min Scan# 2050
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:232 Resp: 187642
Ion Ratio Lower Upper
232 100
131 44.9 25.4 38.2#
130 2.5 4.2 6.2#
166 31.7 28.1 42.1#





#59
Diethylphthalate
Concen: 39.071 ng/ul m
RT: 15.333 min Scan# 2082
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:149 Resp: 782410
Ion Ratio Lower Upper
149 100
177 21.3 22.0 33.0
150 12.9 10.2 15.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#61
Fluorene
Concen: 37.183 ng/ul
RT: 15.563 min Scan# 2121
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:166 Resp: 717704
Ion Ratio Lower Upper
166 100
165 95.9 70.3 105.5
167 13.4 9.5 14.3









#62
4-Chlorophenyl-phenylether
Concen: 36.676 ng/ul
RT: 15.557 min Scan# 2120
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008

Tgt Ion:204 Resp: 36824
Ion Ratio Lower Upper
204 100
206 33.5 27.6 41.4
141 63.3 46.6 69.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#63
4-Nitroaniline
Concen: 47.012 ng/ul m
RT: 15.586 min Scan# 2125
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:138 Resp: 174296
Ion Ratio Lower Upper
138 100
92 54.1 41.6 62.4
108 96.5 97.6 146.4#





#66
4,6-Dinitro-2-methylphenol
Concen: 37.813 ng/ul
RT: 15.645 min Scan# 2135
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:198 Resp: 13563
Ion Ratio Lower Upper
198 100
182 5.2 6.0 9.0
77 32.3 17.7 26.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#67
N-Nitrosodiphenylamine
Concen: 37.182 ng/ul
RT: 15.774 min Scan# 2157
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:169 Resp: 641310
Ion Ratio Lower Upper
169 100
168 65.4 48.3 72.5
167 34.5 29.6 44.4





#68
4-Bromophenyl-phenylether
Concen: 36.571 ng/ul
RT: 16.457 min Scan# 2273
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:248 Resp: 231635
Ion Ratio Lower Upper
248 100
250 96.4 79.4 119.0
141 75.1 67.2 100.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#69
Hexachlorobenzene
Concen: 36.149 ng/ul
RT: 16.574 min Scan# 2293
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:284 Resp: 263365
Ion Ratio Lower Upper
284 100
142 38.7 19.2 28.8#
249 33.6 27.4 41.2





#70
Atrazine
Concen: 38.122 ng/ul
RT: 16.727 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:200 Resp: 26340
Ion Ratio Lower Upper
200 100
173 24.8 19.2 28.8
215 48.3 32.2 48.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#71
Pentachlorophenol
Concen: 36.862 ng/ul m
RT: 16.921 min Scan# 2352
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:266 Resp: 168514
Ion Ratio Lower Upper
266 100
264 61.7 57.3 85.9
268 63.8 65.7 98.5#





#72
Phenanthrene
Concen: 37.308 ng/u1
RT: 17.310 min Scan# 2418
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:178 Resp: 1224535
Ion Ratio Lower Upper
178 100
179 15.3 11.7 17.5
176 18.5 14.5 21.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#74
Anthracene
Concen: 38.006 ng/u1
RT: 17.404 min Scan# 2434
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:178 Resp: 1251445
Ion Ratio Lower Upper
178 100
179 14.9 12.3 18.5
176 18.3 13.4 20.2





#75
1,2,3,4-Tetrachlorobenzene
Concen: 32.550 ng/uL
RT: 13.316 min Scan# 1739
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:216 Resp: 304238
Ion Ratio Lower Upper
216 100
214 77.1 50.4 75.6
218 49.3 35.2 52.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#76
Pentachlorobenzene
Concen: 34.848 ng/uL
RT: 14.839 min Scan# 1998
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:250 Resp: 295524
Ion Ratio Lower Upper
250 100
248 60.6 43.5 65.3
252 63.7 46.5 69.7





#77
 Carbazole
 Concen: 39.323 ng/ul
 RT: 17.674 min Scan# 2480
 Delta R.T. -0.000 min
 Lab File: BP010533.D
 Acq: 25 May 2022 12:27

Instrument :
 BNA_P
 ClientSampleId :
 SLCS008






Tgt Ion:167 Resp: 113793


Ion	Ratio	Lower	Upper
167	100		
166	21.5	15.8	23.8
139	13.0	8.3	12.5

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/26/2022
 Supervised By :mohammad ahmed 05/27/2022






#78
 Di-n-butylphthalate
 Concen: 41.547 ng/ul
 RT: 18.221 min Scan# 2573
 Delta R.T. -0.006 min
 Lab File: BP010533.D
 Acq: 25 May 2022 12:27



Tgt Ion:149 Resp: 1464310


Ion	Ratio	Lower	Upper
149	100		
150	9.3	9.6	14.4#
104	5.5	6.2	9.4#





#80
Fluoranthene
Concen: 37.071 ng/u1
RT: 19.274 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:202 Resp: 1579914
Ion Ratio Lower Upper
202 100
101 10.5 9.6 14.4
100 8.1 6.3 9.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#82
Pyrene
Concen: 36.985 ng/u1
RT: 19.627 min Scan# 2812
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:202 Resp: 1644923
Ion Ratio Lower Upper
202 100
101 11.3 10.6 15.8
100 9.9 9.8 14.6





#83
Butylbenzylphthalate
Concen: 40.094 ng/ul
RT: 20.498 min Scan# 2960
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008




Tgt Ion:149 Resp: 713044
Ion Ratio Lower Upper
149 100
91 72.3 71.1 106.7
206 21.5 28.8 43.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022




#84
3,3'-Dichlorobenzidine
Concen: 38.991 ng/ul
RT: 21.268 min Scan# 3091
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Tgt Ion:252 Resp: 541168
Ion Ratio Lower Upper
252 100
254 64.8 49.8 74.6
126 9.9 4.3 6.5





#85
Benzo(a)anthracene
Concen: 38.675 ng/ul
RT: 21.339 min Scan# 3102
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:228 Resp: 167011
Ion Ratio Lower Upper
228 100
229 19.6 18.2 27.2
226 26.1 22.8 34.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#86
Bis(2-ethylhexyl)phthalate
Concen: 40.040 ng/ul
RT: 21.257 min Scan# 3089
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:149 Resp: 1044929
Ion Ratio Lower Upper
149 100
167 27.7 32.8 49.2#
279 4.6 5.6 8.4#





#87
Chrysene
Concen: 38.675 ng/ul
RT: 21.386 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:228 Resp: 164275
Ion Ratio Lower Upper
228 100
226 28.7 22.7 34.1
229 19.7 15.2 22.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#89
Di-n-octyl phthalate
Concen: 38.698 ng/ul
RT: 22.186 min Scan# 3247
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:149 Resp: 1861058





#90
Benzo(b)fluoranthene
Concen: 39.384 ng/u1
RT: 23.033 min Scan# 3391
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27




Instrument :
BNA_P
ClientSampleId :
SLCS008



Tgt Ion:252 Resp: 1682870
Ion Ratio Lower Upper
252 100
253 21.9 17.4 26.0
125 9.3 7.3 10.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#91
Benzo(k)fluoranthene
Concen: 38.937 ng/u1
RT: 23.080 min Scan# 3399
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27


Tgt Ion:252 Resp: 1581277
Ion Ratio Lower Upper
252 100
253 21.7 17.9 26.9
125 8.9 5.1 7.7#





#93
Benzo(a)pyrene
Concen: 39.260 ng/ul
RT: 23.662 min Scan# 3498
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :
BNA_P
ClientSampleId :
SLCS008





Tgt Ion:252 Resp: 155861


Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.5	26.3
125	10.3	6.4	9.6

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022






#94
Indeno(1,2,3-cd)pyrene
Concen: 41.357 ng/ul
RT: 26.292 min Scan# 3945
Delta R.T. -0.000 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27



Tgt Ion:276 Resp: 1544596

Ion	Ratio	Lower	Upper
276	100		
138	22.2	12.3	18.5
277	25.2	19.3	28.9





#95
Dibenzo(a,h)anthracene
Concen: 40.055 ng/ul
RT: 26.303 min Scan# 3947
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Instrument :

BNA_P

ClientSampleId :





SLCS008

Tgt Ion:278 Resp: 129806
Ion Ratio Lower Upper
278 100
139 14.8 6.6 10.0#
279 22.9 18.4 27.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 05/26/2022
Supervised By :mohammad ahmed 05/27/2022



#96
Benzo(g,h,i)perylene
Concen: 41.257 ng/ul
RT: 27.062 min Scan# 4076
Delta R.T. -0.006 min
Lab File: BP010533.D
Acq: 25 May 2022 12:27

Tgt Ion:276 Resp: 1286615
Ion Ratio Lower Upper
276 100
138 19.4 11.6 17.4#
277 24.4 15.9 23.9#

