

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP070423\  
 Data File : BP015969.D  
 Acq On : 04 Jul 2023 11:10  
 Operator : MA/JU  
 Sample : PB153768BL  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 SBLK768

Quant Time: Jul 04 21:55:24 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP062623.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sun Jul 02 06:12:16 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 8.040  | 152  | 378156   | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.869 | 136  | 1649575  | 20.000 | ng/ul | # 0.00   |
| 38) Acenaphthene-d10          | 14.693 | 164  | 932089   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.457 | 188  | 1630684  | 20.000 | ng/ul | # 0.00   |
| 79) Chrysene-d12              | 21.557 | 240  | 1232805  | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12              | 24.092 | 264  | 1415532  | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.370  | 96   | 53078    | 5.050  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.811  | 84   | 804506   | 30.364 | ng/ul | 0.00     |
| 7) Phenol-d5                  | 7.228  | 99   | 1027337  | 31.751 | ng/ul | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.364  | 67   | 698727   | 34.906 | ng/ul | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.575  | 132  | 817925   | 33.488 | ng/ul | 0.00     |
| 15) 4-Methylphenol-d8         | 8.781  | 113  | 847215   | 33.146 | ng/ul | 0.00     |
| 21) Nitrobenzene-d5           | 9.228  | 128  | 409820   | 32.508 | ng/ul | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.957  | 143  | 450529   | 30.620 | ng/ul | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.522 | 165  | 738904   | 28.182 | ng/ul | 0.01     |
| 31) 4-Chloroaniline-d4        | 11.034 | 131  | 1073653  | 31.877 | ng/ul | 0.00     |
| 46) Dimethylphthalate-d6      | 14.104 | 166  | 2321556  | 32.224 | ng/ul | 0.00     |
| 49) Acenaphthylene-d8         | 14.387 | 160  | 2559093  | 31.599 | ng/ul | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.993 | 143  | 205378   | 21.602 | ng/ul | 0.04     |
| 60) Fluorene-d10              | 15.692 | 176  | 1796192  | 30.280 | ng/ul | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.869 | 200  | 164475   | 16.401 | ng/ul | 0.01     |
| 73) Anthracene-d10            | 17.557 | 188  | 2444150  | 32.813 | ng/ul | 0.00     |
| 81) Pyrene-d10                | 19.786 | 212  | 2507717  | 31.152 | ng/ul | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.921 | 264  | 2371084  | 33.206 | ng/ul | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP070423\  
Data File : BP015969.D  
Acq On : 04 Jul 2023 11:10  
Operator : MA/JU  
Sample : PB153768BL  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
SBLK768

Quant Time: Jul 04 21:55:24 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP062623.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sun Jul 02 06:12:16 2023  
Response via : Initial Calibration

