

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071023\
 Data File : BP016156.D
 Acq On : 10 Jul 2023 13:34
 Operator : MA/JU
 Sample : 03356-07MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 YBW36MSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel

Quant Time: Jul 10 23:06:08 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062623.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 10 22:19:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.011	152	208528	20.000	ng/u1	0.00
20) Naphthalene-d8	10.828	136	920679	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.657	164	560322	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.422	188	1180365	20.000	ng/u1	#-0.01
79) Chrysene-d12	21.528	240	856505	20.000	ng/u1	-0.02
88) Perylene-d12	24.080	264	794040	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.346	96	30712	5.299	ng/uL	0.00
4) Pyridine-d5	3.787	84	346756	23.734	ng/u1	0.00
7) Phenol-d5	7.193	99	564858	31.659	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	7.334	67	364414	33.013	ng/u1	-0.01
11) 2-Chlorophenol-d4	7.540	132	421718	31.312	ng/u1	0.00
15) 4-Methylphenol-d8	8.746	113	437992	31.074	ng/u1	-0.01
21) Nitrobenzene-d5	9.199	128	208651	29.654	ng/u1	-0.01
24) 2-Nitrophenol-d4	9.922	143	242369	29.514	ng/u1	-0.02
28) 2,4-Dichlorophenol-d3	10.487	165	436754	29.845	ng/u1	-0.02
31) 4-Chloroaniline-d4	11.005	131	491672	26.155	ng/u1	-0.02
46) Dimethylphthalate-d6	14.069	166	1311071	30.273	ng/u1	-0.01
49) Acenaphthylene-d8	14.357	160	1479123	30.382	ng/u1	0.00
54) 4-Nitrophenol-d4	14.957	143	62929m	11.011	ng/u1	-0.04
60) Fluorene-d10	15.657	176	1089147	30.542	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.840	200	191209	26.340	ng/u1	-0.02
73) Anthracene-d10	17.528	188	1620352	30.053	ng/u1	-0.01
81) Pyrene-d10	19.763	212	1761175	31.490	ng/u1	-0.02
92) Benzo(a)pyrene-d12	23.898	264	1264509	31.569	ng/u1	-0.02
Target Compounds						
2) 1,4-Dioxane	3.381	88	87556	14.037	ng/uL	98
5) Pyridine	3.811	79	525687	34.394	ng/u1	96
6) Benzaldehyde	7.164	77	387294	53.690	ng/u1	99
8) Phenol	7.222	94	728431	39.343	ng/u1	92
10) Bis(2-Chloroethyl)ether	7.428	93	594048	40.326	ng/u1	97
12) 2-Chlorophenol	7.575	128	544471	38.051	ng/u1	98
13) 2-Methylphenol	8.475	108	540088	38.635	ng/u1	97
14) 2,2'-oxybis(1-Chloropr...	8.540	45	915533	45.503	ng/u1	99
16) Acetophenone	8.858	105	874949	37.762	ng/u1	95
17) N-Nitroso-di-n-propyla...	8.828	70	505076	39.249	ng/u1	99
18) 4-Methylphenol	8.816	108	590198	39.295	ng/u1	100
19) Hexachloroethane	9.075	117	245546	37.155	ng/u1	92
22) Nitrobenzene	9.240	77	733856	37.140	ng/u1	98
23) Isophorone	9.763	82	1388139	36.712	ng/u1	99
25) 2-Nitrophenol	9.958	139	317396	36.418	ng/u1	93
26) 2,4-Dimethylphenol	10.016	107	624598	32.601	ng/u1	97
27) Bis(2-Chloroethoxy)met...	10.240	93	826370	38.714	ng/u1	99
29) 2,4-Dichlorophenol	10.516	162	517406	35.563	ng/u1	98
30) Naphthalene	10.875	128	1822706	36.418	ng/u1	100
32) 4-Chloroaniline	11.034	127	581924	29.795	ng/u1	99
33) Hexachlorobutadiene	11.134	225	341302	31.064	ng/u1	100
34) Caprolactam	11.840	113	167931	37.735	ng/u1	93
35) 4-Chloro-3-methylphenol	12.163	107	606803	35.632	ng/u1	97
36) 2-Methylnaphthalene	12.493	142	1184865	35.962	ng/u1	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071023\
 Data File : BP016156.D
 Acq On : 10 Jul 2023 13:34
 Operator : MA/JU
 Sample : 03356-07MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 YBW36MSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel

Quant Time: Jul 10 23:06:08 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062623.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 10 22:19:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
37) 1-Methylnaphthalene	12.710	142	1200867	35.728	ng/ul	99	07/11/2023
39) 1,2,4,5-Tetrachloroben...	12.863	216	642212	34.781	ng/ul	99	Supervised By :mohammad
40) Hexachlorocyclopentadiene	12.810	237	176966	32.036	ng/ul	96	ahmed
41) 2,4,6-Trichlorophenol	13.122	196	399655	34.249	ng/ul	97	
42) 2,4,5-Trichlorophenol	13.216	196	422359	34.123	ng/ul	97	
43) 1,1'-Biphenyl	13.493	154	1605942	36.185	ng/ul	98	
44) 2-Chloronaphthalene	13.546	162	1258889	36.007	ng/ul	98	07/11/2023
45) 2-Nitroaniline	13.787	65	424164	38.557	ng/ul	96	
47) Dimethylphthalate	14.122	163	1605220	35.814	ng/ul	99	
48) 2,6-Dinitrotoluene	14.269	165	334678	36.812	ng/ul	99	
50) Acenaphthylene	14.387	152	1951919	36.387	ng/ul	99	
51) 3-Nitroaniline	14.628	138	307376	43.113	ng/ul	92	
52) Acenaphthene	14.722	153	1360658	36.578	ng/ul	98	
53) 2,4-Dinitrophenol	14.875	184	140108	29.047	ng/ul	91	
55) 4-Nitrophenol	14.981	109	213114	35.984	ng/ul#	44	
56) Dibenzofuran	15.063	168	1866915	36.153	ng/ul	97	
57) 2,4-Dinitrotoluene	15.081	165	455183	36.740	ng/ul	94	
58) 2,3,4,6-Tetrachlorophenol	15.310	232	353734	33.273	ng/ul	99	
59) Diethylphthalate	15.475	149	1648824	36.353	ng/ul	99	
61) Fluorene	15.716	166	1495017	35.693	ng/ul	99	
62) 4-Chlorophenyl-phenyle...	15.698	204	737907	34.430	ng/ul	96	
63) 4-Nitroaniline	15.804	138	275831	56.527	ng/ul	87	
66) 4,6-Dinitro-2-methylph...	15.857	198	242131	32.967	ng/ul	99	
67) N-Nitrosodiphenylamine	15.922	169	1255642	35.534	ng/ul	99	
68) 4-Bromophenyl-phenylether	16.598	248	453230	33.625	ng/ul	92	
69) Hexachlorobenzene	16.728	284	522300	32.840	ng/ul	98	
70) Atrazine	16.887	200	329955	24.394	ng/ul	97	
71) Pentachlorophenol	17.098	266	208655	27.335	ng/ul	96	
72) Phenanthrene	17.469	178	2300638	35.878	ng/ul	100	
74) Anthracene	17.569	178	2302563	35.735	ng/ul	99	
75) 1,2,3,4-Tetrachloroben...	13.463	216	654971	34.101	ng/ul	99	
76) Pentachlorobenzene	14.981	250	1453656	74.989	ng/ul	99	
77) Carbazole	17.857	167	1990557	36.653	ng/ul	99	
78) Di-n-butylphthalate	18.357	149	2836755	39.401	ng/ul	99	
80) Fluoranthene	19.439	202	2545450	36.621	ng/ul#	95	
82) Pyrene	19.798	202	2613185	36.856	ng/ul#	91	
83) Butylbenzylphthalate	20.633	149	1167691	40.368	ng/ul	91	
84) 3,3'-Dichlorobenzidine	21.445	252	695128	35.902	ng/ul	99	
85) Benzo(a)anthracene	21.510	228	2151633	35.711	ng/ul	99	
86) Bis(2-ethylhexyl)phtha...	21.380	149	1649443	41.492	ng/ul	100	
87) Chrysene	21.569	228	2167324	37.914	ng/ul	99	
89) Di-n-octyl phthalate	22.333	149	2471253	42.586	ng/ul	100	
90) Benzo(b)fluoranthene	23.275	252	1875314m	36.756	ng/ul		
91) Benzo(k)fluoranthene	23.333	252	1990819	38.620	ng/ul#	98	
93) Benzo(a)pyrene	23.957	252	1633179	36.634	ng/ul#	97	
94) Indeno(1,2,3-cd)pyrene	26.757	276	2007674	33.174	ng/ul#	93	
95) Dibenzo(a,h)anthracene	26.751	278	1631427	32.819	ng/ul#	96	
96) Benzo(g,h,i)perylene	27.604	276	1620102	32.540	ng/ul#	95	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071023\
Data File : BP016156.D
Acq On : 10 Jul 2023 13:34
Operator : MA/JU
Sample : 03356-07MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Quant Time: Jul 10 23:06:08 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062623.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 10 22:19:01 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh
Patel





#2
1,4-Dioxane
Concen: 14.037 ng/uL
RT: 3.381 min Scan# 33
Delta R.T. 0.000 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion: 88 Resp: 87550
Ion Ratio Lower Upper
88 100
43 33.6 27.4 41.2
58 77.0 59.8 89.8


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#5
Pyridine
Concen: 34.394 ng/uL
RT: 3.811 min Scan# 106
Delta R.T. 0.000 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Tgt Ion: 79 Resp: 525687
Ion Ratio Lower Upper
79 100
52 77.9 65.5 98.3
51 37.6 31.8 47.8







#6
Benzaldehyde
Concen: 53.690 ng/u1
RT: 7.164 min Scan# 61
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion: 77 Resp: 387294
Ion Ratio Lower Upper
77 100
105 90.7 73.4 110.0
106 85.0 66.6 100.0



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#8
Phenol
Concen: 39.343 ng/u1
RT: 7.222 min Scan# 686
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion: 94 Resp: 728431
Ion Ratio Lower Upper
94 100
65 29.9 26.4 39.6
66 39.6 37.3 55.9





#10
Bis(2-Chloroethyl)ether
Concen: 40.326 ng/ul
RT: 7.428 min Scan# 721
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion: 93 Resp: 594048
Ion Ratio Lower Upper
93 100
63 81.5 62.8 94.2
95 33.3 25.6 38.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#12
2-Chlorophenol
Concen: 38.051 ng/ul
RT: 7.575 min Scan# 746
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:128 Resp: 544471
Ion Ratio Lower Upper
128 100
64 52.9 41.2 61.8
130 31.9 26.0 39.0







#13
2-Methylphenol
Concen: 38.635 ng/ul
RT: 8.475 min Scan# 899
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion:108 Resp: 54008
Ion Ratio Lower Upper
108 100
107 89.5 73.8 110.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#14
2,2'-oxybis(1-Chloropropane)
Concen: 45.503 ng/ul
RT: 8.540 min Scan# 910
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion: 45 Resp: 915533
Ion Ratio Lower Upper
45 100
77 14.8 12.4 18.6
79 11.3 9.3 13.9







#16
Acetophenone
Concen: 37.762 ng/ul
RT: 8.858 min Scan# 90
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion:105 Resp: 874949
Ion Ratio Lower Upper
105 100
77 87.0 65.0 97.4
51 32.1 25.1 37.7



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#17
N-Nitroso-di-n-propylamine
Concen: 39.249 ng/ul
RT: 8.828 min Scan# 959
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion: 70 Resp: 505076
Ion Ratio Lower Upper
70 100
42 61.0 48.2 72.2
101 9.1 7.6 11.4
130 18.1 13.9 20.9





#18
4-Methylphenol
Concen: 39.295 ng/ul
RT: 8.816 min Scan# 901
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:108 Resp: 590198
Ion Ratio Lower Upper
108 100
107 114.3 91.3 136.9


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#19
Hexachloroethane
Concen: 37.155 ng/ul
RT: 9.075 min Scan# 1001
Delta R.T. 0.000 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:117 Resp: 245546
Ion Ratio Lower Upper
117 100
201 96.1 84.2 126.2
199 59.1 51.8 77.8





#22
Nitrobenzene
Concen: 37.140 ng/ul
RT: 9.240 min Scan# 1029
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion: 77 Resp: 733850
Ion Ratio Lower Upper
77 100
123 40.2 31.0 46.4
65 13.4 11.3 16.9


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#23
Isophorone
Concen: 36.712 ng/ul
RT: 9.763 min Scan# 1118
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion: 82 Resp: 1388139
Ion Ratio Lower Upper
82 100
95 6.9 6.3 9.5
138 15.3 12.3 18.5





#25
2-Nitrophenol
Concen: 36.418 ng/ul
RT: 9.958 min Scan# 1154
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:139 Resp: 317390
Ion Ratio Lower Upper
139 100
65 59.0 50.2 75.2
109 32.1 31.3 46.9


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#26
2,4-Dimethylphenol
Concen: 32.601 ng/ul
RT: 10.016 min Scan# 1161
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion:107 Resp: 624598
Ion Ratio Lower Upper
107 100
121 48.3 38.2 57.2
122 81.0 62.1 93.1





#27
Bis(2-Chloroethoxy)methane
Concen: 38.714 ng/ul
RT: 10.240 min Scan# 1199
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion: 93 Resp: 826370
Ion Ratio Lower Upper
93 100
95 32.4 26.6 39.8
123 10.3 8.6 13.0


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#29
2,4-Dichlorophenol
Concen: 35.563 ng/ul
RT: 10.516 min Scan# 1246
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion:162 Resp: 517406
Ion Ratio Lower Upper
162 100
164 68.1 53.0 79.6
98 40.6 31.3 46.9





#30
Naphthalene
Concen: 36.418 ng/ul
RT: 10.875 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:128 Resp: 1822700
Ion Ratio Lower Upper
128 100
129 10.8 8.6 12.8
127 13.0 10.3 15.5



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#32
4-Chloroaniline
Concen: 29.795 ng/ul
RT: 11.034 min Scan# 1334
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:127 Resp: 581924
Ion Ratio Lower Upper
127 100
129 31.2 24.7 37.1







#33
Hexachlorobutadiene
Concen: 31.064 ng/ul
RT: 11.134 min Scan# 1111
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion:225 Resp: 341302
Ion Ratio Lower Upper
225 100
223 63.1 50.4 75.6
227 63.2 51.0 76.4



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#34
Caprolactam
Concen: 37.735 ng/ul
RT: 11.840 min Scan# 1471
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:113 Resp: 167931
Ion Ratio Lower Upper
113 100
55 194.0 142.8 214.2
56 144.1 116.9 175.3





#35
4-Chloro-3-methylphenol
Concen: 35.632 ng/ul
RT: 12.163 min Scan# 1526
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:107 Resp: 60680
Ion Ratio Lower Upper
107 100
144 23.8 18.4 27.6
142 76.6 58.6 87.8


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#36
2-Methylnaphthalene
Concen: 35.962 ng/ul
RT: 12.493 min Scan# 1582
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion:142 Resp: 1184865
Ion Ratio Lower Upper
142 100
141 88.3 73.2 109.8





#37
1-Methylnaphthalene
Concen: 35.728 ng/ul
RT: 12.710 min Scan# 1619
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:142 Resp: 120086
Ion Ratio Lower Upper
142 100
141 91.9 73.1 109.7
116 4.1 4.0 6.0


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#39
1,2,4,5-Tetrachlorobenzene
Concen: 34.781 ng/ul
RT: 12.863 min Scan# 1645
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:216 Resp: 642212
Ion Ratio Lower Upper
216 100
214 77.3 62.4 93.6
179 21.2 17.6 26.4
108 19.5 15.5 23.3





#40
Hexachlorocyclopentadiene
Concen: 32.036 ng/ul
RT: 12.810 min Scan# 1637
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:237 Resp: 176960
Ion Ratio Lower Upper
237 100
235 64.8 48.6 73.0
272 13.6 10.5 15.7



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#41
2,4,6-Trichlorophenol
Concen: 34.249 ng/ul
RT: 13.122 min Scan# 1689
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:196 Resp: 399655
Ion Ratio Lower Upper
196 100
198 97.4 75.4 113.2
200 30.9 23.6 35.4







#42
2,4,5-Trichlorophenol
Concen: 34.123 ng/ul
RT: 13.216 min Scan# 1705
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion:196 Resp: 422359
Ion Ratio Lower Upper
196 100
198 96.9 74.9 112.3
200 31.2 24.3 36.5



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#43
1,1'-Biphenyl
Concen: 36.185 ng/ul
RT: 13.493 min Scan# 1752
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:154 Resp: 1605942
Ion Ratio Lower Upper
154 100
153 40.2 32.8 49.2
76 15.8 10.7 16.1





#44

2-Chloronaphthalene

Concen: 36.007 ng/ul

RT: 13.546 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNP_P

ClientSampleId :

YBW36MSD

Tgt Ion:162 Resp: 125888

Ion Ratio Lower Upper

162 100

164 32.2 26.1 39.1



127 39.7 33.4 50.0

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



07/11/2023

Supervised By :mohammad
ahmed

07/11/2023



#45

2-Nitroaniline

Concen: 38.557 ng/ul

RT: 13.787 min Scan# 1802

Delta R.T. -0.017 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34




Tgt Ion: 65 Resp: 424164


Ion Ratio Lower Upper

65 100

92 65.2 49.5 74.3


138 92.2 71.4 107.2





#47
Dimethylphthalate
Concen: 35.814 ng/ul
RT: 14.122 min Scan# 1859
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:163 Resp: 1605220
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 9.9 7.7 11.5


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#48
2,6-Dinitrotoluene
Concen: 36.812 ng/ul
RT: 14.269 min Scan# 1884
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion:165 Resp: 334678
Ion Ratio Lower Upper
165 100
89 68.7 54.1 81.1
121 23.2 18.2 27.2





#50
Acenaphthylene
Concen: 36.387 ng/ul
RT: 14.387 min Scan# 1904
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:152 Resp: 1951919
Ion Ratio Lower Upper
152 100
151 19.7 16.2 24.2
153 13.1 10.5 15.7


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#51
3-Nitroaniline
Concen: 43.113 ng/ul
RT: 14.628 min Scan# 1945
Delta R.T. -0.029 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:138 Resp: 307376
Ion Ratio Lower Upper
138 100
108 10.6 9.1 13.7
92 130.8 96.8 145.2





#52
Acenaphthene
Concen: 36.578 ng/ul
RT: 14.722 min Scan# 1961
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:153 Resp: 1360658
Ion Ratio Lower Upper
153 100
152 47.0 39.4 59.2
154 87.9 71.4 107.2



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#53
2,4-Dinitrophenol
Concen: 29.047 ng/ul
RT: 14.875 min Scan# 1987
Delta R.T. -0.041 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:184 Resp: 140108
Ion Ratio Lower Upper
184 100
63 84.1 71.4 107.0
154 65.7 61.1 91.7







#55
4-Nitrophenol
Concen: 35.984 ng/ul
RT: 14.981 min Scan# 2011
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Instrument :
BNA_P
ClientSampleId :
YBW36MSD

Tgt Ion:109 Resp: 213114
Ion Ratio Lower Upper
109 100
139 48.5 81.3 121.9
65 58.6 99.9 149.9



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#56
Dibenzofuran
Concen: 36.153 ng/ul
RT: 15.063 min Scan# 2019
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:168 Resp: 1866915
Ion Ratio Lower Upper
168 100
139 38.7 32.2 48.4





#57
2,4-Dinitrotoluene
Concen: 36.740 ng/ul
RT: 15.081 min Scan# 2061
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:165 Resp: 45518
Ion Ratio Lower Upper
165 100
63 66.1 56.8 85.2
182 2.9 2.0 3.0


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#58
2,3,4,6-Tetrachlorophenol
Concen: 33.273 ng/ul
RT: 15.310 min Scan# 2061
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Tgt Ion:232 Resp: 353734
Ion Ratio Lower Upper
232 100
131 47.8 38.2 57.2
130 2.7 2.2 3.2
166 33.0 25.6 38.4





#59

Diethylphthalate

Concen: 36.353 ng/ul

RT: 15.475 min Scan# 2090

Delta R.T. -0.006 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNA_P

ClientSampleId :

YBW36MSD

Tgt Ion:149 Resp: 1648824

Ion Ratio Lower Upper

149 100

177 21.4 16.8 25.2



150 12.0 10.3 15.5

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



07/11/2023

Supervised By :mohammad
ahmed

07/11/2023



#61

Fluorene

Concen: 35.693 ng/ul

RT: 15.716 min Scan# 2130

Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34




Tgt Ion:166 Resp: 1495017


Ion Ratio Lower Upper

166 100

165 97.9 78.7 118.1


167 13.6 10.5 15.7





#62
4-Chlorophenyl-phenylether
Concen: 34.430 ng/ul
RT: 15.698 min Scan# 2127
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:204 Resp: 73790
Ion Ratio Lower Upper
204 100
206 33.9 26.0 39.0
141 61.2 51.8 77.8


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#63
4-Nitroaniline
Concen: 56.527 ng/ul
RT: 15.804 min Scan# 2145
Delta R.T. -0.047 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34




Tgt Ion:138 Resp: 275831
Ion Ratio Lower Upper
138 100
92 59.3 50.1 75.1
108 88.8 85.5 128.3





#66
4,6-Dinitro-2-methylphenol
Concen: 32.967 ng/ul
RT: 15.857 min Scan# 2154
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:198 Resp: 24213
Ion Ratio Lower Upper
198 100
182 4.8 3.4 5.2
77 31.1 24.4 36.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#67
N-Nitrosodiphenylamine
Concen: 35.534 ng/ul
RT: 15.922 min Scan# 2165
Delta R.T. -0.017 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:169 Resp: 1255642
Ion Ratio Lower Upper
169 100
168 66.8 54.2 81.4
167 36.7 29.7 44.5





#68
4-Bromophenyl-phenylether
Concen: 33.625 ng/ul
RT: 16.598 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:248 Resp: 453230
Ion Ratio Lower Upper
248 100
250 96.8 84.6 126.8
141 77.3 67.8 101.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#69
Hexachlorobenzene
Concen: 32.840 ng/ul
RT: 16.728 min Scan# 2302
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:284 Resp: 522300
Ion Ratio Lower Upper
284 100
142 35.4 27.8 41.8
249 30.8 26.1 39.1





#70
Atrazine
Concen: 24.394 ng/ul
RT: 16.887 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:200 Resp: 32995
Ion Ratio Lower Upper
200 100
173 26.4 19.8 29.8
215 48.3 36.8 55.2


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#71
Pentachlorophenol
Concen: 27.335 ng/ul
RT: 17.098 min Scan# 2365
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:266 Resp: 208655
Ion Ratio Lower Upper
266 100
264 62.5 53.4 80.2
268 62.9 51.4 77.2





#72

Phenanthrene

Concen: 35.878 ng/uI

RT: 17.469 min Scan# 2430

Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNA_P

ClientSampleId :

YBW36MSD

Tgt Ion:178 Resp: 2300638

Ion Ratio Lower Upper

178 100

179 15.4 12.4 18.6



176 19.4 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



07/11/2023

Supervised By :mohammad
ahmed

07/11/2023



#74

Anthracene

Concen: 35.735 ng/uI

RT: 17.569 min Scan# 2445

Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34




Tgt Ion:178 Resp: 2302563


Ion Ratio Lower Upper

178 100

179 15.4 12.1 18.1

176 18.5 14.6 22.0





#75

1,2,3,4-Tetrachlorobenzene

Concen: 34.101 ng/uL

RT: 13.463 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNA_P



ClientSampleId :

YBW36MSD

Tgt Ion:	216	Resp:	65497
Ion Ratio	Lower	Upper	
216	100		
214	78.6	62.0	93.0
218	48.2	38.4	57.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel



07/11/2023
Supervised By :mohammad
ahmed

07/11/2023



#76

Pentachlorobenzene

Concen: 74.989 ng/uL




RT: 14.981 min Scan# 2005


Delta R.T. -0.017 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Tgt Ion:	250	Resp:	1453656
Ion Ratio	Lower	Upper	
250	100		
248	62.6	50.7	76.1
252	63.5	51.2	76.8





#77

Carbazole

Concen: 36.653 ng/ul

RT: 17.857 min Scan# 2497

Delta R.T. -0.017 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNA_P

ClientSampleId :



YBW36MSD

Tgt Ion:167 Resp: 199055

Ion	Ratio	Lower	Upper
167	100		
166	21.6	17.4	26.0
139	13.0	11.0	16.4



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel



07/11/2023
Supervised By :mohammad
ahmed

07/11/2023



#78

Di-n-butylphthalate

Concen: 39.401 ng/ul

RT: 18.357 min Scan# 2579




Delta R.T. -0.012 min


Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Tgt Ion:149 Resp: 2836755


Ion	Ratio	Lower	Upper
149	100		
150	8.8	7.5	11.3
104	5.6	4.6	7.0





#80
Fluoranthene
Concen: 36.621 ng/ul
RT: 19.439 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:202 Resp: 2545450
Ion Ratio Lower Upper
202 100
101 12.6 8.3 12.5#
100 9.9 6.6 9.8#


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#82
Pyrene
Concen: 36.856 ng/ul
RT: 19.798 min Scan# 2824
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:202 Resp: 2613185
Ion Ratio Lower Upper
202 100
101 15.3 9.3 13.9#
100 12.5 7.6 11.4#





#83
Butylbenzylphthalate
Concen: 40.368 ng/ul
RT: 20.633 min Scan# 2968
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:149 Resp: 116769
Ion Ratio Lower Upper
149 100
91 83.5 59.8 89.6
206 19.2 16.4 24.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#84
3,3'-Dichlorobenzidine
Concen: 35.902 ng/ul
RT: 21.445 min Scan# 3104
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:252 Resp: 695128
Ion Ratio Lower Upper
252 100
254 63.3 51.0 76.6
126 12.3 8.6 13.0





#85
Benzo(a)anthracene
Concen: 35.711 ng/ul
RT: 21.510 min Scan# 3115
Delta R.T. -0.012 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:228 Resp: 215163
Ion Ratio Lower Upper
228 100
229 19.8 15.3 22.9
226 27.3 21.4 32.0


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




07/11/2023
Supervised By :mohammad
ahmed



07/11/2023




#86
Bis(2-ethylhexyl)phthalate
Concen: 41.492 ng/ul
RT: 21.380 min Scan# 3093
Delta R.T. -0.006 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Tgt Ion:149 Resp: 1649443
Ion Ratio Lower Upper
149 100
167 26.4 21.0 31.6
279 4.1 3.8 5.6





#87

Chrysene

Concen: 37.914 ng/ul

RT: 21.569 min Scan# 3125

Delta R.T. -0.017 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNA_P

ClientSampleId :

YBW36MSD

Tgt Ion:228 Resp: 2167324

Ion Ratio Lower Upper

228 100



226 30.1 24.3 36.5

229 19.6 15.5 23.3

Manual Integrations

APPROVED



Reviewed By :Yogesh
Patel



07/11/2023

Supervised By :mohammad
ahmed

07/11/2023



#89

Di-n-octyl phthalate

Concen: 42.586 ng/ul




RT: 22.333 min Scan# 3255


Delta R.T. -0.012 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34


Tgt Ion:149 Resp: 2471253





#90
Benzo(b)fluoranthene
Concen: 36.756 ng/ul m
RT: 23.275 min Scan# 3419
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:252 Resp: 1875314
Ion Ratio Lower Upper
252 100
253 22.1 17.3 25.9
125 11.7 7.5 11.3


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#91
Benzo(k)fluoranthene
Concen: 38.620 ng/ul
RT: 23.333 min Scan# 3425
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34


Tgt Ion:252 Resp: 1990819
Ion Ratio Lower Upper
252 100
253 21.5 17.0 25.4
125 11.0 7.3 10.9





#93
Benzo(a)pyrene
Concen: 36.634 ng/ul
RT: 23.957 min Scan# 30
Delta R.T. -0.023 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34



Instrument :
BNA_P
ClientSampleId :
YBW36MSD



Tgt Ion:252 Resp: 1633179
Ion Ratio Lower Upper
252 100
253 21.8 17.7 26.5
125 12.9 8.2 12.2


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






07/11/2023
Supervised By :mohammad
ahmed


07/11/2023



#94
Indeno(1,2,3-cd)pyrene
Concen: 33.174 ng/ul
RT: 26.757 min Scan# 4007
Delta R.T. -0.035 min
Lab File: BP016156.D
Acq: 10 Jul 2023 13:34

Tgt Ion:276 Resp: 2007674
Ion Ratio Lower Upper
276 100
138 26.3 15.7 23.5#
277 25.2 19.6 29.4





#95

Dibenzo(a,h)anthracene

Concen: 32.819 ng/ul

RT: 26.751 min Scan# 4015

Delta R.T. -0.053 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Instrument :

BNP_P

ClientSampleId :

YBW36MSD

Tgt Ion:278 Resp: 163142

Ion Ratio Lower Upper

278 100

139 17.2 10.5 15.7



279 23.2 18.4 27.6

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



07/11/2023

Supervised By :mohammad
ahmed

07/11/2023



#96

Benzo(g,h,i)perylene

Concen: 32.540 ng/ul

RT: 27.604 min Scan# 4151

Delta R.T. -0.041 min

Lab File: BP016156.D

Acq: 10 Jul 2023 13:34

Tgt Ion:276 Resp: 1620102

Ion Ratio Lower Upper

276 100

138 23.5 15.1 22.7

277 24.0 18.8 28.2

