

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071423\
 Data File : BP016234.D
 Acq On : 14 Jul 2023 19:39
 Operator : MA/JU
 Sample : 03414-20MS
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A4634MS

Quant Time: Jul 15 00:27:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 14 23:53:26 2023
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
 Supervised By :mohammad ahmed 07/17/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	138502	20.000	ng/u1	0.00
20) Naphthalene-d8	10.769	136	648685	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.610	164	421654	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.374	188	998347	20.000	ng/u1	0.00
79) Chrysene-d12	21.468	240	1013838	20.000	ng/u1	0.00
88) Perylene-d12	23.962	264	1234718	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.281	96	20650	5.276	ng/uL	0.00
4) Pyridine-d5	3.728	84	284066	29.100	ng/u1	-0.01
7) Phenol-d5	7.140	99	492515	39.369	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	7.287	67	297235	35.137	ng/u1	0.00
11) 2-Chlorophenol-d4	7.487	132	355960	39.416	ng/u1	0.00
15) 4-Methylphenol-d8	8.692	113	391846	38.882	ng/u1	-0.01
21) Nitrobenzene-d5	9.145	128	180849	40.411	ng/u1	0.00
24) 2-Nitrophenol-d4	9.869	143	204823	40.157	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.422	165	387131	43.829	ng/u1	-0.02
31) 4-Chloroaniline-d4	10.945	131	488994	34.540	ng/u1	-0.01
46) Dimethylphthalate-d6	14.022	166	1184792	36.836	ng/u1	0.00
49) Acenaphthylene-d8	14.304	160	1375205	39.014	ng/u1	0.00
54) 4-Nitrophenol-d4	14.880	143	254382m	38.753	ng/u1	-0.05
60) Fluorene-d10	15.604	176	1033838	38.406	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.780	200	184122	31.948	ng/u1	-0.01
73) Anthracene-d10	17.474	188	1698761	38.900	ng/u1	0.00
81) Pyrene-d10	19.709	212	2107948	40.069	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.792	264	2354424	39.707	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.316	88	61665	14.363	ng/uL#	93
5) Pyridine	3.751	79	373319	37.338	ng/u1	94
6) Benzaldehyde	7.110	77	330149	42.265	ng/u1	92
8) Phenol	7.169	94	600180	44.755	ng/u1	97
10) Bis(2-Chloroethyl)ether	7.381	93	453563	41.588	ng/u1	99
12) 2-Chlorophenol	7.516	128	431926	46.097	ng/u1	98
13) 2-Methylphenol	8.422	108	455270	45.105	ng/u1	98
14) 2,2'-oxybis(1-Chloropr...	8.487	45	711349m	40.190	ng/u1	
16) Acetophenone	8.804	105	721075	43.391	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.775	70	398161	44.690	ng/u1	98
18) 4-Methylphenol	8.763	108	502325	45.510	ng/u1	99
19) Hexachloroethane	9.022	117	179298	41.974	ng/u1	98
22) Nitrobenzene	9.186	77	585966	45.065	ng/u1	99
23) Isophorone	9.704	82	1145429	44.441	ng/u1	99
25) 2-Nitrophenol	9.904	139	264065	48.185	ng/u1	97
26) 2,4-Dimethylphenol	9.957	107	565848	46.953	ng/u1	98
27) Bis(2-Chloroethoxy)met...	10.186	93	682596	45.483	ng/u1	100
29) 2,4-Dichlorophenol	10.451	162	443420	48.822	ng/u1	98
30) Naphthalene	10.822	128	1502982	44.150	ng/u1	99
32) 4-Chloroaniline	10.969	127	593816	42.172	ng/u1	99
33) Hexachlorobutadiene	11.081	225	269087	43.622	ng/u1	100
34) Caprolactam	11.786	113	160081	48.687	ng/u1	92
35) 4-Chloro-3-methylphenol	12.104	107	551535	49.209	ng/u1	97
36) 2-Methylnaphthalene	12.439	142	1014237	44.435	ng/u1	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071423\
 Data File : BP016234.D
 Acq On : 14 Jul 2023 19:39
 Operator : MA/JU
 Sample : 03414-20MS
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A4634MS

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
 Supervised By :mohammad ahmed 07/17/2023

Quant Time: Jul 15 00:27:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 14 23:53:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.657	142	1026317	43.721	ng/ul	99
39) 1,2,4,5-Tetrachloroben...	12.810	216	546627	45.518	ng/ul	99
40) Hexachlorocyclopentadiene	12.757	237	124024	26.307	ng/ul	99
41) 2,4,6-Trichlorophenol	13.069	196	374288	49.331	ng/ul	98
42) 2,4,5-Trichlorophenol	13.157	196	412521	51.141	ng/ul	99
43) 1,1'-Biphenyl	13.439	154	1392560	45.275	ng/ul	99
44) 2-Chloronaphthalene	13.492	162	1093674	45.257	ng/ul	98
45) 2-Nitroaniline	13.733	65	396201	50.309	ng/ul	100
47) Dimethylphthalate	14.069	163	1407459	43.325	ng/ul	99
48) 2,6-Dinitrotoluene	14.222	165	297570	48.588	ng/ul	97
50) Acenaphthylene	14.333	152	1761704	43.515	ng/ul	99
51) 3-Nitroaniline	14.569	138	302994	48.719	ng/ul	95
52) Acenaphthene	14.674	153	1224969	44.737	ng/ul	100
53) 2,4-Dinitrophenol	14.810	184	134039	31.270	ng/ul	97
55) 4-Nitrophenol	14.898	109	225137	45.069	ng/ul#	77
56) Dibenzofuran	15.016	168	1685991	45.205	ng/ul	98
57) 2,4-Dinitrotoluene	15.027	165	434328	48.074	ng/ul	90
58) 2,3,4,6-Tetrachlorophenol	15.257	232	364381	49.775	ng/ul	98
59) Diethylphthalate	15.427	149	1481069	43.841	ng/ul	99
61) Fluorene	15.663	166	1404650	45.083	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.651	204	666629	44.239	ng/ul	99
63) 4-Nitroaniline	15.739	138	299757	52.481	ng/ul	96
66) 4,6-Dinitro-2-methylph...	15.798	198	222509	36.939	ng/ul	98
67) N-Nitrosodiphenylamine	15.874	169	1180855	44.624	ng/ul	99
68) 4-Bromophenyl-phenylether	16.551	248	425037	44.799	ng/ul	99
69) Hexachlorobenzene	16.674	284	510983	44.722	ng/ul	98
70) Atrazine	16.833	200	445187	42.426	ng/ul	98
71) Pentachlorophenol	17.039	266	270184	47.156	ng/ul	99
72) Phenanthrene	17.415	178	2385253	45.854	ng/ul	99
74) Anthracene	17.515	178	2378191	45.498	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.410	216	541932	41.349	ng/uL	99
76) Pentachlorobenzene	14.933	250	548256	44.317	ng/uL	99
77) Carbazole	17.798	167	2195525	46.069	ng/ul	99
78) Di-n-butylphthalate	18.310	149	2822447	47.278	ng/ul	99
80) Fluoranthene	19.386	202	3016020	49.027	ng/ul	99
82) Pyrene	19.739	202	3143830	47.865	ng/ul	99
83) Butylbenzylphthalate	20.586	149	1421242	50.174	ng/ul	97
84) 3,3'-Dichlorobenzidine	21.386	252	894001	37.740	ng/ul	98
85) Benzo(a)anthracene	21.451	228	3128724	47.390	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.333	149	2180777	51.536	ng/ul	100
87) Chrysene	21.503	228	3041792	45.481	ng/ul	99
89) Di-n-octyl phthalate	22.274	149	3847020	49.742	ng/ul	100
90) Benzo(b)fluoranthene	23.192	252	3453336	48.963	ng/ul	98
91) Benzo(k)fluoranthene	23.239	252	3335415	46.471	ng/ul	99
93) Benzo(a)pyrene	23.850	252	3028754	43.350	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	26.591	276	3658852	42.291	ng/ul	100
95) Dibenzo(a,h)anthracene	26.591	278	3017765	42.763	ng/ul	98
96) Benzo(g,h,i)perylene	27.403	276	2909147	42.126	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071423\
 Data File : BP016234.D
 Acq On : 14 Jul 2023 19:39
 Operator : MA/JU
 Sample : 03414-20MS
 Misc :
 ALS Vial : 19 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 A4634MS

Quant Time: Jul 15 00:27:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 14 23:53:26 2023
 Response via : Initial Calibration

Manual Integrations APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
 Supervised By :mohammad ahmed 07/17/2023





#2
1,4-Dioxane
Concen: 14.363 ng/uL
RT: 3.316 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion: 88 Resp: 6166
Ion Ratio Lower Upper
88 100
43 33.6 22.3 33.5
58 73.8 63.1 94.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#5
Pyridine
Concen: 37.338 ng/uL
RT: 3.751 min Scan# 96
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion: 79 Resp: 373319
Ion Ratio Lower Upper
79 100
52 78.3 67.7 101.5
51 37.7 31.7 47.5









#6
Benzaldehyde
Concen: 42.265 ng/ul
RT: 7.110 min Scan# 609
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion: 77 Resp: 330149
Ion Ratio Lower Upper
77 100
105 95.1 69.4 104.2
106 88.9 66.2 99.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#8
Phenol
Concen: 44.755 ng/ul
RT: 7.169 min Scan# 677
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion: 94 Resp: 600180
Ion Ratio Lower Upper
94 100
65 30.0 25.5 38.3
66 39.4 32.7 49.1





#10
Bis(2-Chloroethyl)ether
Concen: 41.588 ng/ul
RT: 7.381 min Scan# 714
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion: 93 Resp: 45356
Ion Ratio Lower Upper
93 100
63 78.5 63.5 95.3
95 31.1 25.1 37.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#12
2-Chlorophenol
Concen: 46.097 ng/ul
RT: 7.516 min Scan# 736
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:128 Resp: 431926
Ion Ratio Lower Upper
128 100
64 56.2 44.1 66.1
130 32.5 24.3 36.5





#13
2-Methylphenol
Concen: 45.105 ng/ul
RT: 8.422 min Scan# 892
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:108 Resp: 455270
Ion Ratio Lower Upper
108 100
107 89.9 70.5 105.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#14
2,2'-oxybis(1-Chloropropane)
Concen: 40.190 ng/ul m
RT: 8.487 min Scan# 901
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion: 45 Resp: 711349
Ion Ratio Lower Upper
45 100
77 15.0 12.5 18.7
79 10.8 8.7 13.1









#16
Acetophenone
Concen: 43.391 ng/ul
RT: 8.804 min Scan# 910
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion: 105 Resp: 721075
Ion Ratio Lower Upper
105 100
77 85.1 70.2 105.2
51 30.8 26.3 39.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#17
N-Nitroso-di-n-propylamine
Concen: 44.690 ng/ul
RT: 8.775 min Scan# 950
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion: 70 Resp: 398161
Ion Ratio Lower Upper
70 100
42 62.4 50.8 76.2
101 9.2 7.0 10.6
130 18.7 13.3 19.9





#18
4-Methylphenol
Concen: 45.510 ng/ul
RT: 8.763 min Scan# 948
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:108 Resp: 50232
Ion Ratio Lower Upper
108 100
107 112.1 89.3 133.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#19
Hexachloroethane
Concen: 41.974 ng/ul
RT: 9.022 min Scan# 992
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:117 Resp: 179298
Ion Ratio Lower Upper
117 100
201 94.2 76.5 114.7
199 57.1 47.9 71.9





#22
Nitrobenzene
Concen: 45.065 ng/ul
RT: 9.186 min Scan# 1022
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion: 77 Resp: 585960
Ion Ratio Lower Upper
77 100
123 40.6 31.8 47.8
65 13.3 10.4 15.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#23
Isophorone
Concen: 44.441 ng/ul
RT: 9.704 min Scan# 1108
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion: 82 Resp: 1145429
Ion Ratio Lower Upper
82 100
95 6.7 5.4 8.2
138 15.0 12.3 18.5





#25
2-Nitrophenol
Concen: 48.185 ng/ul
RT: 9.904 min Scan# 1142
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS




Tgt Ion:139 Resp: 26406
Ion Ratio Lower Upper
139 100
65 60.1 50.0 75.0
109 33.3 28.2 42.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023




#26
2,4-Dimethylphenol
Concen: 46.953 ng/ul
RT: 9.957 min Scan# 1151
Delta R.T. -0.018 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Tgt Ion:107 Resp: 565848
Ion Ratio Lower Upper
107 100
121 48.0 37.2 55.8
122 79.3 64.7 97.1





#27
Bis(2-Chloroethoxy)methane
Concen: 45.483 ng/ul
RT: 10.186 min Scan# 1192
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion: 93 Resp: 682590
Ion Ratio Lower Upper
93 100
95 32.5 25.9 38.9
123 10.4 8.6 13.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#29
2,4-Dichlorophenol
Concen: 48.822 ng/ul
RT: 10.451 min Scan# 1235
Delta R.T. -0.024 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:162 Resp: 443420
Ion Ratio Lower Upper
162 100
164 65.8 54.3 81.5
98 40.3 31.8 47.8









#30
Naphthalene
Concen: 44.150 ng/ul
RT: 10.822 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:128 Resp: 150298
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 13.2 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#32
4-Chloroaniline
Concen: 42.172 ng/ul
RT: 10.969 min Scan# 1323
Delta R.T. -0.018 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:127 Resp: 593816
Ion Ratio Lower Upper
127 100
129 32.9 26.1 39.1





#33
Hexachlorobutadiene
Concen: 43.622 ng/ul
RT: 11.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:225 Resp: 26908
Ion Ratio Lower Upper
225 100
223 62.3 49.8 74.6
227 64.6 51.7 77.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#34
Caprolactam
Concen: 48.687 ng/ul
RT: 11.786 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:113 Resp: 160081
Ion Ratio Lower Upper
113 100
55 195.8 147.8 221.8
56 139.7 103.8 155.6









#35
4-Chloro-3-methylphenol
Concen: 49.209 ng/ul
RT: 12.104 min Scan# 1516
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:107 Resp: 55153
Ion Ratio Lower Upper
107 100
144 23.7 20.3 30.5
142 73.9 60.8 91.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#36
2-Methylnaphthalene
Concen: 44.435 ng/ul
RT: 12.439 min Scan# 1573
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:142 Resp: 1014237
Ion Ratio Lower Upper
142 100
141 90.2 71.9 107.9









#37
1-Methylnaphthalene
Concen: 43.721 ng/ul
RT: 12.657 min Scan# 1610
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:142 Resp: 102631
Ion Ratio Lower Upper
142 100
141 92.9 73.9 110.9
116 4.0 3.4 5.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#39
1,2,4,5-Tetrachlorobenzene
Concen: 45.518 ng/ul
RT: 12.810 min Scan# 1636
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:216 Resp: 546627
Ion Ratio Lower Upper
216 100
214 79.1 62.9 94.3
179 20.5 17.8 26.6
108 19.0 16.0 24.0





#40
Hexachlorocyclopentadiene
Concen: 26.307 ng/ul
RT: 12.757 min Scan# 1627
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS




Tgt Ion:237 Resp: 124024
Ion Ratio Lower Upper
237 100
235 60.6 48.2 72.2
272 13.8 9.5 14.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023




#41
2,4,6-Trichlorophenol
Concen: 49.331 ng/ul
RT: 13.069 min Scan# 1680
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Tgt Ion:196 Resp: 374288
Ion Ratio Lower Upper
196 100
198 97.1 79.2 118.8
200 31.8 24.2 36.4





#42
2,4,5-Trichlorophenol
Concen: 51.141 ng/ul
RT: 13.157 min Scan# 1695
Delta R.T. -0.018 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:196 Resp: 41252
Ion Ratio Lower Upper
196 100
198 96.4 77.4 116.2
200 30.6 25.3 37.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#43
1,1'-Biphenyl
Concen: 45.275 ng/ul
RT: 13.439 min Scan# 1743
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:154 Resp: 1392560
Ion Ratio Lower Upper
154 100
153 40.1 31.1 46.7
76 16.2 12.9 19.3





#44

2-Chloronaphthalene

Concen: 45.257 ng/ul

RT: 13.492 min Scan# 1753

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS





Tgt Ion:162 Resp: 1093674

Ion	Ratio	Lower	Upper
162	100		
164	33.0	26.0	39.0
127	40.3	31.2	46.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#45

2-Nitroaniline

Concen: 50.309 ng/ul

RT: 13.733 min Scan# 1793




Delta R.T. -0.018 min


Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion: 65 Resp: 396201

Ion	Ratio	Lower	Upper
65	100		
92	67.8	54.1	81.1
138	91.7	73.4	110.0









#47
Dimethylphthalate
Concen: 43.325 ng/ul
RT: 14.069 min Scan# 1850
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:163 Resp: 1407459
Ion Ratio Lower Upper
163 100
194 3.7 3.0 4.6
164 10.3 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#48
2,6-Dinitrotoluene
Concen: 48.588 ng/ul
RT: 14.222 min Scan# 1876
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:165 Resp: 297570
Ion Ratio Lower Upper
165 100
89 65.8 54.8 82.2
121 22.6 19.4 29.0





#50

Acenaphthylene

Concen: 43.515 ng/ul

RT: 14.333 min Scan# 1895

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS





Tgt Ion:152 Resp: 1761704

Ion	Ratio	Lower	Upper
152	100		
151	20.3	15.8	23.8
153	13.6	10.2	15.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#51

3-Nitroaniline

Concen: 48.719 ng/ul

RT: 14.569 min Scan# 1935




Delta R.T. -0.018 min


Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion:138 Resp: 302994


Ion	Ratio	Lower	Upper
138	100		
108	10.7	9.6	14.4
92	130.6	109.0	163.4





#52
Acenaphthene
Concen: 44.737 ng/ul
RT: 14.674 min Scan# 1953
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS




Tgt Ion:153 Resp: 1224969
Ion Ratio Lower Upper
153 100
152 47.3 37.9 56.9
154 86.9 69.3 103.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023




#53
2,4-Dinitrophenol
Concen: 31.270 ng/ul
RT: 14.810 min Scan# 1976
Delta R.T. -0.018 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Tgt Ion:184 Resp: 134039
Ion Ratio Lower Upper
184 100
63 87.7 67.0 100.6
154 65.9 51.5 77.3





#55
4-Nitrophenol
Concen: 45.069 ng/ul
RT: 14.898 min Scan# 1991
Delta R.T. -0.036 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:109 Resp: 225137
Ion Ratio Lower Upper
109 100
139 120.8 76.8 115.2
65 138.1 92.2 138.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#56
Dibenzofuran
Concen: 45.205 ng/ul
RT: 15.016 min Scan# 2011
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:168 Resp: 1685991
Ion Ratio Lower Upper
168 100
139 39.1 30.6 45.8





#57
2,4-Dinitrotoluene
Concen: 48.074 ng/ul
RT: 15.027 min Scan# 2013
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:165 Resp: 434328
Ion Ratio Lower Upper
165 100
63 62.4 56.9 85.3
182 2.6 2.0 3.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#58
2,3,4,6-Tetrachlorophenol
Concen: 49.775 ng/ul
RT: 15.257 min Scan# 2052
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:232 Resp: 364381
Ion Ratio Lower Upper
232 100
131 45.7 38.6 57.8
130 2.7 2.2 3.4
166 31.4 25.2 37.8





#59

Diethylphthalate

Concen: 43.841 ng/ul

RT: 15.427 min Scan# 2081

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS

Tgt Ion:149 Resp: 1481069

Ion Ratio Lower Upper

149 100

177 21.0 17.4 26.0





150 12.1 10.2 15.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023

Supervised By :mohammad ahmed 07/17/2023



#61

Fluorene

Concen: 45.083 ng/ul

RT: 15.663 min Scan# 2121

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39




Tgt Ion:166 Resp: 1404650


Ion Ratio Lower Upper

166 100

165 99.0 78.6 117.8


167 13.3 11.0 16.4





#62
4-Chlorophenyl-phenylether
Concen: 44.239 ng/ul
RT: 15.651 min Scan# 2119
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:204 Resp: 666629
Ion Ratio Lower Upper
204 100
206 32.6 25.4 38.2
141 59.6 48.2 72.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#63
4-Nitroaniline
Concen: 52.481 ng/ul
RT: 15.739 min Scan# 2134
Delta R.T. -0.024 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:138 Resp: 299757
Ion Ratio Lower Upper
138 100
92 60.4 46.6 70.0
108 89.8 68.3 102.5









#66
4,6-Dinitro-2-methylphenol
Concen: 36.939 ng/ul
RT: 15.798 min Scan# 2146
Delta R.T. -0.012 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:198 Resp: 222509
Ion Ratio Lower Upper
198 100
182 4.8 4.3 6.5
77 32.0 26.3 39.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#67
N-Nitrosodiphenylamine
Concen: 44.624 ng/ul
RT: 15.874 min Scan# 2157
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39


Tgt Ion:169 Resp: 1180855
Ion Ratio Lower Upper
169 100
168 66.7 54.2 81.4
167 37.0 30.2 45.4





#68
4-Bromophenyl-phenylether
Concen: 44.799 ng/ul
RT: 16.551 min Scan# 2272
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:248 Resp: 42503
Ion Ratio Lower Upper
248 100
250 97.6 78.4 117.6
141 75.5 61.4 92.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#69
Hexachlorobenzene
Concen: 44.722 ng/ul
RT: 16.674 min Scan# 2293
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:284 Resp: 510983
Ion Ratio Lower Upper
284 100
142 36.0 30.2 45.4
249 31.0 25.0 37.4





#70

Atrazine

Concen: 42.426 ng/ul

RT: 16.833 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :





A4634MS

Tgt Ion:200 Resp: 44518
 Ion Ratio Lower Upper
 200 100
 173 26.7 21.8 32.8
 215 46.6 38.7 58.1

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
 Supervised By :mohammad ahmed 07/17/2023



#71

Pentachlorophenol

Concen: 47.156 ng/ul




RT: 17.039 min Scan# 2355


Delta R.T. -0.012 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion:266 Resp: 270184
 Ion Ratio Lower Upper
 266 100
 264 61.9 49.8 74.8
 268 63.2 49.5 74.3





#72

Phenanthrene

Concen: 45.854 ng/ul

RT: 17.415 min Scan# 2419

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS

Tgt Ion:178 Resp: 238525

Ion Ratio Lower Upper

178 100





179 15.3 12.5 18.7

176 19.6 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#74

Anthracene

Concen: 45.498 ng/ul

RT: 17.515 min Scan# 2436

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39




Tgt Ion:178 Resp: 2378191


Ion Ratio Lower Upper

178 100

179 15.2 11.9 17.9

176 18.6 15.0 22.4









#75
1,2,3,4-Tetrachlorobenzene
Concen: 41.349 ng/uL
RT: 13.410 min Scan# 1739
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Instrument :
BNA_P
ClientSampleId :
A4634MS

Tgt Ion:216 Resp: 541932
Ion Ratio Lower Upper
216 100
214 78.1 62.6 94.0
218 47.4 38.5 57.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#76
Pentachlorobenzene
Concen: 44.317 ng/uL
RT: 14.933 min Scan# 1997
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:250 Resp: 548256
Ion Ratio Lower Upper
250 100
248 62.8 50.5 75.7
252 63.4 51.7 77.5





#77

Carbazole

Concen: 46.069 ng/ul

RT: 17.798 min Scan# 2484

Delta R.T. -0.012 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS





Tgt Ion:167 Resp: 219552

Ion	Ratio	Lower	Upper
167	100		
166	21.6	16.8	25.2
139	13.5	10.2	15.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#78

Di-n-butylphthalate

Concen: 47.278 ng/ul

RT: 18.310 min Scan# 2571




Delta R.T. -0.000 min


Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion:149 Resp: 2822447

Ion	Ratio	Lower	Upper
149	100		
150	8.9	7.4	11.0
104	5.7	4.6	7.0





#80

Fluoranthene

Concen: 49.027 ng/ul

RT: 19.386 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS

Tgt Ion:202 Resp: 3016020

Ion Ratio Lower Upper

202 100

101 12.4 10.4 15.6





100 9.8 8.2 12.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023

Supervised By :mohammad ahmed 07/17/2023



#82

Pyrene

Concen: 47.865 ng/ul

RT: 19.739 min Scan# 2814

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39




Tgt Ion:202 Resp: 3143830


Ion Ratio Lower Upper

202 100

101 15.1 12.4 18.6


100 12.6 10.5 15.7





#83
Butylbenzylphthalate
Concen: 50.174 ng/ul
RT: 20.586 min Scan# 2958
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS



Tgt Ion:149 Resp: 142124
Ion Ratio Lower Upper
149 100
91 81.7 67.1 100.7
206 19.9 15.0 22.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#84
3,3'-Dichlorobenzidine
Concen: 37.740 ng/ul
RT: 21.386 min Scan# 3094
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39

Tgt Ion:252 Resp: 894001
Ion Ratio Lower Upper
252 100
254 65.0 50.6 76.0
126 11.5 9.4 14.0





#85

Benzo(a)anthracene

Concen: 47.390 ng/ul

RT: 21.451 min Scan# 3105

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNP_P

ClientSampleId :

A4634MS

Tgt Ion:228 Resp: 3128724

Ion Ratio Lower Upper

228 100

229 20.2 15.5 23.3





226 27.5 21.5 32.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023

Supervised By :mohammad ahmed 07/17/2023



#86

Bis(2-ethylhexyl)phthalate

Concen: 51.536 ng/ul

RT: 21.333 min Scan# 3085

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39




Tgt Ion:149 Resp: 2180777


Ion Ratio Lower Upper

149 100

167 26.3 21.0 31.4

279 4.0 3.0 4.6





#87

Chrysene

Concen: 45.481 ng/ul

RT: 21.503 min Scan# 3115

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS

Tgt Ion:228 Resp: 304179

Ion Ratio Lower Upper

228 100

226 29.8 24.0 36.0





229 19.9 15.5 23.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023

Supervised By :mohammad ahmed 07/17/2023



#89

Di-n-octyl phthalate

Concen: 49.742 ng/ul




RT: 22.274 min Scan# 3245


Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39


Tgt Ion:149 Resp: 3847020





#90
Benzo(b)fluoranthene
Concen: 48.963 ng/ul
RT: 23.192 min Scan# 3401
Delta R.T. -0.000 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39




Instrument :
BNA_P
ClientSampleId :
A4634MS




Tgt Ion:252 Resp: 3453330
Ion Ratio Lower Upper
252 100
253 22.3 17.3 25.9
125 10.9 9.4 14.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023




#91
Benzo(k)fluoranthene
Concen: 46.471 ng/ul
RT: 23.239 min Scan# 3409
Delta R.T. -0.006 min
Lab File: BP016234.D
Acq: 14 Jul 2023 19:39



Tgt Ion:252 Resp: 3335415
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.2
125 11.2 9.3 13.9





#93

Benzo(a)pyrene

Concen: 43.350 ng/ul

RT: 23.850 min Scan# 30

Delta R.T. -0.000 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS





Tgt Ion:252 Resp: 3028754

Ion	Ratio	Lower	Upper
252	100		
253	21.1	17.2	25.8
125	11.9	9.8	14.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023
Supervised By :mohammad ahmed 07/17/2023



#94

Indeno(1,2,3-cd)pyrene

Concen: 42.291 ng/ul

RT: 26.591 min Scan# 3979




Delta R.T. -0.006 min


Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion:276 Resp: 3658852

Ion	Ratio	Lower	Upper
276	100		
138	26.0	20.8	31.2
277	25.0	19.8	29.8





#95

Dibenzo(a,h)anthracene

Concen: 42.763 ng/ul

RT: 26.591 min Scan# 3980

Delta R.T. -0.006 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Instrument :

BNA_P

ClientSampleId :

A4634MS

Tgt Ion:278 Resp: 301776

Ion Ratio Lower Upper

278 100

139 16.6 13.9 20.9





279 23.6 18.2 27.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2023

Supervised By :mohammad ahmed 07/17/2023



#96

Benzo(g,h,i)perylene

Concen: 42.126 ng/ul

RT: 27.403 min Scan# 4117

Delta R.T. -0.024 min

Lab File: BP016234.D

Acq: 14 Jul 2023 19:39

Tgt Ion:276 Resp: 2909147

Ion Ratio Lower Upper

276 100

138 22.6 19.0 28.4

277 23.7 19.0 28.4

