

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071723\
 Data File : BP016253.D
 Acq On : 17 Jul 2023 14:57
 Operator : MA/JU
 Sample : 03437-03
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Jul 17 23:08:22 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 14 23:53:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.958	152	157830	20.000	ng/ul	0.00
20) Naphthalene-d8	10.787	136	758431	20.000	ng/ul	0.01
38) Acenaphthene-d10	14.616	164	521806	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.381	188	1194958	20.000	ng/ul	0.00
79) Chrysene-d12	21.480	240	1290836	20.000	ng/ul	0.01
88) Perylene-d12	23.980	264	1372220	20.000	ng/ul	0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.281	96	6966	1.562	ng/uL	0.00
4) Pyridine-d5	3.746	84	899	0.081	ng/ul	0.00
7) Phenol-d5	7.169	99	188561	13.227	ng/ul	0.02
9) Bis-(2-Chloroethyl)eth...	7.299	67	134558	13.959	ng/ul	0.00
11) 2-Chlorophenol-d4	7.499	132	151817	14.752	ng/ul	0.00
15) 4-Methylphenol-d8	8.734	113	132650	11.551	ng/ul	0.03
21) Nitrobenzene-d5	9.175	128	65490	12.516	ng/ul	0.02
24) 2-Nitrophenol-d4	9.916	143	75144	12.601	ng/ul	0.04
28) 2,4-Dichlorophenol-d3	10.516	165	108631	10.519	ng/ul	0.07
31) 4-Chloroaniline-d4	10.975	131	93	0.006	ng/ul	0.02
46) Dimethylphthalate-d6	14.040	166	531754	13.359	ng/ul	0.01
49) Acenaphthylene-d8	14.316	160	586305	13.441	ng/ul	0.01
54) 4-Nitrophenol-d4	14.922	143	87	0.011	ng/ul	-0.01
60) Fluorene-d10	15.628	176	480390	14.421	ng/ul	0.02
65) 4,6-Dinitro-2-methylph...	15.857	200	22067	3.199	ng/ul	0.06
73) Anthracene-d10	17.498	188	640095	12.246	ng/ul	0.02
81) Pyrene-d10	19.722	212	968351	14.457	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.810	264	842495	12.785	ng/ul	0.01
Target Compounds						
					Qvalue	
16) Acetophenone	8.852	105	41346	2.183	ng/ul	98
17) N-Nitroso-di-n-propyla...	8.763	70	28995	2.856	ng/ul#	76
86) Bis(2-ethylhexyl)phtha...	21.333	149	112400	2.086	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071723\
Data File : BP016253.D
Acq On : 17 Jul 2023 14:57
Operator : MA/JU
Sample : 03437-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: Jul 17 23:08:22 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 14 23:53:26 2023
Response via : Initial Calibration









#16
Acetophenone
Concen: 2.183 ng/ul
RT: 8.852 min Scan# 901
Delta R.T. 0.041 min
Lab File: BP016253.D
Acq: 17 Jul 2023 14:57




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:105 Resp: 41346
Ion Ratio Lower Upper
105 100
77 88.4 70.2 105.2
51 35.8 26.3 39.5



#17
N-Nitroso-di-n-propylamine
Concen: 2.856 ng/ul
RT: 8.763 min Scan# 948
Delta R.T. -0.012 min
Lab File: BP016253.D
Acq: 17 Jul 2023 14:57


Tgt Ion: 70 Resp: 28995
Ion Ratio Lower Upper
70 100
42 48.0 50.8 76.2#
101 0.6 7.0 10.6#
130 0.2 13.3 19.9#





#86
 Bis(2-ethylhexyl)phthalate
 Concen: 2.086 ng/ul
 RT: 21.333 min Scan# 3085
 Delta R.T. 0.000 min
 Lab File: BP016253.D
 Acq: 17 Jul 2023 14:57

Instrument :
 BNA_P
 ClientSampleId :



Tgt Ion:149 Resp: 112400
 Ion Ratio Lower Upper
 149 100
 167 25.4 21.0 31.4
 279 3.5 3.0 4.6

