

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071723\
 Data File : BP016257.D
 Acq On : 17 Jul 2023 17:14
 Operator : MA/JU
 Sample : 03437-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Jul 17 23:09:04 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 14 23:53:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	143714	20.000	ng/ul	0.00
20) Naphthalene-d8	10.787	136	707963	20.000	ng/ul	0.01
38) Acenaphthene-d10	14.610	164	470591	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.380	188	1109749	20.000	ng/ul	0.00
79) Chrysene-d12	21.480	240	1186836	20.000	ng/ul	0.01
88) Perylene-d12	23.974	264	1241748	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.281	96	5837	1.437	ng/uL	0.00
4) Pyridine-d5	3.734	84	203	0.020	ng/ul	0.00
7) Phenol-d5	7.157	99	371815	28.643	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.287	67	241761	27.543	ng/ul	0.00
11) 2-Chlorophenol-d4	7.493	132	282608	30.159	ng/ul	0.00
15) 4-Methylphenol-d8	8.722	113	253140	24.208	ng/ul	0.02
21) Nitrobenzene-d5	9.163	128	133460	27.325	ng/ul	0.01
24) 2-Nitrophenol-d4	9.899	143	152866	27.461	ng/ul	0.02
28) 2,4-Dichlorophenol-d3	10.493	165	252923	26.237	ng/ul	0.05
31) 4-Chloroaniline-d4	11.046	131	53516	3.464	ng/ul	0.09
46) Dimethylphthalate-d6	14.034	166	952784	26.542	ng/ul	0.00
49) Acenaphthylene-d8	14.310	160	1092237	27.764	ng/ul	0.00
54) 4-Nitrophenol-d4	14.916	143	117	0.016	ng/ul	-0.02
60) Fluorene-d10	15.622	176	865801	28.819	ng/ul	0.01
65) 4,6-Dinitro-2-methylph...	15.816	200	87503	13.659	ng/ul	0.02
73) Anthracene-d10	17.486	188	1158529	23.866	ng/ul	0.00
81) Pyrene-d10	19.716	212	1706530	27.710	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.810	264	1511395	25.345	ng/ul	0.01
Target Compounds						Qvalue
16) Acetophenone	8.840	105	46878	2.719	ng/ul	95
17) N-Nitroso-di-n-propyla...	8.763	70	22858	2.473	ng/ul#	81
86) Bis(2-ethylhexyl)phtha...	21.333	149	114024	2.302	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071723\
Data File : BP016257.D
Acq On : 17 Jul 2023 17:14
Operator : MA/JU
Sample : 03437-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: Jul 17 23:09:04 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 14 23:53:26 2023
Response via : Initial Calibration









#16
Acetophenone
Concen: 2.719 ng/ul
RT: 8.840 min Scan# 916
Delta R.T. 0.029 min
Lab File: BP016257.D
Acq: 17 Jul 2023 17:14




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:105 Resp: 46878
Ion Ratio Lower Upper
105 100
77 84.7 70.2 105.2
51 37.5 26.3 39.5



#17
N-Nitroso-di-n-propylamine
Concen: 2.473 ng/ul
RT: 8.763 min Scan# 948
Delta R.T. -0.012 min
Lab File: BP016257.D
Acq: 17 Jul 2023 17:14


Tgt Ion: 70 Resp: 22858
Ion Ratio Lower Upper
70 100
42 53.3 50.8 76.2
101 1.4 7.0 10.6#
130 0.0 13.3 19.9#





#86
 Bis(2-ethylhexyl)phthalate
 Concen: 2.302 ng/ul
 RT: 21.333 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: BP016257.D
 Acq: 17 Jul 2023 17:14

Instrument :
 BNA_P
 ClientSampleId :



Tgt Ion:149 Resp: 114024
 Ion Ratio Lower Upper
 149 100
 167 26.6 21.0 31.4
 279 4.0 3.0 4.6

