




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
Data File : BP016309.D
Acq On : 19 Jul 2023 00:19
Operator : MA/JU
Sample : 03458-25
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:31:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 19 01:28:59 2023
Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(31) 4-Chloroaniline-d4 (S)

10.940min (+ 0.000) 0.01 ng/u1

response 164

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	31.50	88.02#
69.00	21.00	534.10#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
 Data File : BP016309.D
 Acq On : 19 Jul 2023 00:19
 Operator : MA/JU
 Sample : 03458-25
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:31:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 19 01:28:59 2023
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
 Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(31) 4-Chloroaniline-d4 (S)

11.057min (+ 0.118) 0.66 ng/ul m

response 18812

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	31.50	28.39
69.00	21.00	32.49#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
Data File : BP016309.D
Acq On : 19 Jul 2023 00:19
Operator : MA/JU
Sample : 03458-25
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:31:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 19 01:28:59 2023
Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.939min (+ 0.012) 5.78 ng/u1

response 61300

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	79.50	83.45
41.00	49.30	59.12
42.00	32.70	34.12




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
Data File : BP016309.D
Acq On : 19 Jul 2023 00:19
Operator : MA/JU
Sample : 03458-25
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:31:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 19 01:28:59 2023
Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.939min (+ 0.012) 10.50 ng/ul m

response 111246

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	79.50	83.45
41.00	49.30	59.12
42.00	32.70	34.12




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
 Data File : BP016309.D
 Acq On : 19 Jul 2023 00:19
 Operator : MA/JU
 Sample : 03458-25
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 03:09:58 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 19 01:28:59 2023
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
 Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(74) Anthracene

17.404min (-0.106) 58.87 ng/u1

response 5781528

Ion	Exp%	Act%
178.00	100.00	100.00
179.00	14.90	15.92
176.00	18.70	20.04
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
 Data File : BP016309.D
 Acq On : 19 Jul 2023 00:19
 Operator : MA/JU
 Sample : 03458-25
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 03:09:58 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 19 01:28:59 2023
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
 Supervised By :mohammad ahmed 07/19/2023



TIC: BP016309.D\data.ms

(74) Anthracene

17.504min (-0.006) 13.21 ng/ul m

response 1297315

Ion	Exp%	Act%
178.00	100.00	100.00
179.00	14.90	19.67#
176.00	18.70	18.74
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
 Data File : BP016309.D
 Acq On : 19 Jul 2023 00:19
 Operator : MA/JU
 Sample : 03458-25
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A46L5

Manual IntegrationsAPPROVED

Quant Time: Jul 19 03:10:55 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 19 01:28:59 2023
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 07/19/2023
 Supervised By :mohammad ahmed 07/19/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.940	152	285867	20.000	ng/ul	0.00
20) Naphthalene-d8	10.763	136	1306093	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.598	164	680840	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.363	188	1875632	20.000	ng/ul	0.00
79) Chrysene-d12	21.457	240	1438493	20.000	ng/ul	0.00
88) Perylene-d12	23.939	264	1416037	20.000	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.281	96	23824	2.949	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	7.146	99	395804	15.329	ng/ul	0.01
9) Bis-(2-Chloroethyl)eth...	7.281	67	279039	15.982	ng/ul	0.00
11) 2-Chlorophenol-d4	7.487	132	299415	16.063	ng/ul	0.01
15) 4-Methylphenol-d8	8.704	113	328165	15.777	ng/ul	0.01
21) Nitrobenzene-d5	9.146	128	159049	17.651	ng/ul	0.00
24) 2-Nitrophenol-d4	9.875	143	163220	15.893	ng/ul	0.01
28) 2,4-Dichlorophenol-d3	10.469	165	273666	15.388	ng/ul	0.04
31) 4-Chloroaniline-d4	11.057	131	18812m	0.660	ng/ul	0.12
46) Dimethylphthalate-d6	14.022	166	908668	17.496	ng/ul	0.00
49) Acenaphthylene-d8	14.298	160	890475	15.645	ng/ul	0.00
54) 4-Nitrophenol-d4	14.939	143	111246m	10.496	ng/ul	0.01
60) Fluorene-d10	15.598	176	792165	18.225	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.804	200	63883	5.900	ng/ul	0.02
73) Anthracene-d10	17.469	188	1370855	16.709	ng/ul	0.00
81) Pyrene-d10	19.698	212	812638	10.887	ng/ul	-0.01
92) Benzo(a)pyrene-d12	23.780	264	333076	4.898	ng/ul	-0.01
Target Compounds						
					Qvalue	
8) Phenol	7.187	94	62584	2.261	ng/ul	93
16) Acetophenone	8.804	105	269488	7.857	ng/ul	97
30) Naphthalene	10.816	128	220298	3.214	ng/ul	98
36) 2-Methylnaphthalene	12.463	142	50918	1.108	ng/ul	99
52) Acenaphthene	14.663	153	378217	8.554	ng/ul	99
56) Dibenzofuran	15.016	168	242394	4.025	ng/ul	99
61) Fluorene	15.663	166	384715	7.647	ng/ul	97
72) Phenanthrene	17.404	178	5781528	59.159	ng/ul	99
74) Anthracene	17.504	178	1297315m	13.211	ng/ul	
77) Carbazole	17.798	167	312523	3.491	ng/ul	99
80) Fluoranthene	19.375	202	7989430	91.532	ng/ul	98
82) Pyrene	19.727	202	3135433	33.645	ng/ul	98
85) Benzo(a)anthracene	21.439	228	3159642	33.730	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.321	149	209984	3.497	ng/ul	99
87) Chrysene	21.492	228	2662177	28.054	ng/ul	98
90) Benzo(b)fluoranthene	23.180	252	2679797	33.130	ng/ul	99
91) Benzo(k)fluoranthene	23.227	252	1005438	12.215	ng/ul	98
93) Benzo(a)pyrene	23.833	252	391305	4.883	ng/ul	93
94) Indeno(1,2,3-cd)pyrene	26.574	276	402214	4.054	ng/ul	99
95) Dibenzo(a,h)anthracene	26.568	278	291764	3.605	ng/ul	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :

BNA_P

ClientSampleId :

A46L5

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/19/2023

Supervised By :mohammad ahmed 07/19/2023

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071823\
 Data File : BP016309.D
 Acq On : 19 Jul 2023 00:19
 Operator : MA/JU
 Sample : 03458-25
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A46L5

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/19/2023
 Supervised By :mohammad ahmed 07/19/2023

Quant Time: Jul 19 03:10:55 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 19 01:28:59 2023
 Response via : Initial Calibration

