

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072723\
 Data File : BP016409.D
 Acq On : 27 Jul 2023 20:14
 Operator : MA/JU
 Sample : 03632-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB-09-(3-5)

Quant Time: Jul 28 02:15:38 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 01:48:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.093	152	442357	20.000	ng	0.00
21) Naphthalene-d8	10.922	136	1772906	20.000	ng	# 0.00
39) Acenaphthene-d10	14.734	164	1035308	20.000	ng	0.00
64) Phenanthrene-d10	17.498	188	2252516	20.000	ng	0.00
76) Chrysene-d12	21.586	240	1953995	20.000	ng	0.00
86) Perylene-d12	24.180	264	2024021	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.605	112	2704713	99.750	ng	0.00
7) Phenol-d6	7.228	99	3512630	94.512	ng	0.00
23) Nitrobenzene-d5	9.287	82	2023320	63.885	ng	0.00
42) 2,4,6-Tribromophenol	16.228	330	1146569	75.279	ng	0.00
45) 2-Fluorobiphenyl	13.363	172	4587052	63.520	ng	0.00
79) Terphenyl-d14	20.039	244	6891808	74.506	ng	0.00
Target Compounds						
31) Naphthalene	10.975	128	464005	5.004	ng	99
37) 2-Methylnaphthalene	12.569	142	251528	3.734	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072723\
Data File : BP016409.D
Acq On : 27 Jul 2023 20:14
Operator : MA/JU
Sample : 03632-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB-09-(3-5)

Quant Time: Jul 28 02:15:38 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 01:48:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.093 min Scan# 817
Delta R.T. -0.000 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14




Instrument :
BNA_P
ClientSampleId :
SB-09-(3-5)


Tgt Ion:152 Resp: 442357
Ion Ratio Lower Upper
152 100
150 154.6 124.9 187.3
115 59.6 46.8 70.2



#5
2-Fluorophenol
Concen: 99.750 ng
RT: 5.605 min Scan# 394
Delta R.T. -0.000 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14

Tgt Ion:112 Resp: 2704713
Ion Ratio Lower Upper
112 100
64 52.9 40.0 60.0
63 27.3 21.2 31.8









#7
Phenol-d6
Concen: 94.512 ng
RT: 7.228 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14




Instrument :
BNA_P
ClientSampleId :
SB-09-(3-5)


Tgt Ion: 99 Resp: 3512630
Ion Ratio Lower Upper
99 100
42 15.3 11.6 17.4
71 31.5 24.3 36.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.922 min Scan# 1298
Delta R.T. -0.006 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14

Tgt Ion: 136 Resp: 1772906
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 7.5 5.6 8.4
68 6.9 4.6 6.8#





#23

Nitrobenzene-d5

Concen: 63.885 ng

RT: 9.287 min Scan# 1021

Delta R.T. -0.006 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14

Instrument :

BNA_P

ClientSampleId :

SB-09-(3-5)





Tgt Ion: 82 Resp: 2023320

Ion Ratio Lower Upper

82 100

128 43.0 36.6 55.0

54 44.4 34.5 51.7



#31

Naphthalene

Concen: 5.004 ng

RT: 10.975 min Scan# 1307

Delta R.T. -0.006 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14




Tgt Ion: 128 Resp: 464005


Ion Ratio Lower Upper

128 100

129 11.3 8.6 12.8

127 13.3 10.4 15.6









#37
2-Methylnaphthalene
Concen: 3.734 ng
RT: 12.569 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14




Instrument :
BNA_P
ClientSampleId :
SB-09-(3-5)


Tgt Ion:142 Resp: 251528
Ion Ratio Lower Upper
142 100
141 88.8 71.4 107.2
115 35.1 27.0 40.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.734 min Scan# 1946
Delta R.T. -0.000 min
Lab File: BP016409.D
Acq: 27 Jul 2023 20:14

Tgt Ion:164 Resp: 1035308
Ion Ratio Lower Upper
164 100
162 100.5 81.0 121.6
160 46.0 36.6 55.0





#42

2,4,6-Tribromophenol

Concen: 75.279 ng

RT: 16.228 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14

Instrument :

BNA_P

ClientSampleId :

SB-09-(3-5)





Tgt Ion:330 Resp: 1146569

Ion Ratio Lower Upper

330 100

332 96.4 77.8 116.8

141 36.7 22.6 34.0#



#45

2-Fluorobiphenyl

Concen: 63.520 ng

RT: 13.363 min Scan# 1713

Delta R.T. -0.000 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14




Tgt Ion:172 Resp: 4587052


Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.2

170 23.6 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.498 min Scan# 2416

Delta R.T. -0.000 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14

Instrument :

BNA_P

ClientSampleId :

SB-09-(3-5)





Tgt Ion:188 Resp: 2252516

Ion Ratio Lower Upper

188 100

94 9.8 7.4 11.0

80 10.6 7.8 11.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.586 min Scan# 3111

Delta R.T. -0.006 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14




Tgt Ion:240 Resp: 1953995


Ion Ratio Lower Upper

240 100

120 11.4 7.9 11.9

236 26.6 21.1 31.7





#79

Terphenyl-d14

Concen: 74.506 ng

RT: 20.039 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14

Instrument :

BNA_P

ClientSampleId :

SB-09-(3-5)





Tgt Ion:244 Resp: 6891808

Ion Ratio Lower Upper

244 100

212 7.1 5.6 8.4

122 11.4 7.4 11.2#



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.180 min Scan# 3552

Delta R.T. -0.012 min

Lab File: BP016409.D

Acq: 27 Jul 2023 20:14

Tgt Ion:264 Resp: 2024021

Ion Ratio Lower Upper

264 100

260 23.6 19.3 28.9

265 21.4 17.4 26.0

