

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072823\
 Data File : BP016430.D
 Acq On : 28 Jul 2023 19:07
 Operator : MA/JU
 Sample : PB154489TB
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB154489TB

Quant Time: Jul 29 03:33:16 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 01:48:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.087	152	260849	20.000	ng	0.00
21) Naphthalene-d8	10.922	136	1090630	20.000	ng	0.00
39) Acenaphthene-d10	14.734	164	662683	20.000	ng	0.00
64) Phenanthrene-d10	17.492	188	1594305	20.000	ng	0.00
76) Chrysene-d12	21.580	240	1582689	20.000	ng	#-0.01
86) Perylene-d12	24.180	264	1786356	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.599	112	2440886	152.659	ng	0.00
7) Phenol-d6	7.222	99	3220762	146.960	ng	0.00
23) Nitrobenzene-d5	9.281	82	1806018	92.697	ng	-0.01
42) 2,4,6-Tribromophenol	16.222	330	1134965	116.418	ng	0.00
45) 2-Fluorobiphenyl	13.357	172	4234374	91.608	ng	0.00
79) Terphenyl-d14	20.039	244	7734503	103.233	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072823\
Data File : BP016430.D
Acq On : 28 Jul 2023 19:07
Operator : MA/JU
Sample : PB154489TB
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB154489TB

Quant Time: Jul 29 03:33:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 01:48:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.087 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07




Instrument :
BNA_P
ClientSampleId :
PB154489TB


Tgt Ion:152 Resp: 260849
Ion Ratio Lower Upper
152 100
150 160.7 124.9 187.3
115 63.0 46.8 70.2



#5
2-Fluorophenol
Concen: 152.659 ng
RT: 5.599 min Scan# 393
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion:112 Resp: 2440886
Ion Ratio Lower Upper
112 100
64 53.4 40.0 60.0
63 28.1 21.2 31.8









#7
Phenol-d6
Concen: 146.960 ng
RT: 7.222 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Instrument :
BNA_P
ClientSampleId :
PB154489TB

Tgt Ion: 99 Resp: 3220762




Ion	Ratio	Lower	Upper
99	100		
42	15.4	11.6	17.4
71	31.6	24.3	36.5




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.922 min Scan# 1298
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion: 136 Resp: 1090630

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	7.6	5.6	8.4
68	6.4	4.6	6.8









#23
Nitrobenzene-d5
Concen: 92.697 ng
RT: 9.281 min Scan# 1019
Delta R.T. -0.012 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07




Instrument :
BNA_P
ClientSampleId :
PB154489TB


Tgt Ion: 82 Resp: 1806018
Ion Ratio Lower Upper
82 100
128 42.1 36.6 55.0
54 45.6 34.5 51.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.734 min Scan# 1946
Delta R.T. 0.000 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion: 164 Resp: 662683
Ion Ratio Lower Upper
164 100
162 103.1 81.0 121.6
160 47.1 36.6 55.0









#42
2,4,6-Tribromophenol
Concen: 116.418 ng
RT: 16.222 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07




Instrument :
BNA_P
ClientSampleId :
PB154489TB


Tgt Ion:330 Resp: 1134965
Ion Ratio Lower Upper
330 100
332 97.5 77.8 116.8
141 37.3 22.6 34.0#



#45
2-Fluorobiphenyl
Concen: 91.608 ng
RT: 13.357 min Scan# 1712
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion:172 Resp: 4234374
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.2
170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.492 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07




Instrument :
BNA_P
ClientSampleId :
PB154489TB


Tgt Ion:188 Resp: 1594305
Ion Ratio Lower Upper
188 100
94 10.2 7.4 11.0
80 11.1 7.8 11.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.580 min Scan# 3110
Delta R.T. -0.012 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion:240 Resp: 1582689
Ion Ratio Lower Upper
240 100
120 13.1 7.9 11.9#
236 26.1 21.1 31.7









#79
Terphenyl-d14
Concen: 103.233 ng
RT: 20.039 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Instrument :
BNA_P
ClientSampleId :
PB154489TB

Tgt Ion:244 Resp: 7734503
Ion Ratio Lower Upper
244 100
212 7.1 5.6 8.4
122 11.4 7.4 11.2#



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.180 min Scan# 3552
Delta R.T. -0.012 min
Lab File: BP016430.D
Acq: 28 Jul 2023 19:07

Tgt Ion:264 Resp: 1786356
Ion Ratio Lower Upper
264 100
260 24.1 19.3 28.9
265 21.4 17.4 26.0

