

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080123\
 Data File : BP016458.D
 Acq On : 01 Aug 2023 16:12
 Operator : MA/JU
 Sample : 03715-12
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 T841-BTW-01

Quant Time: Aug 01 16:43:25 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 01:48:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.075	152	479416	20.000	ng	-0.02
21) Naphthalene-d8	10.910	136	2077044	20.000	ng	-0.02
39) Acenaphthene-d10	14.728	164	1211888	20.000	ng	0.00
64) Phenanthrene-d10	17.492	188	2664789	20.000	ng	0.00
76) Chrysene-d12	21.586	240	2154958	20.000	ng	# 0.00
86) Perylene-d12	24.186	264	2060668	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	3031579	103.162	ng	-0.02
7) Phenol-d6	7.216	99	4101886	101.836	ng	-0.01
23) Nitrobenzene-d5	9.275	82	2385975	64.304	ng	-0.02
42) 2,4,6-Tribromophenol	16.222	330	1397427	78.381	ng	0.00
45) 2-Fluorobiphenyl	13.351	172	5361632	63.428	ng	-0.01
79) Terphenyl-d14	20.039	244	8070941	79.116	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.181	163	326437	3.457	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080123\
Data File : BP016458.D
Acq On : 01 Aug 2023 16:12
Operator : MA/JU
Sample : 03715-12
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
T841-BTW-01

Quant Time: Aug 01 16:43:25 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 01:48:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.075 min Scan# 817
Delta R.T. -0.018 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12




Instrument :
BNA_P
ClientSampleId :
T841-BTW-01


Tgt Ion:152 Resp: 479416
Ion Ratio Lower Upper
152 100
150 155.0 124.9 187.3
115 60.7 46.8 70.2



#5
2-Fluorophenol
Concen: 103.162 ng
RT: 5.587 min Scan# 391
Delta R.T. -0.018 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12

Tgt Ion:112 Resp: 3031579
Ion Ratio Lower Upper
112 100
64 53.2 40.0 60.0
63 27.9 21.2 31.8









#7
Phenol-d6
Concen: 101.836 ng
RT: 7.216 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12




Instrument :
BNA_P
ClientSampleId :
T841-BTW-01


Tgt Ion: 99 Resp: 4101886
Ion Ratio Lower Upper
99 100
42 14.9 11.6 17.4
71 30.5 24.3 36.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.910 min Scan# 1296
Delta R.T. -0.018 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12

Tgt Ion: 136 Resp: 2077044
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 7.7 5.6 8.4
68 6.4 4.6 6.8









#23
Nitrobenzene-d5
Concen: 64.304 ng
RT: 9.275 min Scan# 1018
Delta R.T. -0.018 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12




Instrument :
BNA_P
ClientSampleId :
T841-BTW-01


Tgt Ion: 82 Resp: 2385975
Ion Ratio Lower Upper
82 100
128 44.3 36.6 55.0
54 44.6 34.5 51.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.728 min Scan# 1945
Delta R.T. -0.006 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12

Tgt Ion:164 Resp: 1211888
Ion Ratio Lower Upper
164 100
162 101.5 81.0 121.6
160 46.0 36.6 55.0





#42

2,4,6-Tribromophenol

Concen: 78.381 ng

RT: 16.222 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP016458.D

Acq: 01 Aug 2023 16:12

Instrument :

BNA_P

ClientSampleId :

T841-BTW-01





Tgt Ion:330 Resp: 1397427

Ion Ratio Lower Upper

330 100

332 96.4 77.8 116.8

141 35.5 22.6 34.0#



#45

2-Fluorobiphenyl

Concen: 63.428 ng

RT: 13.351 min Scan# 1711

Delta R.T. -0.012 min

Lab File: BP016458.D

Acq: 01 Aug 2023 16:12




Tgt Ion:172 Resp: 5361632


Ion Ratio Lower Upper

172 100

171 35.4 28.2 42.2

170 23.6 19.1 28.7









#50
Dimethylphthalate
Concen: 3.457 ng
RT: 14.181 min Scan# 1852
Delta R.T. -0.018 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12




Instrument :
BNA_P
ClientSampleId :
T841-BTW-01


Tgt Ion:163 Resp: 326437
Ion Ratio Lower Upper
163 100
194 3.8 3.4 5.2
164 9.9 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.492 min Scan# 2415
Delta R.T. -0.006 min
Lab File: BP016458.D
Acq: 01 Aug 2023 16:12

Tgt Ion:188 Resp: 2664789
Ion Ratio Lower Upper
188 100
94 10.1 7.4 11.0
80 10.8 7.8 11.8





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.586 min Scan# 3112

Delta R.T. -0.006 min

Lab File: BP016458.D

Acq: 01 Aug 2023 16:12

Instrument :

BNA_P

ClientSampleId :

T841-BTW-01





Tgt Ion:240 Resp: 2154958

Ion Ratio Lower Upper

240 100

120 12.7 7.9 11.9#

236 26.3 21.1 31.7



#79

Terphenyl-d14

Concen: 79.116 ng

RT: 20.039 min Scan# 2848

Delta R.T. -0.006 min

Lab File: BP016458.D

Acq: 01 Aug 2023 16:12




Tgt Ion:244 Resp: 8070941


Ion Ratio Lower Upper

244 100

212 7.3 5.6 8.4

122 11.4 7.4 11.2#





#86

Perylene-d12

Concen: 20.000 ng

RT: 24.186 min Scan# 31

Delta R.T. -0.006 min

Lab File: BP016458.D

Acq: 01 Aug 2023 16:12

Instrument :

BNA_P

ClientSampleId :

T841-BTW-01

Tgt Ion:264 Resp: 2060668

Ion Ratio Lower Upper

264 100

260 23.3 19.3 28.9

265 21.7 17.4 26.0

