

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080522\
 Data File : BP011297.D
 Acq On : 06 Aug 2022 01:54
 Operator : CG/JU
 Sample : PB146743BS
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS743

Quant Time: Aug 06 02:59:09 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP080222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 02 23:52:37 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022
 Supervised By :Sohil Jodhani 08/10/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.593	152	114826	20.000	ng/u1	-0.01
20) Naphthalene-d8	10.387	136	556782	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.263	164	440251	20.000	ng/u1	#-0.01
64) Phenanthrene-d10	17.039	188	862498	20.000	ng/u1	0.00
79) Chrysene-d12	21.163	240	988728	20.000	ng/u1	-0.01
88) Perylene-d12	23.469	264	856276	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.087	96	4195	2.954	ng/uL	0.00
4) Pyridine-d5	3.499	84	75646	19.748	ng/u1	0.00
7) Phenol-d5	6.781	99	326689	34.140	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	6.940	67	259777	37.622	ng/u1	-0.01
11) 2-Chlorophenol-d4	7.128	132	252975	32.434	ng/u1	-0.01
15) 4-Methylphenol-d8	8.322	113	256811	32.616	ng/u1	0.00
21) Nitrobenzene-d5	8.758	128	184247	46.006	ng/u1	-0.01
24) 2-Nitrophenol-d4	9.475	143	150790	40.169	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.016	165	306469	42.812	ng/u1	0.00
31) 4-Chloroaniline-d4	10.540	131	600804	54.251	ng/u1	0.00
46) Dimethylphthalate-d6	13.693	166	1014501	33.645	ng/u1	0.00
49) Acenaphthylene-d8	13.957	160	1505866	39.693	ng/u1	-0.01
54) 4-Nitrophenol-d4	14.498	143	223761	43.640	ng/u1	0.00
60) Fluorene-d10	15.269	176	1111298	43.314	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.404	200	193845	48.402	ng/u1	-0.01
73) Anthracene-d10	17.139	188	1764365	46.546	ng/u1	0.00
81) Pyrene-d10	19.398	212	1900949	38.026	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.322	264	1789426	41.937	ng/u1	-0.02
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.123	88	8861	6.765	ng/uL#	73
5) Pyridine	3.517	79	72236	18.623	ng/u1	95
6) Benzaldehyde	6.746	77	196050	41.910	ng/u1	97
8) Phenol	6.805	94	359054	34.992	ng/u1	98
10) Bis(2-Chloroethyl)ether	7.034	93	304332	36.146	ng/u1	97
12) 2-Chlorophenol	7.158	128	290724	35.885	ng/u1	97
13) 2-Methylphenol	8.052	108	234591	30.216	ng/u1	96
14) 2,2'-oxybis(1-Chloropr...	8.134	45	474351	33.062	ng/u1#	94
16) Acetophenone	8.422	105	725160	56.830	ng/u1	98
17) N-Nitroso-di-n-propyla...	8.416	70	257566	41.482	ng/u1	98
18) 4-Methylphenol	8.381	108	330428	39.684	ng/u1	99
19) Hexachloroethane	8.658	117	217351	55.947	ng/u1	99
22) Nitrobenzene	8.799	77	504598	45.978	ng/u1	98
23) Isophorone	9.334	82	681441	34.894	ng/u1	98
25) 2-Nitrophenol	9.510	139	184581	42.491	ng/u1	99
26) 2,4-Dimethylphenol	9.581	107	341093	34.707	ng/u1	98
27) Bis(2-Chloroethoxy)met...	9.822	93	436898	35.534	ng/u1	99
29) 2,4-Dichlorophenol	10.040	162	346395	46.302	ng/u1	98
30) Naphthalene	10.434	128	1410953	48.002	ng/u1	100
32) 4-Chloroaniline	10.563	127	480010	42.794	ng/u1	99
33) Hexachlorobutadiene	10.716	225	248798	53.241	ng/u1	99
34) Caprolactam	11.369	113	75996m	34.296	ng/u1	
35) 4-Chloro-3-methylphenol	11.704	107	376135	44.458	ng/u1	96
36) 2-Methylnaphthalene	12.063	142	856308	46.624	ng/u1	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080522\
 Data File : BP011297.D
 Acq On : 06 Aug 2022 01:54
 Operator : CG/JU
 Sample : PB146743BS
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS743


Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022
 Supervised By :Sohil Jodhani 08/10/2022

Quant Time: Aug 06 02:59:09 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP080222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 02 23:52:37 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.287	142	894534	48.486	ng/ul	99
39) 1,2,4,5-Tetrachloroben...	12.434	216	450171	37.389	ng/ul	97
40) Hexachlorocyclopentadiene	12.410	237	203037	26.690	ng/ul	100
41) 2,4,6-Trichlorophenol	12.687	196	229366	30.408	ng/ul	98
42) 2,4,5-Trichlorophenol	12.757	196	284664	35.167	ng/ul	97
43) 1,1'-Biphenyl	13.093	154	1309561	37.270	ng/ul	99
44) 2-Chloronaphthalene	13.128	162	1008319	38.468	ng/ul	99
45) 2-Nitroaniline	13.357	65	191410	30.358	ng/ul	94
47) Dimethylphthalate	13.740	163	1102962	36.260	ng/ul	99
48) 2,6-Dinitrotoluene	13.863	165	189591	41.522	ng/ul	95
50) Acenaphthylene	13.987	152	1752231	40.875	ng/ul	100
51) 3-Nitroaniline	14.193	138	195673	38.852	ng/ul	98
52) Acenaphthene	14.334	153	1131799	40.817	ng/ul	94
53) 2,4-Dinitrophenol	14.398	184	107898	39.792	ng/ul	97
55) 4-Nitrophenol	14.510	109	184616	39.897	ng/ul	97
56) Dibenzofuran	14.669	168	1657759	43.688	ng/ul	97
57) 2,4-Dinitrotoluene	14.651	165	358274	49.822	ng/ul	97
58) 2,3,4,6-Tetrachlorophenol	14.904	232	236667	38.721	ng/ul	93
59) Diethylphthalate	15.116	149	1059513	33.750	ng/ul	99
61) Fluorene	15.328	166	1355190	44.824	ng/ul	100
62) 4-Chlorophenyl-phenyle...	15.328	204	603329	45.188	ng/ul	98
63) 4-Nitroaniline	15.369	138	226351m	53.715	ng/ul	
66) 4,6-Dinitro-2-methylph...	15.416	198	185087	44.693	ng/ul	98
67) N-Nitrosodiphenylamine	15.545	169	947867	37.599	ng/ul#	89
68) 4-Bromophenyl-phenylether	16.228	248	304857	39.182	ng/ul	98
69) Hexachlorobenzene	16.328	284	398331	43.827	ng/ul	98
70) Atrazine	16.522	200	132079	17.514	ng/ul	98
71) Pentachlorophenol	16.687	266	204199	38.360	ng/ul	100
72) Phenanthrene	17.081	178	2149972	45.530	ng/ul	100
74) Anthracene	17.169	178	2168522	46.176	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.051	216	407399	30.866	ng/ul	100
76) Pentachlorobenzene	14.587	250	471150	41.874	ng/ul	99
77) Carbazole	17.451	167	1869863	44.394	ng/ul	100
78) Di-n-butylphthalate	18.028	149	1460176	27.947	ng/ul#	96
80) Fluoranthene	19.069	202	2243014	36.687	ng/ul	99
82) Pyrene	19.428	202	2515721	39.432	ng/ul	99
83) Butylbenzylphthalate	20.322	149	408616	16.773	ng/ul	94
84) 3,3'-Dichlorobenzidine	21.092	252	337360	20.862	ng/ul	99
85) Benzo(a)anthracene	21.145	228	2309881	37.379	ng/ul	100
86) Bis(2-ethylhexyl)phtha...	21.092	149	735312	17.665	ng/ul	100
87) Chrysene	21.198	228	2285096	37.569	ng/ul	99
89) Di-n-octyl phthalate	21.986	149	1284615	22.003	ng/ul	100
90) Benzo(b)fluoranthene	22.769	252	2234644	40.963	ng/ul	98
91) Benzo(k)fluoranthene	22.816	252	2217620	43.329	ng/ul	98
93) Benzo(a)pyrene	23.374	252	2205011	41.523	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	25.857	276	2435078	38.423	ng/ul	97
95) Dibenzo(a,h)anthracene	25.874	278	2122351	39.491	ng/ul	100
96) Benzo(g,h,i)perylene	26.586	276	2044300	37.643	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#2
1,4-Dioxane
Concen: 6.765 ng/uL
RT: 3.123 min Scan# 21
Delta R.T. -0.005 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion: 88 Resp: 886
Ion Ratio Lower Upper
88 100
43 68.1 29.6 44.4
58 70.3 49.1 73.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#5
Pyridine
Concen: 18.623 ng/uL
RT: 3.517 min Scan# 90
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion: 79 Resp: 72236
Ion Ratio Lower Upper
79 100
52 68.5 57.8 86.6
51 35.1 31.5 47.3









#6
Benzaldehyde
Concen: 41.910 ng/ul
RT: 6.746 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion: 77 Resp: 196050
Ion Ratio Lower Upper
77 100
105 95.0 72.0 108.0
106 86.7 69.4 104.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#8
Phenol
Concen: 34.992 ng/ul
RT: 6.805 min Scan# 649
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion: 94 Resp: 359054
Ion Ratio Lower Upper
94 100
65 33.0 24.7 37.1
66 40.5 32.6 49.0





#10
Bis(2-Chloroethyl)ether
Concen: 36.146 ng/ul
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion: 93 Resp: 304332
Ion Ratio Lower Upper
93 100
63 85.9 71.0 106.6
95 33.0 26.0 39.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#12
2-Chlorophenol
Concen: 35.885 ng/ul
RT: 7.158 min Scan# 709
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:128 Resp: 290724
Ion Ratio Lower Upper
128 100
64 51.9 43.8 65.6
130 32.5 25.4 38.2









#13
2-Methylphenol
Concen: 30.216 ng/ul
RT: 8.052 min Scan# 80
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:108 Resp: 23459
Ion Ratio Lower Upper
108 100
107 93.2 71.8 107.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#14
2,2'-oxybis(1-Chloropropane)
Concen: 33.062 ng/ul
RT: 8.134 min Scan# 875
Delta R.T. 0.000 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion: 45 Resp: 474351
Ion Ratio Lower Upper
45 100
77 14.4 9.9 14.9
79 11.4 7.2 10.8#









#16
Acetophenone
Concen: 56.830 ng/ul
RT: 8.422 min Scan# 911
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:105 Resp: 725160
Ion Ratio Lower Upper
105 100
77 80.5 65.4 98.0
51 31.3 26.5 39.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#17
N-Nitroso-di-n-propylamine
Concen: 41.482 ng/ul
RT: 8.416 min Scan# 923
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion: 70 Resp: 257566
Ion Ratio Lower Upper
70 100
42 68.8 55.5 83.3
101 8.1 7.1 10.7
130 16.5 14.8 22.2





#18
4-Methylphenol
Concen: 39.684 ng/ul
RT: 8.381 min Scan# 918
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:108 Resp: 330428
Ion Ratio Lower Upper
108 100
107 111.2 88.2 132.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#19
Hexachloroethane
Concen: 55.947 ng/ul
RT: 8.658 min Scan# 964
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:117 Resp: 217351
Ion Ratio Lower Upper
117 100
201 78.0 62.2 93.2
199 48.6 39.8 59.6





#22
Nitrobenzene
Concen: 45.978 ng/ul
RT: 8.799 min Scan# 989
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion: 77 Resp: 504598
Ion Ratio Lower Upper
77 100
123 40.9 31.4 47.0
65 13.3 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#23
Isophorone
Concen: 34.894 ng/ul
RT: 9.334 min Scan# 1079
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion: 82 Resp: 681441
Ion Ratio Lower Upper
82 100
95 7.3 5.8 8.8
138 16.7 12.6 18.8









#25
2-Nitrophenol
Concen: 42.491 ng/ul
RT: 9.510 min Scan# 1109
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:139 Resp: 18458
Ion Ratio Lower Upper
139 100
65 57.5 46.7 70.1
109 30.2 24.2 36.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#26
2,4-Dimethylphenol
Concen: 34.707 ng/ul
RT: 9.581 min Scan# 1121
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:107 Resp: 341093
Ion Ratio Lower Upper
107 100
121 52.6 40.3 60.5
122 86.0 67.7 101.5









#27
Bis(2-Chloroethoxy)methane
Concen: 35.534 ng/ul
RT: 9.822 min Scan# 1162
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion: 93 Resp: 436898
Ion Ratio Lower Upper
93 100
95 31.8 25.2 37.8
123 10.7 8.4 12.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#29
2,4-Dichlorophenol
Concen: 46.302 ng/ul
RT: 10.040 min Scan# 1199
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:162 Resp: 346395
Ion Ratio Lower Upper
162 100
164 65.0 52.6 79.0
98 41.0 34.2 51.4





#30
Naphthalene
Concen: 48.002 ng/ul
RT: 10.434 min Scan# 1266
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:128 Resp: 141095
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.0 10.4 15.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#32
4-Chloroaniline
Concen: 42.794 ng/ul
RT: 10.563 min Scan# 1288
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:127 Resp: 480010
Ion Ratio Lower Upper
127 100
129 32.5 26.6 40.0





#33
Hexachlorobutadiene
Concen: 53.241 ng/ul
RT: 10.716 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion: 225 Resp: 248798
Ion Ratio Lower Upper
225 100
223 62.4 51.2 76.8
227 62.5 50.6 75.8

Manual Integrations
APPROVED



Reviewed By : Jagrut Upadhyay 08/08/2022
Supervised By : Sohil Jodhani 08/10/2022




#34
Caprolactam
Concen: 34.296 ng/ul m
RT: 11.369 min Scan# 1425
Delta R.T. 0.000 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion: 113 Resp: 75996
Ion Ratio Lower Upper
113 100
55 203.4 164.2 246.4
56 164.7 127.0 190.6









#35
4-Chloro-3-methylphenol
Concen: 44.458 ng/ul
RT: 11.704 min Scan# 1483
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:107 Resp: 376135
Ion Ratio Lower Upper
107 100
144 25.3 19.0 28.4
142 78.5 59.8 89.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#36
2-Methylnaphthalene
Concen: 46.624 ng/ul
RT: 12.063 min Scan# 1543
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:142 Resp: 856308
Ion Ratio Lower Upper
142 100
141 89.4 71.8 107.8





#37
1-Methylnaphthalene
Concen: 48.486 ng/ul
RT: 12.287 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:142 Resp: 894534
Ion Ratio Lower Upper
142 100
141 93.1 74.1 111.1
116 3.8 3.4 5.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#39
1,2,4,5-Tetrachlorobenzene
Concen: 37.389 ng/ul
RT: 12.434 min Scan# 1606
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Tgt Ion:216 Resp: 450171
Ion Ratio Lower Upper
216 100
214 79.6 61.1 91.7
179 22.6 18.6 27.8
108 22.6 19.1 28.7





#40
Hexachlorocyclopentadiene
Concen: 26.690 ng/ul
RT: 12.410 min Scan# 1602
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:237 Resp: 20303
Ion Ratio Lower Upper
237 100
235 62.7 50.4 75.6
272 12.8 9.9 14.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#41
2,4,6-Trichlorophenol
Concen: 30.408 ng/ul
RT: 12.687 min Scan# 1649
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion:196 Resp: 229366
Ion Ratio Lower Upper
196 100
198 96.3 75.5 113.3
200 30.6 24.4 36.6





#42

2,4,5-Trichlorophenol

Concen: 35.167 ng/ul

RT: 12.757 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54

Instrument :

BNA_P

ClientSampleId :





SLCS743

Tgt Ion:196	Resp: 284664
Ion Ratio	Lower Upper
196	100
198	93.5 76.8 115.2
200	29.7 25.0 37.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#43

1,1'-Biphenyl

Concen: 37.270 ng/ul




RT: 13.093 min Scan# 1718


Delta R.T. -0.012 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54


Tgt Ion:154	Resp: 1309561
Ion Ratio	Lower Upper
154	100
153	40.4 31.9 47.9
76	15.2 12.2 18.2





#44
2-Chloronaphthalene
Concen: 38.468 ng/ul
RT: 13.128 min Scan# 1724
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:162 Resp: 1008319
Ion Ratio Lower Upper
162 100
164 32.7 25.6 38.4
127 43.2 34.6 51.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#45
2-Nitroaniline
Concen: 30.358 ng/ul
RT: 13.357 min Scan# 1763
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Tgt Ion: 65 Resp: 191410
Ion Ratio Lower Upper
65 100
92 68.1 51.4 77.2
138 90.9 67.4 101.0





#47
Dimethylphthalate
Concen: 36.260 ng/ul
RT: 13.740 min Scan# 1828
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:163 Resp: 110296
Ion Ratio Lower Upper
163 100
194 3.5 2.9 4.3
164 10.1 8.2 12.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#48
2,6-Dinitrotoluene
Concen: 41.522 ng/ul
RT: 13.863 min Scan# 1849
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Tgt Ion:165 Resp: 189591
Ion Ratio Lower Upper
165 100
89 75.7 65.8 98.6
121 30.1 24.2 36.2





#50
Acenaphthylene
Concen: 40.875 ng/ul
RT: 13.987 min Scan# 1870
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument : BNA_P
ClientSampleId : SLCS743




Tgt Ion:152 Resp: 175223
Ion Ratio Lower Upper
152 100
151 19.8 15.8 23.8
153 13.3 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#51
3-Nitroaniline
Concen: 38.852 ng/ul
RT: 14.193 min Scan# 1905
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Tgt Ion:138 Resp: 195673
Ion Ratio Lower Upper
138 100
108 10.3 9.9 14.9
92 132.0 106.8 160.2





#52
Acenaphthene
Concen: 40.817 ng/ul
RT: 14.334 min Scan# 1929
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:153 Resp: 1131799
Ion Ratio Lower Upper
153 100
152 58.2 39.5 59.3
154 87.8 68.6 103.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#53
2,4-Dinitrophenol
Concen: 39.792 ng/ul
RT: 14.398 min Scan# 1940
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Tgt Ion:184 Resp: 107898
Ion Ratio Lower Upper
184 100
63 91.0 75.0 112.6
154 63.9 53.1 79.7





#55
4-Nitrophenol
Concen: 39.897 ng/ul
RT: 14.510 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:109 Resp: 184610
Ion Ratio Lower Upper
109 100
139 133.3 100.6 150.8
65 154.0 122.6 184.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#56
Dibenzofuran
Concen: 43.688 ng/ul
RT: 14.669 min Scan# 1986
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:168 Resp: 1657759
Ion Ratio Lower Upper
168 100
139 40.7 34.2 51.2









#57
2,4-Dinitrotoluene
Concen: 49.822 ng/ul
RT: 14.651 min Scan# 1983
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:165 Resp: 358274
Ion Ratio Lower Upper
165 100
63 61.0 50.6 75.8
182 2.6 2.2 3.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#58
2,3,4,6-Tetrachlorophenol
Concen: 38.721 ng/ul
RT: 14.904 min Scan# 2026
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:232 Resp: 236667
Ion Ratio Lower Upper
232 100
131 57.8 50.4 75.6
130 3.1 2.6 3.8
166 35.7 31.9 47.9






#59
Diethylphthalate
Concen: 33.750 ng/ul
RT: 15.116 min Scan# 2062
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :

BNA_P

ClientSampleId :

SLCS743






Tgt Ion:149 Resp: 105951
Ion Ratio Lower Upper
149 100
177 19.8 16.1 24.1
150 12.6 9.4 14.0


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#61
Fluorene
Concen: 44.824 ng/ul
RT: 15.328 min Scan# 2098
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion:166 Resp: 1355190
Ion Ratio Lower Upper
166 100
165 97.5 77.7 116.5
167 13.4 11.0 16.4









#62
4-Chlorophenyl-phenylether
Concen: 45.188 ng/ul
RT: 15.328 min Scan# 2098
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:204 Resp: 603329
Ion Ratio Lower Upper
204 100
206 32.9 27.3 40.9
141 71.0 57.7 86.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#63
4-Nitroaniline
Concen: 53.715 ng/ul m
RT: 15.369 min Scan# 2105
Delta R.T. 0.000 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:138 Resp: 226351
Ion Ratio Lower Upper
138 100
92 59.1 55.9 83.9
108 76.8 67.1 100.7









#66
4,6-Dinitro-2-methylphenol
Concen: 44.693 ng/ul
RT: 15.416 min Scan# 2113
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:198 Resp: 18508
Ion Ratio Lower Upper
198 100
182 8.7 7.4 11.0
77 36.7 28.6 42.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#67
N-Nitrosodiphenylamine
Concen: 37.599 ng/ul
RT: 15.545 min Scan# 2135
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:169 Resp: 947867
Ion Ratio Lower Upper
169 100
168 68.6 53.6 80.4
167 53.4 30.0 45.0#





#68
4-Bromophenyl-phenylether
Concen: 39.182 ng/ul
RT: 16.228 min Scan# 211
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:248 Resp: 30485
Ion Ratio Lower Upper
248 100
250 97.4 77.3 115.9
141 93.2 76.4 114.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#69
Hexachlorobenzene
Concen: 43.827 ng/ul
RT: 16.328 min Scan# 2268
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:284 Resp: 398331
Ion Ratio Lower Upper
284 100
142 48.1 39.5 59.3
249 32.1 25.1 37.7





#70

Atrazine

Concen: 17.514 ng/ul

RT: 16.522 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54

Instrument :

BNA_P

ClientSampleId :





SLCS743

Tgt Ion:200	Resp: 132079
Ion Ratio	Lower Upper
200 100	
173 29.2	22.6 34.0
215 46.9	36.5 54.7

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#71

Pentachlorophenol

Concen: 38.360 ng/ul




RT: 16.687 min Scan# 2329


Delta R.T. -0.012 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54


Tgt Ion:266	Resp: 204199
Ion Ratio	Lower Upper
266 100	
264 65.2	52.2 78.2
268 63.6	50.6 75.8





#72
Phenanthrene
Concen: 45.530 ng/ul
RT: 17.081 min Scan# 214997
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:178 Resp: 214997
Ion Ratio Lower Upper
178 100
179 15.2 12.1 18.1
176 19.4 15.4 23.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#74
Anthracene
Concen: 46.176 ng/ul
RT: 17.169 min Scan# 2411
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion:178 Resp: 2168522
Ion Ratio Lower Upper
178 100
179 15.8 12.3 18.5
176 18.7 14.7 22.1









#75
1,2,3,4-Tetrachlorobenzene
Concen: 30.866 ng/uL
RT: 13.051 min Scan# 1711
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:216 Resp: 407399
Ion Ratio Lower Upper
216 100
214 77.7 62.0 93.0
218 47.9 38.2 57.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#76
Pentachlorobenzene
Concen: 41.874 ng/uL
RT: 14.587 min Scan# 1722
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:250 Resp: 471150
Ion Ratio Lower Upper
250 100
248 62.1 49.2 73.8
252 63.1 50.8 76.2





#77
 Carbazole
 Concen: 44.394 ng/ul
 RT: 17.451 min Scan# 2460
 Delta R.T. -0.012 min
 Lab File: BP011297.D
 Acq: 06 Aug 2022 01:54




Instrument :
 BNA_P
 ClientSampleId :
 SLCS743



Tgt Ion:167 Resp: 186986
 Ion Ratio Lower Upper
 167 100
 166 21.5 17.1 25.7
 139 14.2 11.5 17.3




Manual Integrations
 APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
 Supervised By :Sohil Jodhani 08/10/2022



#78
 Di-n-butylphthalate
 Concen: 27.947 ng/ul
 RT: 18.028 min Scan# 2557
 Delta R.T. -0.006 min
 Lab File: BP011297.D
 Acq: 06 Aug 2022 01:54


Tgt Ion:149 Resp: 1460176
 Ion Ratio Lower Upper
 149 100
 150 9.0 7.4 11.0
 104 9.2 5.1 7.7#





#80
Fluoranthene
Concen: 36.687 ng/u1
RT: 19.069 min Scan# 2735
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:202 Resp: 2243014
Ion Ratio Lower Upper
202 100
101 15.7 11.9 17.9
100 11.9 9.3 13.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#82
Pyrene
Concen: 39.432 ng/u1
RT: 19.428 min Scan# 2795
Delta R.T. -0.006 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:202 Resp: 2515721
Ion Ratio Lower Upper
202 100
101 17.5 14.3 21.5
100 14.3 11.8 17.6









#83
Butylbenzylphthalate
Concen: 16.773 ng/ul
RT: 20.322 min Scan# 2948
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:149 Resp: 408610
Ion Ratio Lower Upper
149 100
91 86.5 64.2 96.4
206 16.6 14.0 21.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#84
3,3'-Dichlorobenzidine
Concen: 20.862 ng/ul
RT: 21.092 min Scan# 3078
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54


Tgt Ion:252 Resp: 337360
Ion Ratio Lower Upper
252 100
254 65.3 51.8 77.6
126 14.9 11.4 17.0





#85
Benzo(a)anthracene
Concen: 37.379 ng/ul
RT: 21.145 min Scan# 3088
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743



Tgt Ion:228 Resp: 230988
Ion Ratio Lower Upper
228 100
229 19.6 15.8 23.6
226 26.9 21.8 32.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#86
Bis(2-ethylhexyl)phthalate
Concen: 17.665 ng/ul
RT: 21.092 min Scan# 3078
Delta R.T. -0.012 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:149 Resp: 735312
Ion Ratio Lower Upper
149 100
167 25.7 20.4 30.6
279 3.5 2.9 4.3





#87

Chrysene

Concen: 37.569 ng/ul

RT: 21.198 min Scan# 3097

Delta R.T. -0.012 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54

Instrument :

BNA_P

ClientSampleId :

SLCS743

Tgt Ion:228 Resp: 2285090

Ion Ratio Lower Upper

228 100

226 30.2 23.8 35.6





229 19.7 15.7 23.5

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022

Supervised By :Sohil Jodhani 08/10/2022



#89

Di-n-octyl phthalate

Concen: 22.003 ng/ul




RT: 21.986 min Scan# 3230


Delta R.T. -0.018 min

Lab File: BP011297.D

Acq: 06 Aug 2022 01:54


Tgt Ion:149 Resp: 1284615





#90
Benzo(b)fluoranthene
Concen: 40.963 ng/ul
RT: 22.769 min Scan# 3364
Delta R.T. -0.023 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54




Instrument :
BNA_P
ClientSampleId :
SLCS743




Tgt Ion:252 Resp: 2234644
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.0
125 15.0 10.8 16.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022




#91
Benzo(k)fluoranthene
Concen: 43.329 ng/ul
RT: 22.816 min Scan# 3371
Delta R.T. -0.023 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54



Tgt Ion:252 Resp: 2217620
Ion Ratio Lower Upper
252 100
253 22.2 17.6 26.4
125 15.4 11.0 16.6









#93
Benzo(a)pyrene
Concen: 41.523 ng/ul
RT: 23.374 min Scan# 3466
Delta R.T. -0.018 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :
BNA_P
ClientSampleId :
SLCS743

Tgt Ion:252 Resp: 220501
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.2
125 15.8 12.5 18.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#94
Indeno(1,2,3-cd)pyrene
Concen: 38.423 ng/ul
RT: 25.857 min Scan# 3888
Delta R.T. -0.035 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:276 Resp: 2435078
Ion Ratio Lower Upper
276 100
138 34.4 25.5 38.3
277 24.8 19.8 29.8





#95
Dibenzo(a,h)anthracene
Concen: 39.491 ng/ul
RT: 25.874 min Scan# 3891
Delta R.T. -0.035 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Instrument :

BNA_P





ClientSampleId :

SLCS743

Tgt Ion:278 Resp: 212235
Ion Ratio Lower Upper
278 100
139 23.0 18.5 27.7
279 24.4 19.6 29.4

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2022
Supervised By :Sohil Jodhani 08/10/2022



#96
Benzo(g,h,i)perylene
Concen: 37.643 ng/ul
RT: 26.586 min Scan# 4012
Delta R.T. -0.041 min
Lab File: BP011297.D
Acq: 06 Aug 2022 01:54

Tgt Ion:276 Resp: 2044300
Ion Ratio Lower Upper
276 100
138 31.3 22.8 34.2
277 24.0 18.5 27.7

