

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081423\
 Data File : BP016570.D
 Acq On : 14 Aug 2023 20:07
 Operator : MA/JU
 Sample : 03965-10
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A48J3

Quant Time: Aug 15 00:01:51 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP081423.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 14 18:26:05 2023
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.064	152	680305	20.000	ng/u1	0.00
20) Naphthalene-d8	10.893	136	2949090	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.710	164	1738634	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.475	188	3593529	20.000	ng/u1	0.00
79) Chrysene-d12	21.575	240	2629356	20.000	ng/u1	0.00
88) Perylene-d12	24.169	264	2513709	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.399	96	42560	2.377	ng/uL	0.00
4) Pyridine-d5	3.840	84	59815	1.098	ng/u1	0.00
7) Phenol-d5	7.199	99	834253	13.301	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.393	67	544567	13.183	ng/u1	0.00
11) 2-Chlorophenol-d4	7.581	132	627406	13.927	ng/u1	0.00
15) 4-Methylphenol-d8	8.758	113	578142	11.593	ng/u1	0.00
21) Nitrobenzene-d5	9.258	128	309943	14.937	ng/u1	0.00
24) 2-Nitrophenol-d4	9.975	143	318715	16.171	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.499	165	581467	14.992	ng/u1	0.00
31) 4-Chloroaniline-d4	11.046	131	369193	5.548	ng/u1	0.00
46) Dimethylphthalate-d6	14.122	166	1794742	14.272	ng/u1	0.00
49) Acenaphthylene-d8	14.410	160	2136383	15.051	ng/u1	0.00
54) 4-Nitrophenol-d4	14.904	143	270096	10.543	ng/u1	0.00
60) Fluorene-d10	15.704	176	1621591	15.126	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.822	200	132342	7.741	ng/u1	0.00
73) Anthracene-d10	17.575	188	2399939	15.440	ng/u1	0.00
81) Pyrene-d10	19.810	212	2522561	18.310	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.992	264	1906924	15.829	ng/u1	0.00
Target Compounds					Qvalue	
16) Acetophenone	8.911	105	214982	2.669	ng/u1	98
72) Phenanthrene	17.516	178	754938	3.988	ng/u1	100
80) Fluoranthene	19.481	202	1644529	10.001	ng/u1	99
82) Pyrene	19.834	202	1444186	8.317	ng/u1	99
85) Benzo(a)anthracene	21.557	228	754480	4.270	ng/u1	97
87) Chrysene	21.610	228	851162	5.147	ng/u1	97
90) Benzo(b)fluoranthene	23.357	252	969194	6.475	ng/u1#	89
91) Benzo(k)fluoranthene	23.404	252	299724m	2.019	ng/u1	
93) Benzo(a)pyrene	24.045	252	600736	4.255	ng/u1#	92
94) Indeno(1,2,3-cd)pyrene	26.910	276	400734	2.405	ng/u1	97
96) Benzo(g,h,i)perylene	27.774	276	336564	2.538	ng/u1	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081423\
Data File : BP016570.D
Acq On : 14 Aug 2023 20:07
Operator : MA/JU
Sample : 03965-10
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
A48J3

Quant Time: Aug 15 00:01:51 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP081423.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 14 18:26:05 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023





#16
Acetophenone
Concen: 2.669 ng/ul
RT: 8.911 min Scan# 91
Delta R.T. 0.000 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07




Instrument :
BNA_P
ClientSampleId :
A48J3




Tgt Ion:105 Resp: 21498
Ion Ratio Lower Upper
105 100
77 78.9 64.4 96.6
51 26.1 21.2 31.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#72
Phenanthrene
Concen: 3.988 ng/ul
RT: 17.516 min Scan# 2419
Delta R.T. -0.006 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07



Tgt Ion:178 Resp: 754938
Ion Ratio Lower Upper
178 100
179 15.7 12.4 18.6
176 19.4 15.5 23.3





#80

Fluoranthene

Concen: 10.001 ng/uI

RT: 19.481 min Scan# 21

Delta R.T. 0.000 min

Lab File: BP016570.D

Acq: 14 Aug 2023 20:07

Instrument :

BNA_P

ClientSampleId :

A48J3

Tgt Ion:202 Resp: 1644529

Ion Ratio Lower Upper

202 100

101 12.7 10.6 16.0





100 9.8 8.1 12.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#82

Pyrene

Concen: 8.317 ng/uI

RT: 19.834 min Scan# 2813

Delta R.T. 0.000 min

Lab File: BP016570.D

Acq: 14 Aug 2023 20:07




Tgt Ion:202 Resp: 1444186


Ion Ratio Lower Upper

202 100

101 16.6 13.4 20.2


100 13.1 11.0 16.4





#85
Benzo(a)anthracene
Concen: 4.270 ng/ul
RT: 21.557 min Scan# 3106
Delta R.T. 0.000 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07




Instrument :
BNA_P
ClientSampleId :
A48J3



Tgt Ion:228 Resp: 754480
Ion Ratio Lower Upper
228 100
229 22.0 15.8 23.6
226 28.4 21.8 32.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#87
Chrysene
Concen: 5.147 ng/ul
RT: 21.610 min Scan# 3115
Delta R.T. 0.000 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07


Tgt Ion:228 Resp: 851162
Ion Ratio Lower Upper
228 100
226 30.0 24.6 36.8
229 23.3 16.4 24.6





#90
Benzo(b)fluoranthene
Concen: 6.475 ng/ul
RT: 23.357 min Scan# 3411
Delta R.T. 0.006 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07




Instrument :
BNA_P
ClientSampleId :
A48J3




Tgt Ion:252 Resp: 969194
Ion Ratio Lower Upper
252 100
253 23.5 17.4 26.2
125 21.7 10.0 15.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#91
Benzo(k)fluoranthene
Concen: 2.019 ng/ul m
RT: 23.404 min Scan# 3420
Delta R.T. 0.000 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07



Tgt Ion:252 Resp: 299724
Ion Ratio Lower Upper
252 100
253 25.2 18.0 27.0
125 23.8 9.8 14.8





#93

Benzo(a)pyrene

Concen: 4.255 ng/ul

RT: 24.045 min Scan# 3529

Delta R.T. 0.006 min

Lab File: BP016570.D

Acq: 14 Aug 2023 20:07

Instrument :

BNA_P

ClientSampleId :

A48J3

Tgt Ion:252 Resp: 600730

Ion Ratio Lower Upper

252 100

253 23.9 17.7 26.5





125 19.1 10.6 15.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#94

Indeno(1,2,3-cd)pyrene

Concen: 2.405 ng/ul

RT: 26.910 min Scan# 4016

Delta R.T. 0.000 min

Lab File: BP016570.D

Acq: 14 Aug 2023 20:07




Tgt Ion:276 Resp: 400734


Ion Ratio Lower Upper

276 100

138 25.8 21.7 32.5


277 26.2 19.5 29.3





#96
Benzo(g,h,i)perylene
Concen: 2.538 ng/ul
RT: 27.774 min Scan# 4163
Delta R.T. 0.000 min
Lab File: BP016570.D
Acq: 14 Aug 2023 20:07

Instrument :
BNA_P
ClientSampleId :
A48J3



Tgt Ion: 276 Resp: 336564
Ion Ratio Lower Upper
276 100
138 27.1 21.5 32.3
277 25.0 19.3 28.9

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023

