

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081821\
 Data File : BP006767.D
 Acq On : 19 Aug 2021 03:58
 Operator : CG/JU
 Sample : M3435-33
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 2021-08-11-EB-02

Quant Time: Aug 19 05:57:59 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 18:17:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.699	152	148400	20.000	ng	0.00
21) Naphthalene-d8	10.481	136	609106	20.000	ng	#-0.01
39) Acenaphthene-d10	14.334	164	338902	20.000	ng	-0.01
64) Phenanthrene-d10	17.098	188	669440	20.000	ng	# 0.00
76) Chrysene-d12	21.204	240	632344	20.000	ng	# 0.00
86) Perylene-d12	23.510	264	675421	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.299	112	664895	68.817	ng	0.00
7) Phenol-d6	6.881	99	498968	36.355	ng	0.00
23) Nitrobenzene-d5	8.858	82	1363451	103.321	ng	0.00
42) 2,4,6-Tribromophenol	15.840	330	622584	175.777	ng	0.00
45) 2-Fluorobiphenyl	12.963	172	2376871	104.930	ng	0.00
79) Terphenyl-d14	19.680	244	3685474	116.786	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081821\
Data File : BP006767.D
Acq On : 19 Aug 2021 03:58
Operator : CG/JU
Sample : M3435-33
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02

Quant Time: Aug 19 05:57:59 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 18:17:59 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.699 min Scan# 784
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58




Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02

Tgt Ion:152 Resp: 148400
Ion Ratio Lower Upper
152 100
150 155.9 125.6 188.4
115 66.9 48.5 72.7



#5
2-Fluorophenol
Concen: 68.817 ng
RT: 5.299 min Scan# 376
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion:112 Resp: 664895
Ion Ratio Lower Upper
112 100
64 58.3 41.4 62.2
63 31.4 23.8 35.8









#7
Phenol-d6
Concen: 36.355 ng
RT: 6.881 min Scan# 645
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58




Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02


Tgt Ion:	99	Resp:	498968
Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.4	20.0
71	38.4	30.6	46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.481 min Scan# 1257
Delta R.T. -0.012 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion:	136	Resp:	609106
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.6	12.8
54	7.7	4.6	6.8#
68	6.7	3.6	5.4#









#23
Nitrobenzene-d5
Concen: 103.321 ng
RT: 8.858 min Scan# 981
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58




Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02

Tgt Ion: 82 Resp: 1363451
Ion Ratio Lower Upper
82 100
128 38.6 35.7 53.5
54 43.2 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.334 min Scan# 1912
Delta R.T. -0.012 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion: 164 Resp: 338902
Ion Ratio Lower Upper
164 100
162 103.9 80.2 120.2
160 47.9 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 175.777 ng
RT: 15.840 min Scan# 2168
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58




Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02

Tgt Ion:330 Resp: 622584
Ion Ratio Lower Upper
330 100
332 96.6 77.8 116.8
141 51.1 25.4 38.2#



#45
2-Fluorobiphenyl
Concen: 104.930 ng
RT: 12.963 min Scan# 1679
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion:172 Resp: 2376871
Ion Ratio Lower Upper
172 100
171 35.7 27.9 41.9
170 24.0 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.098 min Scan# 2382
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58




Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02


Tgt Ion:188 Resp: 669440
Ion Ratio Lower Upper
188 100
94 10.6 5.6 8.4#
80 12.7 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.204 min Scan# 3080
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion:240 Resp: 632344
Ion Ratio Lower Upper
240 100
120 12.3 6.5 9.7#
236 26.0 20.6 31.0









#79
Terphenyl-d14
Concen: 116.786 ng
RT: 19.680 min Scan# 2821
Delta R.T. -0.006 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Instrument :
BNA_P
ClientSampleId :
2021-08-11-EB-02

Tgt Ion:244 Resp: 3685474
Ion Ratio Lower Upper
244 100
212 8.1 6.0 9.0
122 12.7 7.1 10.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.510 min Scan# 3472
Delta R.T. -0.018 min
Lab File: BP006767.D
Acq: 19 Aug 2021 03:58

Tgt Ion:264 Resp: 675421
Ion Ratio Lower Upper
264 100
260 24.5 18.6 28.0
265 22.4 17.6 26.4

