

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP090225\
 Data File : BP025649.D
 Acq On : 02 Sep 2025 22:25
 Operator : CG/JU
 Sample : Q2996-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 CONTAINMENT-B

Quant Time: Sep 03 01:06:15 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.772	152	147234	20.000	ng	-0.02
21) Naphthalene-d8	10.543	136	562549	20.000	ng	-0.02
39) Acenaphthene-d10	14.390	164	360894	20.000	ng	-0.02
64) Phenanthrene-d10	17.184	188	752711	20.000	ng	-0.02
76) Chrysene-d12	21.625	240	813256	20.000	ng	-0.02
86) Perylene-d12	24.983	264	901353	20.000	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.402	112	1240483	139.918	ng	0.00
7) Phenol-d6	6.961	99	1392084	122.471	ng	0.00
23) Nitrobenzene-d5	8.913	82	1088441	97.875	ng	-0.02
42) 2,4,6-Tribromophenol	15.907	330	820255	168.858	ng	0.00
45) 2-Fluorobiphenyl	13.007	172	2392194	90.591	ng	-0.01
79) Terphenyl-d14	19.901	244	4233897	95.249	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP090225\
Data File : BP025649.D
Acq On : 02 Sep 2025 22:25
Operator : CG/JU
Sample : Q2996-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
CONTAINMENT-B

Quant Time: Sep 03 01:06:15 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.772 min Scan# 81
Delta R.T. -0.024 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25




Instrument :
BNA_P
ClientSampleId :
CONTAINMENT-B


Tgt Ion:152 Resp: 147234
Ion Ratio Lower Upper
152 100
150 157.5 125.9 188.9
115 63.0 48.5 72.7



#5
2-Fluorophenol
Concen: 139.918 ng
RT: 5.402 min Scan# 419
Delta R.T. -0.006 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25

Tgt Ion:112 Resp: 1240483
Ion Ratio Lower Upper
112 100
64 56.6 43.8 65.8
63 30.2 22.7 34.1









#7
Phenol-d6
Concen: 122.471 ng
RT: 6.961 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25




Instrument :
BNA_P
ClientSampleId :
CONTAINMENT-B

Tgt Ion: 99 Resp: 1392084
Ion Ratio Lower Upper
99 100
42 18.5 13.7 20.5
71 35.4 28.2 42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.543 min Scan# 1293
Delta R.T. -0.017 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25

Tgt Ion: 136 Resp: 562549
Ion Ratio Lower Upper
136 100
137 11.3 9.2 13.8
54 8.6 6.0 9.0
68 5.8 4.3 6.5









#23
Nitrobenzene-d5
Concen: 97.875 ng
RT: 8.913 min Scan# 1016
Delta R.T. -0.023 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25




Instrument :
BNA_P
ClientSampleId :
CONTAINMENT-B

Tgt Ion: 82 Resp: 1088441
Ion Ratio Lower Upper
82 100
128 44.3 37.7 56.5
54 52.2 39.8 59.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.390 min Scan# 1947
Delta R.T. -0.017 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25

Tgt Ion:164 Resp: 360894
Ion Ratio Lower Upper
164 100
162 100.1 81.0 121.6
160 45.4 35.4 53.2









#42
2,4,6-Tribromophenol
Concen: 168.858 ng
RT: 15.907 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25




Instrument :
BNA_P
ClientSampleId :
CONTAINMENT-B


Tgt Ion:330 Resp: 820255
Ion Ratio Lower Upper
330 100
332 96.5 77.3 115.9
141 33.0 26.6 39.8



#45
2-Fluorobiphenyl
Concen: 90.591 ng
RT: 13.007 min Scan# 1712
Delta R.T. -0.012 min
Lab File: BP025649.D
Acq: 02 Sep 2025 22:25

Tgt Ion:172 Resp: 2392194
Ion Ratio Lower Upper
172 100
171 35.0 28.1 42.1
170 23.2 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.184 min Scan# 2425

Delta R.T. -0.017 min

Lab File: BP025649.D

Acq: 02 Sep 2025 22:25

Instrument :

BNA_P

ClientSampleId :

CONTAINMENT-B





Tgt Ion:188 Resp: 752711

Ion Ratio Lower Upper

188 100

94 8.6 6.6 10.0

80 9.4 6.7 10.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.625 min Scan# 3177

Delta R.T. -0.023 min

Lab File: BP025649.D

Acq: 02 Sep 2025 22:25




Tgt Ion:240 Resp: 813256


Ion Ratio Lower Upper

240 100

120 11.0 8.9 13.3

236 26.2 19.8 29.8





#79

Terphenyl-d14

Concen: 95.249 ng

RT: 19.901 min Scan# 21

Delta R.T. -0.017 min

Lab File: BP025649.D

Acq: 02 Sep 2025 22:25

Instrument :

BNA_P

ClientSampleId :

CONTAINMENT-B





Tgt Ion:244 Resp: 4233897

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.6

122 8.9 7.4 11.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.983 min Scan# 3748

Delta R.T. -0.047 min

Lab File: BP025649.D

Acq: 02 Sep 2025 22:25

Tgt Ion:264 Resp: 901353

Ion Ratio Lower Upper

264 100

260 23.2 19.3 28.9

265 22.2 17.4 26.0

