

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP090420\
 Data File : BP003205.D
 Acq On : 04 Sep 2020 11:27
 Operator : CG/JU
 Sample : L3888-10
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 9-2-TP-3

Quant Time: Sep 08 02:14:43 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 14:37:05 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	31173	20.00	ng	0.00
21) Naphthalene-d8	10.43	136	135692	20.00	ng	0.00
39) Acenaphthene-d10	14.29	164	91896	20.00	ng	0.00
64) Phenanthrene-d10	17.04	188	251776	20.00	ng	0.00
76) Chrysene-d12	21.14	240	663942	20.00	ng	0.00
86) Perylene-d12	23.37	264	1149427	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	169507	96.14	ng	0.00
7) Phenol-d6	6.83	99	217680	98.49	ng	0.00
23) Nitrobenzene-d5	8.79	82	110620	58.77	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	135461	108.99	ng	0.00
45) 2-Fluorobiphenyl	12.91	172	295906	47.16	ng	0.00
79) Terphenyl-d14	19.62	244	796899	26.41	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.75	163	26834	3.829	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP090420\
Data File : BP003205.D
Acq On : 04 Sep 2020 11:27
Operator : CG/JU
Sample : L3888-10
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
9-2-TP-3

Quant Time: Sep 08 02:14:43 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 14:37:05 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 7.65 min Scan# 809

Delta R.T. -0.01 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27

Instrument :

BNA_P

ClientSampleId :

9-2-TP-3


Tot Ion:152 Resp: 31173

Ion Ratio Lower Upper

152 100

150 155.2 123.8 185.6




115 57.4 43.8 65.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 96.139 ng

RT: 5.26 min Scan# 403

Delta R.T. -0.01 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27


Tgt Ion:112 Resp: 169507

Ion Ratio Lower Upper

112 100

64 41.4 32.8 49.2



63 22.0 17.0 25.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BP0

Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 98.487 ng

RT: 6.83 min Scan# 671

Delta R.T. -0.00 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27

Instrument :

BNA_P

ClientSampleId :

9-2-TP-3


Tot Ion: 99 Resp: 217680

Ion Ratio Lower Upper

99 100

42 11.4 8.6 13.0




71 29.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.43 min Scan# 1282

Delta R.T. -0.01 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27

Tgt Ion: 136 Resp: 135692


Ion Ratio Lower Upper

136 100

137 10.2 8.6 13.0

54 4.4 3.6 5.4

68 5.1 3.3 4.9#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 58.770 ng
 RT: 8.79 min Scan# 1004
 Delta R.T. -0.01 min
 Lab File: BP003205.D
 Acq: 04 Sep 2020 11:27




Instrument :
 BNA_P
 ClientSampleId :
 9-2-TP-3


Tot Ion	82	Resp	110620
Ion Ratio	Lower	Upper	
82	100		
128	55.8	45.6	68.4
54	39.9	30.1	45.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.29 min Scan# 1939
 Delta R.T. -0.00 min
 Lab File: BP003205.D
 Acq: 04 Sep 2020 11:27

Tgt Ion	164	Resp	91896
Ion Ratio	Lower	Upper	
164	100		
162	100.0	79.4	119.2
160	45.4	36.1	54.1









#42
 2,4,6-Tribromophenol
 Concen: 108.990 ng
 RT: 15.79 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BP003205.D
 Acq: 04 Sep 2020 11:27




Instrument :
 BNA_P
 ClientSampleId :
 9-2-TP-3


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.1	115.7
141	29.8	23.4	35.2



#45
 2-Fluorobiphenyl
 Concen: 47.155 ng
 RT: 12.91 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BP003205.D
 Acq: 04 Sep 2020 11:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.5	42.7
170	23.5	19.2	28.8









#50
Dimethylphthalate
Concen: 3.829 ng
RT: 13.75 min Scan# 1847
Delta R.T. -0.01 min
Lab File: BP003205.D
Acq: 04 Sep 2020 11:27




Instrument :
BNA_P
ClientSampleId :
9-2-TP-3


Tot Ion:163 Resp: 26834
Ion Ratio Lower Upper
163 100
194 5.0 3.3 4.9#
164 10.6 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.04 min Scan# 2406
Delta R.T. -0.01 min
Lab File: BP003205.D
Acq: 04 Sep 2020 11:27

Tgt Ion:188 Resp: 251776
Ion Ratio Lower Upper
188 100
94 8.6 6.2 9.2
80 8.4 6.2 9.2





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.14 min Scan# 3103

Delta R.T. -0.01 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27

Instrument :

BNA_P

ClientSampleId :

9-2-TP-3


Tot Ion:240 Resp: 663942

Ion Ratio Lower Upper

240 100

120 9.4 7.8 11.6




236 25.8 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 26.411 ng

RT: 19.62 min Scan# 2844

Delta R.T. -0.01 min

Lab File: BP003205.D

Acq: 04 Sep 2020 11:27


Tgt Ion:244 Resp: 796899

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.6



122 10.4 7.8 11.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.37 min Scan# 3482
Delta R.T. -0.00 min
Lab File: BP003205.D
Acq: 04 Sep 2020 11:27

Instrument :
BNA_P
ClientSampleId :
9-2-TP-3

Tot Ion:264 Resp: 1149427

Ion	Ratio	Lower	Upper
264	100		
260	24.6	18.8	28.2
265	22.5	17.4	26.2

