

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025743.D
 Acq On : 12 Sep 2025 14:30
 Operator : CG/JU
 Sample : PB169499BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169499BL

Quant Time: Sep 12 15:00:14 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.754	152	134957	20.000	ng	0.00
21) Naphthalene-d8	10.531	136	525832	20.000	ng	0.00
39) Acenaphthene-d10	14.378	164	350062	20.000	ng	0.00
64) Phenanthrene-d10	17.183	188	778197	20.000	ng	0.00
76) Chrysene-d12	21.618	240	870891	20.000	ng	-0.02
86) Perylene-d12	24.971	264	895941	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1215331	145.305	ng	0.00
7) Phenol-d6	6.943	99	1534418	138.021	ng	0.00
23) Nitrobenzene-d5	8.901	82	1013516	85.022	ng	0.00
42) 2,4,6-Tribromophenol	15.889	330	602486	137.985	ng	-0.02
45) 2-Fluorobiphenyl	12.984	172	2234692	84.999	ng	0.00
79) Terphenyl-d14	19.907	244	3998630	82.599	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025743.D
Acq On : 12 Sep 2025 14:30
Operator : CG/JU
Sample : PB169499BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169499BL

Quant Time: Sep 12 15:00:14 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.754 min Scan# 819
 Delta R.T. -0.006 min
 Lab File: BP025743.D
 Acq: 12 Sep 2025 14:30




Instrument :
 BNA_P
 ClientSampleId :
 PB169499BL


Tgt Ion:152 Resp: 134957
 Ion Ratio Lower Upper
 152 100
 150 158.4 124.3 186.5
 115 63.2 50.3 75.5



#5
 2-Fluorophenol
 Concen: 145.305 ng
 RT: 5.384 min Scan# 416
 Delta R.T. -0.000 min
 Lab File: BP025743.D
 Acq: 12 Sep 2025 14:30

Tgt Ion:112 Resp: 1215331
 Ion Ratio Lower Upper
 112 100
 64 62.2 50.2 75.4
 63 32.6 26.7 40.1









#7
Phenol-d6
Concen: 138.021 ng
RT: 6.943 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30




Instrument :
BNA_P
ClientSampleId :
PB169499BL


Tgt Ion: 99 Resp: 1534418
Ion Ratio Lower Upper
99 100
42 20.3 15.6 23.4
71 36.4 28.6 43.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.531 min Scan# 1291
Delta R.T. 0.006 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30

Tgt Ion:136 Resp: 525832
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 10.1 7.5 11.3
68 6.3 5.0 7.6









#23
Nitrobenzene-d5
Concen: 85.022 ng
RT: 8.901 min Scan# 1014
Delta R.T. -0.000 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30




Instrument :
BNA_P
ClientSampleId :
PB169499BL

Tgt Ion: 82 Resp: 1013516
Ion Ratio Lower Upper
82 100
128 40.5 32.9 49.3
54 54.6 43.4 65.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.378 min Scan# 1945
Delta R.T. -0.000 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30

Tgt Ion: 164 Resp: 350062
Ion Ratio Lower Upper
164 100
162 99.0 80.6 120.8
160 45.5 35.0 52.6









#42
2,4,6-Tribromophenol
Concen: 137.985 ng
RT: 15.889 min Scan# 21
Delta R.T. -0.018 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30




Instrument :
BNA_P
ClientSampleId :
PB169499BL


Tgt Ion:330 Resp: 602486
Ion Ratio Lower Upper
330 100
332 97.9 76.9 115.3
141 39.1 31.0 46.4



#45
2-Fluorobiphenyl
Concen: 84.999 ng
RT: 12.984 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BP025743.D
Acq: 12 Sep 2025 14:30

Tgt Ion:172 Resp: 2234692
Ion Ratio Lower Upper
172 100
171 34.7 27.8 41.6
170 23.0 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.183 min Scan# 2422

Delta R.T. -0.000 min

Lab File: BP025743.D

Acq: 12 Sep 2025 14:30

Instrument :

BNA_P

ClientSampleId :

PB169499BL





Tgt Ion:188 Resp: 778197

Ion Ratio Lower Upper

188 100

94 9.2 7.4 11.0

80 10.3 7.7 11.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.618 min Scan# 3176

Delta R.T. -0.024 min

Lab File: BP025743.D

Acq: 12 Sep 2025 14:30




Tgt Ion:240 Resp: 870891


Ion Ratio Lower Upper

240 100

120 11.0 8.0 12.0

236 25.2 20.7 31.1









#79
 Terphenyl-d14
 Concen: 82.599 ng
 RT: 19.907 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP025743.D
 Acq: 12 Sep 2025 14:30

Instrument :
 BNA_P
 ClientSampleId :
 PB169499BL

Tgt Ion:244 Resp: 3998630
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.9 8.9
 122 10.0 7.1 10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.971 min Scan# 3746
 Delta R.T. -0.030 min
 Lab File: BP025743.D
 Acq: 12 Sep 2025 14:30

Tgt Ion:264 Resp: 895941
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.3 27.5
 265 22.0 17.3 25.9

