

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP091619\
 Data File : BP000246.D
 Acq On : 16 Sep 2019 18:13
 Operator : HP/JU
 Sample : SSTDICC100
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100

Quant Time: Sep 16 18:37:12 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP091619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 16 17:15:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	404716	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	1508250	20.00	ng	0.00
39) Acenaphthene-d10	9.84	164	793959	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	1402795	20.00	ng	0.00
76) Chrysene-d12	14.00	240	922784	20.00	ng	0.00
87) Perylene-d12	15.48	264	1147988	20.00	ng	0.00

System Monitoring Compounds

5) 2-Fluorophenol	5.42	112	4025826	158.62	ng	0.01
7) Phenol-d6	6.44	99	4796946	149.72	ng	0.02
23) Nitrobenzene-d5	7.37	82	4109938	167.20	ng	0.02
42) 2,4,6-Tribromophenol	10.64	330	1394049	208.31	ng	0.01
45) 2-Fluorobiphenyl	9.16	172	6332673	133.20	ng	0.01
79) Terphenyl-d14	12.94	244	7064410	166.86	ng	0.00

Target Compounds

						Qvalue
2) 1,4-Dioxane	2.52	88	1019371	87.318	ng	99
3) Pyridine	3.27	79	2713223	86.264	ng	100
4) n-Nitrosodimethylamine	3.24	42	795933	78.369	ng	99
6) Aniline	6.46	93	3295274	71.066	ng	# 91
8) 2-Chlorophenol	6.59	128	2139511	81.527	ng	99
9) Benzaldehyde	6.34	77	1016253	51.436	ng	98
10) Phenol	6.46	94	2611191	73.353	ng	79
11) bis(2-Chloroethyl)ether	6.54	93	2216076	78.806	ng	96
12) 1,3-Dichlorobenzene	6.74	146	2639728	86.236	ng	98
13) 1,4-Dichlorobenzene	6.82	146	2563551	84.103	ng	97
14) 1,2-Dichlorobenzene	6.97	146	2217258	79.171	ng	97
15) Benzyl Alcohol	6.94	79	1702373	72.468	ng	99
16) 2,2'-oxybis(1-Chloropropan	7.08	45	1972771	65.237	ng	96
17) 2-Methylphenol	7.06	107	1952162	86.614	ng	98
18) Hexachloroethane	7.31	117	970749	85.868	ng	92
19) n-Nitroso-di-n-propylamine	7.23	70	1318795	72.324	ng	99
20) 3+4-Methylphenols	7.21	107	1827353	65.008	ng	97
22) Acetophenone	7.21	105	2664765	73.763	ng	# 94
24) Nitrobenzene	7.39	77	2116744	79.490	ng	95
25) Isophorone	7.63	82	4355588	83.864	ng	98
26) 2-Nitrophenol	7.69	139	1272397	122.698	ng	96
27) 2,4-Dimethylphenol	7.74	122	1836798	87.776	ng	99
28) bis(2-Chloroethoxy)methane	7.83	93	2692272	79.718	ng	98
29) 2,4-Dichlorophenol	7.94	162	1973043	91.695	ng	100
30) 1,2,4-Trichlorobenzene	8.02	180	2219369	90.474	ng	98
31) Naphthalene	8.10	128	5567559	80.456	ng	96
32) Benzoic acid	7.89	122	1617535	125.899	ng	99
33) 4-Chloroaniline	8.15	127	2838388	86.968	ng	99
34) Hexachlorobutadiene	8.22	225	1330321	96.246	ng	99
35) Caprolactam	8.55	113	570897	74.605	ng	95
36) 4-Chloro-3-methylphenol	8.64	107	2032060	86.553	ng	100
37) 2-Methylnaphthalene	8.79	142	3942720	81.529	ng	97
38) 1-Methylnaphthalene	8.89	142	3697480	81.147	ng	99
40) 1,2,4,5-Tetrachlorobenzene	8.96	216	1935491	86.126	ng	99


Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP091619\
 Data File : BP000246.D
 Acq On : 16 Sep 2019 18:13
 Operator : HP/JU
 Sample : SSTDICC100
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100

Quant Time: Sep 16 18:37:12 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP091619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 16 17:15:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Hexachlorocyclopentadiene	8.95	237	1228357	99.270	nq	99
43) 2,4,6-Trichlorophenol	9.07	196	1425723	91.996	nq	99
44) 2,4,5-Trichlorophenol	9.12	196	1467723	90.516	nq	97
46) 1,1'-Biphenyl	9.26	154	4326152	77.183	nq	94
47) 2-Chloronaphthalene	9.29	162	3846042	82.661	nq	96
48) 2-Nitroaniline	9.38	65	1070972	85.218	nq	98
49) Acenaphthylene	9.70	152	5529822	80.098	nq	94
50) Dimethylphthalate	9.57	163	4832395	89.317	nq	99
51) 2,6-Dinitrotoluene	9.63	165	1102246	95.981	nq	93
52) Acenaphthene	9.87	154	3447898	79.590	nq	99
53) 3-Nitroaniline	9.80	138	1269188	92.512	nq	98
54) 2,4-Dinitrophenol	9.90	184	600364	165.560	nq	# 89
55) Dibenzofuran	10.05	168	4884238	79.398	nq	96
56) 4-Nitrophenol	9.96	139	956196	97.511	nq	95
57) 2,4-Dinitrotoluene	10.03	165	1441334	98.310	nq	# 89
58) Fluorene	10.39	166	3551714	76.716	nq	100
59) 2,3,4,6-Tetrachlorophenol	10.17	232	1123866	91.540	nq	99
60) Diethylphthalate	10.27	149	4367563	80.648	nq	96
61) 4-Chlorophenyl-phenylether	10.38	204	1951187	81.084	nq	98
62) 4-Nitroaniline	10.42	138	1250038	95.526	nq	97
63) Azobenzene	10.55	77	3550674	68.466	nq	95
65) 4,6-Dinitro-2-methylphenol	10.45	198	724189	145.414	nq	99
66) n-Nitrosodiphenylamine	10.50	169	3553539	85.265	nq	98
67) 4-Bromophenyl-phenylether	10.87	248	1449888	101.702	nq	100
68) Hexachlorobenzene	10.95	284	1564882	100.743	nq	99
69) Atrazine	11.03	200	339151	27.969	nq	100
70) Pentachlorophenol	11.14	266	861337	102.334	nq	99
71) Phenanthrene	11.36	178	5600897	80.106	nq	96
72) Anthracene	11.42	178	5421747	78.499	nq	96
73) Carbazole	11.57	167	5225518	80.154	nq	97
74) Di-n-butylphthalate	11.90	149	6162349	77.954	nq	# 94
75) Fluoranthene	12.56	202	5982018	78.733	nq	96
77) Benzidine	12.67	184	1643967	51.635	nq	96
78) Pyrene	12.79	202	6065508	89.348	nq	94
80) Butylbenzylphthalate	13.42	149	3025547	100.027	nq	98
81) Benzo(a)anthracene	14.00	228	4925990	82.380	nq	98
82) 3,3'-Dichlorobenzidine	13.96	252	1998336	90.589	nq	99
83) Chrysene	14.03	228	4950434	87.526	nq	96
84) Bis(2-ethylhexyl)phthalate	13.99	149	3117879	79.209	nq	99
85) Di-n-octyl phthalate	14.61	149	6031095	86.948	nq	99
86) Indeno(1,2,3-cd)pyrene	16.99	276	7088135	100.012	nq	98
88) Benzo(b)fluoranthene	15.06	252	6448140	91.957	nq	98
89) Benzo(k)fluoranthene	15.09	252	4975831	77.543	nq	98
90) Benzo(a)pyrene	15.43	252	5681889	89.763	nq	98
91) Dibenzo(a,h)anthracene	17.02	278	5340751	84.371	nq	99
92) Benzo(g,h,i)perylene	17.45	276	5875974	93.785	nq	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 800
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Instrument :
BNA_P
ClientSampleId :
SSTDICC100

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.0	125.2	187.8
115	61.4	49.7	74.5






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane
Concen: 87.318 ng
RT: 2.52 min Scan# 73
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion	Ratio	Lower	Upper
88	100		
58	55.8	45.4	68.2
43	18.0	15.0	22.6






Abundance

Ion 88.00 (87.70 to 88.70): BP0

Ion 58.00 (57.70 to 58.70): BP0

Ion 43.00 (42.70 to 43.70): BP0





#3

Pvridine

Concen: 86.264 ng

RT: 3.27 min Scan# 201

Delta R.T. 0.02 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion: 79 Resp: 2713223

Ion Ratio Lower Upper

79 100

52 51.3 40.9 61.3




51 25.6 20.2 30.2



Abundance Ion 79.00 (78.70 to 79.70): BP0

Ion 52.00 (51.70 to 52.70): BP0

Ion 51.00 (50.70 to 51.70): BP0



#4

n-Nitrosodimethylamine

Concen: 78.369 ng

RT: 3.24 min Scan# 196

Delta R.T. 0.05 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion: 42 Resp: 795933

Ion Ratio Lower Upper

42 100

74 194.9 154.5 231.7



44 6.8 5.9 8.9




Abundance Ion 42.00 (41.70 to 42.70): BP0

Ion 74.00 (73.70 to 74.70): BP0

Ion 44.00 (43.70 to 44.70): BP0





#5

2-Fluorophenol

Concen: 158.622 ng

RT: 5.42 min Scan# 566

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:112 Resp: 4025826

Ion Ratio Lower Upper

112 100

64 44.9 36.2 54.4




63 23.8 18.3 27.5



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BP0

Ion 63.00 (62.70 to 63.70): BP0



#6

Aniline

Concen: 71.066 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion: 93 Resp: 3295274

Ion Ratio Lower Upper

93 100

66 37.9 26.2 39.2



65 19.5 12.7 19.1#




Abundance Ion 93.00 (92.70 to 93.70): BP0

Ion 66.00 (65.70 to 66.70): BP0

Ion 65.00 (64.70 to 65.70): BP0





#7

Phenol-d6

Concen: 149.717 ng

RT: 6.44 min Scan# 740

Delta R.T. 0.02 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :


BNA_P

ClientSampleId :

SSTDICC100

Tot Ion: 99 Resp: 4796946




Ion	Ratio	Lower	Upper
99	100		
42	12.0	8.5	12.7
71	31.9	22.6	34.0



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#8

2-Chlorophenol

Concen: 81.527 ng

RT: 6.59 min Scan# 765


Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Tgt Ion: 128 Resp: 2139511



Ion	Ratio	Lower	Upper
128	100		
130	33.0	12.5	52.5
64	35.8	16.0	56.0




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 64.00 (63.70 to 64.70): BP0





#9

Benzaldehyde

Concen: 51.436 ng

RT: 6.34 min Scan# 723

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :


BNA_P

ClientSampleId :

SSTDICC100

Tot Ion: 77 Resp: 1016253


Ion	Ratio	Lower	Upper
77	100		
105	112.3	89.6	129.6
106	106.5	84.6	124.6




Abundance Ion 77.00 (76.70 to 77.70): BP0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E



Time-->



#10

Phenol

Concen: 73.353 ng

RT: 6.46 min Scan# 743


Delta R.T. 0.02 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Tgt Ion: 94 Resp: 2611191


Ion	Ratio	Lower	Upper
94	100		
65	29.6	3.3	43.3
66	47.5	12.7	52.7




Abundance Ion 94.00 (93.70 to 94.70): BP0

Ion 65.00 (64.70 to 65.70): BP0

Ion 66.00 (65.70 to 66.70): BP0







Time-->



#11
bis(2-Chloroethyl)ether
Concen: 78.806 ng
RT: 6.54 min Scan# 757
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion: 93 Resp: 2216076
Ion Ratio Lower Upper
93 100
63 57.3 41.0 81.0
95 33.6 12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 86.236 ng
RT: 6.74 min Scan# 791
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion: 146 Resp: 2639728
Ion Ratio Lower Upper
146 100
148 65.9 52.1 78.1
75 27.0 20.2 30.4









#13
1,4-Dichlorobenzene
Concen: 84.103 ng
RT: 6.82 min Scan# 804
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:146 Resp: 2563551
Ion Ratio Lower Upper
146 100
148 66.5 50.7 76.1
111 41.5 34.1 51.1



#14
1,2-Dichlorobenzene
Concen: 79.171 ng
RT: 6.97 min Scan# 830
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:146 Resp: 2217258
Ion Ratio Lower Upper
146 100
148 65.0 51.7 77.5
111 45.6 33.4 50.2









#15
Benzyl Alcohol
Concen: 72.468 ng
RT: 6.94 min Scan# 825
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion: 79 Resp: 1702373
Ion Ratio Lower Upper
79 100
108 87.8 69.2 103.8
77 61.5 48.7 73.1



#16
2,2'-oxybis(1-Chloropropane)
Concen: 65.237 ng
RT: 7.08 min Scan# 848
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion: 45 Resp: 1972771
Ion Ratio Lower Upper
45 100
77 22.8 0.7 40.7
79 17.8 0.0 36.4









#17
2-Methylphenol
Concen: 86.614 ng
RT: 7.06 min Scan# 845
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Instrument :
BNA_P
ClientSampleId :
SSTDICC100

Tot Ion:107 Resp: 1952162




Ion	Ratio	Lower	Upper
107	100		
108	113.8	90.1	135.1
77	42.8	31.5	47.3
79	42.1	32.2	48.2






#18
Hexachloroethane
Concen: 85.868 ng
RT: 7.31 min Scan# 888
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:117 Resp: 970749

Ion	Ratio	Lower	Upper
117	100		
119	97.2	75.6	113.4
201	112.3	79.4	119.2









#19
n-Nitroso-di-n-propylamine
Concen: 72.324 ng
RT: 7.23 min Scan# 874
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13


Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:	70	Resp:	1318795
Ion	Ratio	Lower	Upper
70	100		
42	39.2	30.7	46.1
101	12.0	9.6	14.4
130	27.3	22.0	33.0



#20
3+4-Methylphenols
Concen: 65.008 ng
RT: 7.21 min Scan# 871
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:	107	Resp:	1827353
Ion	Ratio	Lower	Upper
107	100		
108	88.8	68.8	108.8
77	102.0	75.7	115.7
79	26.8	6.0	46.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.08 min Scan# 1018
Delta R.T. -0.00 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:136	Resp: 1508250
Ion Ratio	Lower Upper
136 100	
137 11.4	8.6 13.0
54 6.1	4.5 6.7
68 6.0	4.5 6.7



#22
Acetophenone
Concen: 73.763 ng
RT: 7.21 min Scan# 871
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt	Ion:105	Resp:	2664765
Ion	Ratio	Lower	Upper
105	100		
71	2.2	5.2	7.8#
51	25.8	16.6	24.8#
120	23.1	18.5	27.7









#23
 Nitrobenzene-d5
 Concen: 167.204 ng
 RT: 7.37 min Scan# 898
 Delta R.T. 0.02 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100


Tot Ion: 82 Resp: 4109938
 Ion Ratio Lower Upper
 82 100
 128 54.4 40.7 61.1
 54 38.2 30.1 45.1



#24
 Nitrobenzene
 Concen: 79.490 ng
 RT: 7.39 min Scan# 901
 Delta R.T. 0.02 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion: 77 Resp: 2116744
 Ion Ratio Lower Upper
 77 100
 123 57.9 43.1 64.7
 65 12.4 9.4 14.2





#25

Isophorone

Concen: 83.864 ng

RT: 7.63 min Scan# 942

Delta R.T. 0.02 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100





Tot Ion: 82 Resp: 4355588

Ion Ratio Lower Upper

82 100

95 7.7 5.9 8.9

138 21.1 15.9 23.9



#26

2-Nitrophenol

Concen: 122.698 ng

RT: 7.69 min Scan# 953

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13




Tgt Ion: 139 Resp: 1272397


Ion Ratio Lower Upper

139 100

109 29.3 21.8 32.6

65 40.0 30.5 45.7









#27
2,4-Dimethylphenol
Concen: 87.776 ng
RT: 7.74 min Scan# 961
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:122 Resp: 1836798
Ion Ratio Lower Upper
122 100
107 113.6 91.5 137.3
121 59.6 46.9 70.3



#28
bis(2-Chloroethoxy)methane
Concen: 79.718 ng
RT: 7.83 min Scan# 977
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion: 93 Resp: 2692272
Ion Ratio Lower Upper
93 100
95 33.9 26.2 39.4
123 13.5 10.2 15.2









#29
2,4-Dichlorophenol
Concen: 91.695 ng
RT: 7.94 min Scan# 995
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:162 Resp: 1973043
Ion Ratio Lower Upper
162 100
164 64.4 44.5 84.5
98 35.0 15.2 55.2



#30
1,2,4-Trichlorobenzene
Concen: 90.474 ng
RT: 8.02 min Scan# 1009
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:180 Resp: 2219369
Ion Ratio Lower Upper
180 100
182 95.2 77.2 115.8
145 31.8 24.3 36.5









#31
Naphthalene
Concen: 80.456 ng
RT: 8.10 min Scan# 1023
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:128 Resp: 5567559
Ion Ratio Lower Upper
128 100
129 12.8 9.2 13.8
127 15.9 11.0 16.6



#32
Benzoic acid
Concen: 125.899 ng
RT: 7.89 min Scan# 987
Delta R.T. 0.07 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:122 Resp: 1617535
Ion Ratio Lower Upper
122 100
105 124.0 105.4 145.4
77 83.8 65.3 105.3









#33
4-Chloroaniline
Concen: 86.968 ng
RT: 8.15 min Scan# 1031
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:127 Resp: 2838388
Ion Ratio Lower Upper
127 100
129 32.6 25.7 38.5
65 24.0 19.9 29.9
92 19.2 15.4 23.0



#34
Hexachlorobutadiene
Concen: 96.246 ng
RT: 8.22 min Scan# 1043
Delta R.T. -0.00 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:225 Resp: 1330321
Ion Ratio Lower Upper
225 100
223 63.9 50.2 75.2
227 64.0 51.8 77.6









#35
Caprolactam
Concen: 74.605 ng
RT: 8.55 min Scan# 1099
Delta R.T. 0.05 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:113 Resp: 570897
Ion Ratio Lower Upper
113 100
55 109.9 96.8 136.8
56 85.4 67.5 107.5



#36
4-Chloro-3-methylphenol
Concen: 86.553 ng
RT: 8.64 min Scan# 1114
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:107 Resp: 2032060
Ion Ratio Lower Upper
107 100
144 27.1 21.5 32.3
142 82.5 65.7 98.5









#37
2-Methylnaphthalene
Concen: 81.529 ng
RT: 8.79 min Scan# 1140
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:142 Resp: 3942720
Ion Ratio Lower Upper
142 100
141 90.4 71.3 106.9
115 39.0 27.2 40.8



#38
1-Methylnaphthalene
Concen: 81.147 ng
RT: 8.89 min Scan# 1157
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:142 Resp: 3697480
Ion Ratio Lower Upper
142 100
141 92.8 73.9 110.9
116 4.3 3.0 4.6









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.84 min Scan# 1318
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion	Ratio	Lower	Upper
164	100		
162	100.6	79.9	119.9
160	44.4	35.6	53.4



#40
1,2,4,5-Tetrachlorobenzene
Concen: 86.126 ng
RT: 8.96 min Scan# 1169
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion	Ratio	Lower	Upper
216	100		
214	80.1	63.6	95.4
179	21.7	17.0	25.4
108	18.0	15.1	22.7





#41

Hexachlorocyclopentadiene

Concen: 99.270 ng

RT: 8.95 min Scan# 1167

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:237 Resp: 1228357

Ion Ratio Lower Upper

237 100

235 64.2 43.5 83.5




272 14.2 0.0 33.0



Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E



#42

2,4,6-Tribromophenol

Concen: 208.307 ng

RT: 10.64 min Scan# 1454

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion:330 Resp: 1394049

Ion Ratio Lower Upper

330 100

332 95.1 76.6 115.0



141 29.7 26.5 39.7




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#43
 2,4,6-Trichlorophenol
 Concen: 91.996 ng
 RT: 9.07 min Scan# 1188
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100


Tot Ion:196 Resp: 1425723
 Ion Ratio Lower Upper
 196 100
 198 96.0 76.0 114.0
 200 31.8 24.6 37.0



#44
 2,4,5-Trichlorophenol
 Concen: 90.516 ng
 RT: 9.12 min Scan# 1195
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion:196 Resp: 1467723
 Ion Ratio Lower Upper
 196 100
 198 96.5 78.1 117.1
 97 44.8 33.3 49.9
 132 27.3 20.0 30.0









#45
2-Fluorobiphenyl
Concen: 133.200 ng
RT: 9.16 min Scan# 1203
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:172 Resp: 6332673
Ion Ratio Lower Upper
172 100
171 41.0 29.8 44.6
170 27.6 19.8 29.6



#46
1,1'-Biphenyl
Concen: 77.183 ng
RT: 9.26 min Scan# 1220
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:154 Resp: 4326152
Ion Ratio Lower Upper
154 100
153 45.2 21.4 61.4
76 11.1 0.0 33.4





#47

2-Chloronaphthalene

Concen: 82.661 ng

RT: 9.29 min Scan# 1224

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:162 Resp: 3846042

Ion Ratio Lower Upper

162 100

127 43.0 32.4 48.6




164 35.3 26.3 39.5



Abundance Ion 162.00 (161.70 to 162.70): E

Ion 127.00 (126.70 to 127.70): E

Ion 164.00 (163.70 to 164.70): E



#48

2-Nitroaniline

Concen: 85.218 ng

RT: 9.38 min Scan# 1240

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion: 65 Resp: 1070972

Ion Ratio Lower Upper

65 100

92 86.9 68.7 103.1



138 145.5 114.4 171.6




Abundance Ion 65.00 (64.70 to 65.70): BP0

Ion 92.00 (91.70 to 92.70): BP0

Ion 138.00 (137.70 to 138.70): E





#49

Acenaphthylene

Concen: 80.098 ng

RT: 9.70 min Scan# 1295

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:152 Resp: 5529822

Ion	Ratio	Lower	Upper
152	100		
151	23.6	16.4	24.6
153	15.2	11.0	16.4

152 100

151 23.6 16.4 24.6

153 15.2 11.0 16.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#50

Dimethylphthalate

Concen: 89.317 ng

RT: 9.57 min Scan# 1273

Delta R.T. 0.02 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion:163 Resp: 4832395

Ion	Ratio	Lower	Upper
163	100		
194	4.8	3.4	5.0
164	10.6	8.5	12.7

163 100

194 4.8 3.4 5.0

164 10.6 8.5 12.7






Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#51
 2,6-Dinitrotoluene
 Concen: 95.981 ng
 RT: 9.63 min Scan# 1282
 Delta R.T. 0.02 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100


Tot Ion:165 Resp: 1102246
 Ion Ratio Lower Upper
 165 100
 63 39.0 35.8 53.8
 89 48.8 42.6 63.8



#52
 Acenaphthene
 Concen: 79.590 ng
 RT: 9.87 min Scan# 1324
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion:154 Resp: 3447898
 Ion Ratio Lower Upper
 154 100
 153 112.4 89.8 134.6
 152 55.5 43.4 65.0









#53
3-Nitroaniline
Concen: 92.512 ng
RT: 9.80 min Scan# 1311
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:138 Resp: 1269188
Ion Ratio Lower Upper
138 100
108 11.2 9.1 13.7
92 105.9 86.7 130.1



#54
2,4-Dinitrophenol
Concen: 165.560 ng
RT: 9.90 min Scan# 1329
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:184 Resp: 600364
Ion Ratio Lower Upper
184 100
63 37.3 39.5 59.3#
154 56.4 48.8 73.2









#55
Dibenzofuran
Concen: 79.398 ng
RT: 10.05 min Scan# 1354
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:168 Resp: 4884238
Ion Ratio Lower Upper
168 100
139 40.4 30.0 45.0
169 14.4 11.0 16.6



#56
4-Nitrophenol
Concen: 97.511 ng
RT: 9.96 min Scan# 1338
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:139 Resp: 956196
Ion Ratio Lower Upper
139 100
109 68.2 46.2 86.2
65 73.6 59.4 99.4









#57
2,4-Dinitrotoluene
Concen: 98.310 ng
RT: 10.03 min Scan# 1351
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:165 Resp: 1441334
Ion Ratio Lower Upper
165 100
63 34.1 21.7 32.5#
89 63.7 45.0 67.6
182 3.1 2.4 3.6



#58
Fluorene
Concen: 76.716 ng
RT: 10.39 min Scan# 1412
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:166 Resp: 3551714
Ion Ratio Lower Upper
166 100
165 97.7 78.2 117.2
167 14.1 10.7 16.1









#59
 2,3,4,6-Tetrachlorophenol
 Concen: 91.540 ng
 RT: 10.17 min Scan# 1374
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100

Tot Ion:232	Resp: 1123866
Ion Ratio	Lower Upper
232 100	
131 42.9	33.6 50.4
130 2.3	1.8 2.6
166 30.9	24.2 36.2




Abundance Ion 232.00 (231.70 to 232.70): E
 Ion 131.00 (130.70 to 131.70): E
 Ion 130.00 (129.70 to 130.70): E
 Ion 166.00 (165.70 to 166.70): E






#60
 Diethylphthalate
 Concen: 80.648 ng
 RT: 10.27 min Scan# 1391
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion:149	Resp: 4367563
Ion Ratio	Lower Upper
149 100	
177 24.9	18.1 27.1
150 13.9	10.3 15.5



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 177.00 (176.70 to 177.70): E
 Ion 150.00 (149.70 to 150.70): E









#61
4-Chlorophenyl-phenylether
Concen: 81.084 ng
RT: 10.38 min Scan# 1410
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:204 Resp: 1951187
Ion Ratio Lower Upper
204 100
206 33.4 26.3 39.5
141 62.3 48.6 72.8



#62
4-Nitroaniline
Concen: 95.526 ng
RT: 10.42 min Scan# 1417
Delta R.T. 0.03 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:138 Resp: 1250038
Ion Ratio Lower Upper
138 100
92 47.9 30.1 70.1
108 71.2 49.5 89.5









#63
Azobenzene
Concen: 68.466 ng
RT: 10.55 min Scan# 1438
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion: 77 Resp: 3550674
Ion Ratio Lower Upper
77 100
182 34.5 11.1 51.1
105 26.9 4.7 44.7
51 24.9 2.2 42.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1571
Delta R.T. -0.00 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:188 Resp: 1402795
Ion Ratio Lower Upper
188 100
94 10.8 8.5 12.7
80 11.2 8.6 13.0









#65
4,6-Dinitro-2-methylphenol
Concen: 145.414 ng
RT: 10.45 min Scan# 1422
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:198 Resp: 724189
Ion Ratio Lower Upper
198 100
51 28.1 7.4 47.4
105 41.0 20.2 60.2



#66
n-Nitrosodiphenylamine
Concen: 85.265 ng
RT: 10.50 min Scan# 1431
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:169 Resp: 3553539
Ion Ratio Lower Upper
169 100
168 68.0 52.9 79.3
167 37.6 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 101.702 ng
RT: 10.87 min Scan# 1494
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:248 Resp: 1449888
Ion Ratio Lower Upper
248 100
250 96.5 77.0 115.4
141 72.6 58.5 87.7



#68
Hexachlorobenzene
Concen: 100.743 ng
RT: 10.95 min Scan# 1507
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:284 Resp: 1564882
Ion Ratio Lower Upper
284 100
142 29.8 23.6 35.4
249 31.5 24.3 36.5





#69

Atrazine

Concen: 27.969 ng

RT: 11.03 min Scan# 1520

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:200 Resp: 339151

Ion Ratio Lower Upper

200 100

173 28.2 7.6 47.6




215 48.7 28.6 68.6



Abundance Ion 200.00 (199.70 to 200.70): E

Ion 173.00 (172.70 to 173.70): E

Ion 215.00 (214.70 to 215.70): E



#70

Pentachlorophenol

Concen: 102.334 ng

RT: 11.14 min Scan# 1539

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion:266 Resp: 861337

Ion Ratio Lower Upper

266 100

268 63.8 51.6 77.4



264 63.2 50.8 76.2




Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E





#71

Phenanthrene

Concen: 80.106 ng

RT: 11.36 min Scan# 1576

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :


BNA_P

ClientSampleId :

SSTDICC100

Tot Ion:178 Resp: 5600897

Ion	Ratio	Lower	Upper
178	100		
176	21.9	15.8	23.8
179	17.5	12.7	19.1






Abundance

Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Anthracene

Concen: 78.499 ng

RT: 11.42 min Scan# 1586


Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Tgt Ion:178 Resp: 5421747

Ion	Ratio	Lower	Upper
178	100		
176	21.6	15.4	23.0
179	17.3	12.7	19.1






Abundance

Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E









#73
 Carbazole
 Concen: 80.154 ng
 RT: 11.57 min Scan# 1612
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100


Tot Ion:167 Resp: 5225518
 Ion Ratio Lower Upper
 167 100
 166 24.2 17.8 26.8
 139 14.4 10.8 16.2



#74
 Di-n-butylphthalate
 Concen: 77.954 ng
 RT: 11.90 min Scan# 1669
 Delta R.T. -0.00 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion:149 Resp: 6162349
 Ion Ratio Lower Upper
 149 100
 150 11.5 7.4 11.2#
 104 6.1 3.5 5.3#





#75

Fluoranthene

Concen: 78.733 ng

RT: 12.56 min Scan# 1780

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:202 Resp: 5982018

Ion Ratio Lower Upper

202 100

101 12.8 0.0 33.9




203 20.1 0.0 38.0



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.00 min Scan# 2026

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion:240 Resp: 922784

Ion Ratio Lower Upper

240 100

120 11.9 10.4 15.6



236 26.6 21.0 31.6




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 51.635 ng

RT: 12.67 min Scan# 1800

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :


BNA_P

ClientSampleId :

SSTDICC100

Tot Ion:184 Resp: 1643967

Ion	Ratio	Lower	Upper
184	100		
185	18.3	12.7	19.1
183	12.3	9.5	14.3






Abundance

Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#78

Pyrene

Concen: 89.348 ng

RT: 12.79 min Scan# 1820


Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Tgt Ion:202 Resp: 6065508

Ion	Ratio	Lower	Upper
202	100		
200	25.1	17.5	26.3
203	20.0	14.3	21.5






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#79

Terphenyl-d14

Concen: 166.861 ng

RT: 12.94 min Scan# 1845

Delta R.T. 0.01 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :


BNA_P

ClientSampleId :

SSTDICC100

Tot Ion:244 Resp: 7064410


Ion	Ratio	Lower	Upper
244	100		
212	8.7	5.9	8.9
122	11.1	9.0	13.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#80

Butylbenzylphthalate

Concen: 100.027 ng

RT: 13.42 min Scan# 1926


Delta R.T. -0.00 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Tgt Ion:149 Resp: 3025547


Ion	Ratio	Lower	Upper
149	100		
91	64.9	50.6	76.0
206	23.2	17.8	26.6




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BP0

Ion 206.00 (205.70 to 206.70): E




Time-->






#81
Benzo(a)anthracene
Concen: 82.380 ng
RT: 14.00 min Scan# 2025
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Instrument :
BNA_P
ClientSampleId :
SSTDICC100

Tot Ion:228 Resp: 4925990
Ion Ratio Lower Upper
228 100
226 28.8 22.2 33.4
229 20.7 16.0 24.0




Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E






#82
3,3'-Dichlorobenzidine
Concen: 90.589 ng
RT: 13.96 min Scan# 2018
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:252 Resp: 1998336
Ion Ratio Lower Upper
252 100
254 65.1 51.5 77.3
126 11.3 8.4 12.6



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 254.00 (253.70 to 254.70): E
Ion 126.00 (125.70 to 126.70): E









#83
 Chrysene
 Concen: 87.526 ng
 RT: 14.03 min Scan# 2031
 Delta R.T. 0.01 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC100


Tot Ion:228 Resp: 4950434
 Ion Ratio Lower Upper
 228 100
 226 33.4 24.9 37.3
 229 21.5 16.2 24.2



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 79.209 ng
 RT: 13.99 min Scan# 2023
 Delta R.T. -0.00 min
 Lab File: BP000246.D
 Acq: 16 Sep 2019 18:13

Tgt Ion:149 Resp: 3117879
 Ion Ratio Lower Upper
 149 100
 167 28.9 23.0 34.4
 279 5.3 3.7 5.5









#85
Di-n-octyl phthalate
Concen: 86.948 ng
RT: 14.61 min Scan# 2129
Delta R.T. -0.00 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:149 Resp: 6031095
Ion Ratio Lower Upper
149 100
167 1.9 1.4 2.0
43 6.7 5.0 7.6



#86
Indeno(1,2,3-cd)pyrene
Concen: 100.012 ng
RT: 16.99 min Scan# 2534
Delta R.T. 0.02 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:276 Resp: 7088135
Ion Ratio Lower Upper
276 100
138 26.3 22.6 33.8
277 25.9 20.4 30.6









#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.48 min Scan# 2277
Delta R.T. -0.00 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Instrument :
BNA_P
ClientSampleId :
SSTDICC100

Tot Ion:264 Resp: 1147988




Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.9	28.3
265	21.7	17.2	25.8




#88
Benzo(b)fluoranthene
Concen: 91.957 ng
RT: 15.06 min Scan# 2206
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:252 Resp: 6448140

Ion	Ratio	Lower	Upper
252	100		
253	22.8	17.8	26.6
125	10.9	9.5	14.3









#89
Benzo(k)fluoranthene
Concen: 77.543 ng
RT: 15.09 min Scan# 2211
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13




Instrument :
BNA_P
ClientSampleId :
SSTDICC100


Tot Ion:252 Resp: 4975831
Ion Ratio Lower Upper
252 100
253 23.5 17.8 26.8
125 11.6 9.6 14.4



#90
Benzo(a)pyrene
Concen: 89.763 ng
RT: 15.43 min Scan# 2269
Delta R.T. 0.01 min
Lab File: BP000246.D
Acq: 16 Sep 2019 18:13

Tgt Ion:252 Resp: 5681889
Ion Ratio Lower Upper
252 100
253 23.0 17.7 26.5
125 11.8 10.0 15.0





#91

Dibenzo(a,h)anthracene

Concen: 84.371 ng

RT: 17.02 min Scan# 2538

Delta R.T. 0.03 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13

Instrument :

BNA_P

ClientSampleId :

SSTDICC100


Tot Ion:278 Resp: 5340751

Ion Ratio Lower Upper

278 100

139 17.4 14.5 21.7




279 24.3 19.0 28.6



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E



#92

Benzo(g,h,i)perylene

Concen: 93.785 ng

RT: 17.45 min Scan# 2612

Delta R.T. 0.04 min

Lab File: BP000246.D

Acq: 16 Sep 2019 18:13


Tgt Ion:276 Resp: 5875974

Ion Ratio Lower Upper

276 100

277 23.9 19.1 28.7

138 22.2 19.5 29.3



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

