

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092523\
 Data File : BP017327.D
 Acq On : 25 Sep 2023 18:43
 Operator : MA/JU
 Sample : 04429-11
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 BBBM3

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/26/2023
 Supervised By :mohammad ahmed 09/29/2023

Quant Time: Sep 26 00:25:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP092023.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 21 23:51:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	187372	20.000	ng/u1	-0.01
20) Naphthalene-d8	10.752	136	820105	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.587	164	507703	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.357	188	1149548	20.000	ng/u1	-0.01
79) Chrysene-d12	21.469	240	1049194	20.000	ng/u1	0.00
88) Perylene-d12	23.980	264	1167680	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.299	96	12590	2.760	ng/uL	0.00
4) Pyridine-d5	3.734	84	124786	9.785	ng/u1	0.00
7) Phenol-d5	7.087	99	149668	9.726	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	7.269	67	119660	12.885	ng/u1	-0.01
11) 2-Chlorophenol-d4	7.452	132	132829	10.883	ng/u1	-0.01
15) 4-Methylphenol-d8	8.640	113	135069	11.290	ng/u1	-0.02
21) Nitrobenzene-d5	9.128	128	65213	10.999	ng/u1	-0.01
24) 2-Nitrophenol-d4	9.840	143	62763	9.749	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.369	165	128670	10.579	ng/u1	-0.01
31) 4-Chloroaniline-d4	10.916	131	381830	21.672	ng/u1	-0.01
46) Dimethylphthalate-d6	14.004	166	434203	11.938	ng/u1	-0.01
49) Acenaphthylene-d8	14.287	160	449698	10.751	ng/u1	-0.01
54) 4-Nitrophenol-d4	14.834	143	45697	7.212	ng/u1	0.00
60) Fluorene-d10	15.587	176	368881	11.781	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.722	200	29627	4.573	ng/u1	0.00
73) Anthracene-d10	17.457	188	592001	11.612	ng/u1	-0.01
81) Pyrene-d10	19.704	212	698563	12.312	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.816	264	638570	11.358	ng/u1	-0.02
Target Compounds					Qvalue	
2) 1,4-Dioxane	3.334	88	8872	1.899	ng/uL	96
8) Phenol	7.116	94	532588	34.409	ng/u1	98
13) 2-Methylphenol	8.375	108	72019	6.288	ng/u1	100
16) Acetophenone	8.781	105	18987	1.027	ng/u1#	90
18) 4-Methylphenol	8.705	108	241566	19.685	ng/u1	100
26) 2,4-Dimethylphenol	9.916	107	287065m	20.653	ng/u1	
30) Naphthalene	10.799	128	497110	11.641	ng/u1	99
36) 2-Methylnaphthalene	12.410	142	159773	5.733	ng/u1	95
37) 1-Methylnaphthalene	12.628	142	95588	3.355	ng/u1	98
43) 1,1'-Biphenyl	13.422	154	50418	1.309	ng/u1	100
59) Diethylphthalate	15.404	149	118867	3.356	ng/u1	97
71) Pentachlorophenol	16.987	266	8665	1.047	ng/u1	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092523\
Data File : BP017327.D
Acq On : 25 Sep 2023 18:43
Operator : MA/JU
Sample : 04429-11
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
BBBM3

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023


Quant Time: Sep 26 00:25:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP092023.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 21 23:51:07 2023
Response via : Initial Calibration





#2
1,4-Dioxane
Concen: 1.899 ng/uL
RT: 3.334 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43




Instrument :
BNA_P
ClientSampleId :
BBBM3



Tgt Ion: 88 Resp: 8872
Ion Ratio Lower Upper
88 100
43 31.7 25.0 37.4
58 66.8 56.6 84.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#8
Phenol
Concen: 34.409 ng/uL
RT: 7.116 min Scan# 685
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Tgt Ion: 94 Resp: 532588
Ion Ratio Lower Upper
94 100
65 29.1 21.4 32.2
66 35.6 28.2 42.2









#13
2-Methylphenol
Concen: 6.288 ng/ul
RT: 8.375 min Scan# 899
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Instrument :
BNA_P
ClientSampleId :
BBBM3

Tgt Ion:108 Resp: 72019
Ion Ratio Lower Upper
108 100
107 91.8 73.5 110.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#16
Acetophenone
Concen: 1.027 ng/ul
RT: 8.781 min Scan# 968
Delta R.T. -0.006 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Tgt Ion:105 Resp: 18987
Ion Ratio Lower Upper
105 100
77 85.4 63.6 95.4
51 33.3 19.2 28.8









#18
4-Methylphenol
Concen: 19.685 ng/ul
RT: 8.705 min Scan# 91
Delta R.T. -0.017 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Instrument :
BNA_P
ClientSampleId :
BBBM3

Tgt Ion:108 Resp: 24156
Ion Ratio Lower Upper
108 100
107 112.2 90.0 135.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#26
2,4-Dimethylphenol
Concen: 20.653 ng/ul m
RT: 9.916 min Scan# 1161
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Tgt Ion:107 Resp: 287065
Ion Ratio Lower Upper
107 100
121 49.7 41.1 61.7
122 83.4 69.4 104.0









#30
Naphthalene
Concen: 11.641 ng/ul
RT: 10.799 min Scan# 1311
Delta R.T. -0.017 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Instrument :
BNA_P
ClientSampleId :
BBBM3

Tgt Ion:128 Resp: 497110
Ion Ratio Lower Upper
128 100
129 11.7 8.6 13.0
127 13.0 10.6 15.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#36
2-Methylnaphthalene
Concen: 5.733 ng/ul
RT: 12.410 min Scan# 1585
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Tgt Ion:142 Resp: 159773
Ion Ratio Lower Upper
142 100
141 85.4 71.9 107.9









#37
1-Methylnaphthalene
Concen: 3.355 ng/ul
RT: 12.628 min Scan# 1622
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Instrument :
BNA_P
ClientSampleId :
BBBM3

Tgt Ion:142 Resp: 9558
Ion Ratio Lower Upper
142 100
141 89.9 73.4 110.2
116 4.3 3.1 4.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#43
1,1'-Biphenyl
Concen: 1.309 ng/ul
RT: 13.422 min Scan# 1757
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43


Tgt Ion:154 Resp: 50418
Ion Ratio Lower Upper
154 100
153 39.4 31.5 47.3
76 13.8 11.0 16.6





#59
Diethylphthalate
Concen: 3.356 ng/ul
RT: 15.404 min Scan# 2094
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43




Instrument :
BNA_P
ClientSampleId :
BBBM3



Tgt Ion:149 Resp: 11886
Ion Ratio Lower Upper
149 100
177 23.0 17.0 25.6
150 12.6 9.8 14.6

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/26/2023
Supervised By :mohammad ahmed 09/29/2023



#71
Pentachlorophenol
Concen: 1.047 ng/ul
RT: 16.987 min Scan# 2363
Delta R.T. -0.012 min
Lab File: BP017327.D
Acq: 25 Sep 2023 18:43

Tgt Ion:266 Resp: 8665
Ion Ratio Lower Upper
266 100
264 59.9 48.9 73.3
268 57.9 51.6 77.4

