

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092525\
 Data File : BP025858.D
 Acq On : 25 Sep 2025 14:01
 Operator : CG/JU
 Sample : PB169791TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169791TB

Quant Time: Sep 25 14:25:48 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.707	152	175280	20.000	ng	-0.05
21) Naphthalene-d8	10.484	136	658705	20.000	ng	-0.04
39) Acenaphthene-d10	14.372	164	427489	20.000	ng	0.00
64) Phenanthrene-d10	17.183	188	898551	20.000	ng	0.00
76) Chrysene-d12	21.636	240	1019790	20.000	ng	0.00
86) Perylene-d12	25.018	264	1141894	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.343	112	1293988	119.119	ng	-0.04
7) Phenol-d6	6.907	99	1548707	107.259	ng	-0.04
23) Nitrobenzene-d5	8.860	82	988635	66.205	ng	-0.04
42) 2,4,6-Tribromophenol	15.895	330	725091	135.987	ng	-0.01
45) 2-Fluorobiphenyl	12.966	172	2249392	70.062	ng	-0.02
79) Terphenyl-d14	19.907	244	4187946	73.879	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092525\
Data File : BP025858.D
Acq On : 25 Sep 2025 14:01
Operator : CG/JU
Sample : PB169791TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169791TB

Quant Time: Sep 25 14:25:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.707 min Scan# 81
Delta R.T. -0.053 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01




Instrument :
BNA_P
ClientSampleId :
PB169791TB

Tgt Ion:152 Resp: 175280
Ion Ratio Lower Upper
152 100
150 155.2 124.3 186.5
115 59.6 50.3 75.5



#5
2-Fluorophenol
Concen: 119.119 ng
RT: 5.343 min Scan# 409
Delta R.T. -0.041 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01

Tgt Ion:112 Resp: 1293988
Ion Ratio Lower Upper
112 100
64 58.8 50.2 75.4
63 30.0 26.7 40.1









#7
Phenol-d6
Concen: 107.259 ng
RT: 6.907 min Scan# 61
Delta R.T. -0.041 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01




Instrument :
BNA_P
ClientSampleId :
PB169791TB


Tgt Ion: 99 Resp: 1548707
Ion Ratio Lower Upper
99 100
42 16.7 15.6 23.4
71 34.9 28.6 43.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.484 min Scan# 1283
Delta R.T. -0.041 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01

Tgt Ion:136 Resp: 658705
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 8.6 7.5 11.3
68 6.4 5.0 7.6









#23
Nitrobenzene-d5
Concen: 66.205 ng
RT: 8.860 min Scan# 1014
Delta R.T. -0.041 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01




Instrument :
BNA_P
ClientSampleId :
PB169791TB


Tgt Ion: 82 Resp: 988635
Ion Ratio Lower Upper
82 100
128 43.1 32.9 49.3
54 49.8 43.4 65.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.372 min Scan# 1944
Delta R.T. -0.006 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01

Tgt Ion: 164 Resp: 427489
Ion Ratio Lower Upper
164 100
162 100.9 80.6 120.8
160 43.0 35.0 52.6









#42
2,4,6-Tribromophenol
Concen: 135.987 ng
RT: 15.895 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01




Instrument :
BNA_P
ClientSampleId :
PB169791TB


Tgt Ion:330 Resp: 725091
Ion Ratio Lower Upper
330 100
332 96.3 76.9 115.3
141 30.9 31.0 46.4#



#45
2-Fluorobiphenyl
Concen: 70.062 ng
RT: 12.966 min Scan# 1705
Delta R.T. -0.024 min
Lab File: BP025858.D
Acq: 25 Sep 2025 14:01

Tgt Ion:172 Resp: 2249392
Ion Ratio Lower Upper
172 100
171 34.6 27.8 41.6
170 23.4 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.183 min Scan# 2422

Delta R.T. -0.000 min

Lab File: BP025858.D

Acq: 25 Sep 2025 14:01

Instrument :

BNA_P

ClientSampleId :

PB169791TB





Tgt Ion:188 Resp: 898551

Ion Ratio Lower Upper

188 100

94 8.6 7.4 11.0

80 9.8 7.7 11.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.636 min Scan# 3179

Delta R.T. -0.006 min

Lab File: BP025858.D

Acq: 25 Sep 2025 14:01




Tgt Ion:240 Resp: 1019790


Ion Ratio Lower Upper

240 100

120 9.5 8.0 12.0

236 25.6 20.7 31.1









#79
 Terphenyl-d14
 Concen: 73.879 ng
 RT: 19.907 min Scan# 2885
 Delta R.T. -0.006 min
 Lab File: BP025858.D
 Acq: 25 Sep 2025 14:01

Instrument :
 BNA_P
 ClientSampleId :
 PB169791TB

Tgt Ion:244 Resp: 4187946
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.9 8.9
 122 9.1 7.1 10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.018 min Scan# 3754
 Delta R.T. 0.018 min
 Lab File: BP025858.D
 Acq: 25 Sep 2025 14:01

Tgt Ion:264 Resp: 1141894
 Ion Ratio Lower Upper
 264 100
 260 22.8 18.3 27.5
 265 21.8 17.3 25.9

